

# Scherzinger/Mebs, Die Eulen Europas, ISBN 978-3-440-15984-2

## Literaturliste zur 3. Auflage

1	Aebischer, A. (1008): Eulen und Käuze - Auf den Spuren der nächtlichen Jäger. Haupt-Velag/ Bern- Stuttgart-Wien: 248 S.
2	Aebischer, A., Koch, S., Nyffeler, P. & Arlettaz, R. (2006): Eagle owl ( <i>Bubo bubo</i> ) mortality assessed by radio tracking and by satellite telemetry - towards targeted conservation measures. <b>6.</b> Intern. Symposium Populationsökol. Greifvogel- u. Eulenarten, Meisdorf: Referat
3	Aebischer, A., Nyffeler, P. & Arlettaz R. (2010): Wide-range dispersal in juvenile Eagle Owls ( <i>Bubo bubo</i> ) across the European Alps calls for transnational conservation programmes. <i>J Ornithol</i> <b>151</b> : S. 1–9. DOI 10.1007/s10336-009-0414-2
4	Aebischer, A., Nyffeler, P., Koch, S. & Arlettaz, R. (2005): Jugenddispersion und Mortalität Schweizer Uhus <i>Bubo bubo</i> . Ein aktueller Zwischenbericht. <i>Ornithol. Anzeiger</i> <b>44</b> : S. 197–200
5	Aebischer, A. (2009): Situation des Uhus <i>Bubo bubo</i> in der Schweiz und Jugenddispersion ermittelt anhand der Satelliten-Telemetrie. <i>Eulen-Rundblick</i> <b>59</b> : S. 17
6	AG-Eulen (2015): Sumpfohreulen-Brut im Landkreis Neuburg-Schrobenhausen / Bayern durch Feuer vernichtet. <a href="https://www.ageulen.de/doku.php?id=eulen_menschen_archiv-3">https://www.ageulen.de/doku.php?id=eulen_menschen_archiv-3</a>
7	Ainley, M. (1978): Prey piracy by Hawk Owl on common crow. <i>Tchecbec Annu. Rep. WR</i> <b>178</b> : S. 93–96
8	Alaja, P. & Mikkola, H. (1997): Albinism in the Great Gray Owl ( <i>Strix nebulosa</i> ) and other Owls. Abstract. <a href="https://www.ncrs.fs.fed.us/pubs/gtr/other/gtr-nc190/ALAJA&amp;M.PDF">https://www.ncrs.fs.fed.us/pubs/gtr/other/gtr-nc190/ALAJA&amp;M.PDF</a>
9	Albegger, E.(2015): Habichtskauz <i>Strix uralensis</i> PALLAS, 1771. Avifauna Steiermark. Leykam Buchverlag /Graz: S. 487-492
10	Aletsee, M. (2014): Der Steinkauz <i>Athene noctua</i> in Aachen 1995 bis 2013: Populationsentwicklung, Besiedlungskontinuität, Habitatausstattung. <i>Charadrius</i> <b>50</b> (1): S. 89–97
11	Alivizatos, H., Gountner, V., Athanasiadis, A. & Poirazidis, K. (2006): Comparative temporal prey use by barn owl ( <i>Tyto alba</i> ) and little owl ( <i>Athene noctua</i> ) in the Evros Delta, northeastern Greece. <i>Journal of Biological Research</i> <b>6</b> : S.177–186
12	Allen, M.L., Ward, M.P., Južnič, D. & M. Krofel (2019): Scavenging by owls: a global review and new observations from Europe and North America. <i>Journal of Raptor Research</i> <b>53</b> (4): 410–418
13	Allenstein, H. (1975): Waldohreulen auf der Elbinsel Lühesand. <i>Vogel u. Heimat, Sonderh.</i> <b>3</b> : S. 29–30
14	Alonso R., Orejas P., Lopes F. & Sanz C. (2011): Pre-release training of juvenile little owls <i>Athene noctua</i> to avoid predation. <i>Animal Biodiversity and Conservation</i> , <b>34.2</b> : S. 389–393.
15	Altenwegg, R., Roulin, A., Kestenholz, M. & Jenni, L. (2003): Variation and covariation in survival, dispersal, and population size in Barn Owls <i>Tyto alba</i> . <i>Journ. Animal Ecol.</i> <b>72</b> : S. 391–399
16	Andersen, L. H., Sunde, P., Loeschcke, V. & Pertoldi, C. (2015): A population viability analysis on the declining population of Little Owl ( <i>Athene noctua</i> ) in Denmark using the stochastic simulation program VORTEX. <i>Ornis Fennica</i> <b>92</b> : S. 123–143
17	Angelici F., Latella L., Luiselli L. & Riga F. (1997): The summer diet of the Little Owl ( <i>Athene noctua</i> ) on Island of Astipalaia (Dodecanese, Greece). <i>Journal of Raptor Research</i> <b>31</b> : S. 280–282
18	Angyal, L. & Konopka, H-L. (1975): Beobachtungen an einem zahmen Steinkauz. <i>Gefiederte Welt</i> <b>99</b> : S. 212–216
19	Apolloni, N., Grüebler, M. U., Arlettaz, R., Gottschalk, T. K. & Naef-Daenzer, B. (2018): Habitat selection and range use of little owls in relation to habitat patterns at three spatial scales. <i>Animal Conservation</i> <b>21</b> : S. 65–75
20	Appleby, B. M., Petty, S. J., Blakey, J. K., Rainey, P. & MacDonald, D. W. (1997): Does variation of sex ratio enhance reproductive success of offspring in tawny owls ( <i>Strix aluco</i> ). <i>Proceedings of the Royal Society - B</i> <b>264</b> (1385): DOI: <a href="https://doi.org/10.1098/rspb.1997.0153">https://doi.org/10.1098/rspb.1997.0153</a>
21	Appleby, B. & Redpath, St. (1997): Indicators of male quality in the hoots of Tawny Owls ( <i>Strix aluco</i> ). <i>Journ. Raptor Research</i> <b>31</b> : S. 65–70
22	Appleby, B. & Redpath, St. (2008): Variation in the male territorial hoot of the Tawny Owl <i>Strix aluco</i> in three English populations. <i>Ibis</i> <b>139</b> : S. 152–158
23	Arcidiacono G., Donati C. & Mastrorilli M. (2007): Dieta della Civetta <i>Athene noctua</i> in habitat naturali e antropizzati: una revisione bibliografica. <i>Studi Trentini di Scienze Naturali, Acta Biol.</i> <b>83</b> : S. 243–247
24	ARD-Wien (2015): Serbien: Kikinda – die Welthauptstadt der Eulen. <a href="https://www.ard-wien.de/2015/03/02/serbien-kikinda-die-welthauptstadt-der-eulen/">https://www.ard-wien.de/2015/03/02/serbien-kikinda-die-welthauptstadt-der-eulen/</a>
25	Arlettaz, R. (1990): La population relictuelle du Hibou petit-duc, <i>Otus scops</i> , en Valais central: dynamique, organisation spatiale, habitat et protection. <i>Nos Oiseaux</i> <b>40</b> : S. 321–343

26	Arroyo, B.E. & Bretagnolle, V. (1999): Breeding biology of the Short-eared Owl ( <i>Asio flammeus</i> ) in agricultural habitats of south western France. <i>Journal of Raptor Research</i> <b>33</b> : S. 287–294
27	Arroyo, B.E., DeCornulier, T., Bretagnolle, V. (2000): Sex and age determination of short-eared owl nestlings. <i>The Condor</i> <b>102</b> : S.216–219
28	Augst, U. (1994): Der Sperlingskauz ( <i>Glaucidium passerinum</i> ) im Nationalpark „Sächsische Schweiz“. <i>Mitt. Ver. Sächs. Ornith.</i> <b>7</b> : S. 285–297
29	Augst, U. (2003): Reproduktion und Bestandsentwicklung des Uhus <i>Bubo bubo</i> im Elbsandsteingebirge. <i>Vogelwelt</i> <b>124</b> : S. 229-239
30	Augst, U. (2015): Die Besiedlung Ostsachsens durch den Uhu ( <i>Bubo bubo</i> ). <i>Acta ornithoecologica</i> <b>8</b> : S. 133-142
31	Augst, U. (2015): Neues vom Uhu <i>Bubo bubo</i> in der Nationalparkregion Sächsische Schweiz. <i>Mitt. Ver. Sächs. Ornithol.</i> <b>11</b> : S. 425–430
32	Avilés J. M. & Parejo D. (2013): Colour also matters for nocturnal birds: owllet bill coloration advertises quality and influences parental feeding behaviour in little owls. <i>Oecologia</i> <b>173</b> : S. 399-408.- DOI 10.1007/s00442-013-2625-8
33	Avilés J. M. & Parejo D. (2012): Covariation between bill colouration and fitness components in a nocturnal bird. <i>Journal of Avian Biology</i> <b>43</b> : S. 565–570
34	Avotins A. & Aunins A. (2018): Factors prevailing distribution of Eurasian Pygmy Owl and setting conservation priorities in Latvia. University of Latvia Conference Paper. DOI: 10.17011/conference/eccb2018/107424
35	Bachmann, T. & Winzen, A. (2014): Owl inspired silent flight. In: Jabbari, E., Kim, D.-H., Pee, L. P., Ghaemmaghami, A. & Khademhosseini, A. (Hrsg.): <i>Handbook of Biomimetics and Bioinspiration 1: Bioinspired Materials</i> . World Scientific Publishing / Singapur. S. 695-717
36	Baekken, B., J. Nybo & G. Sonerud (1987): Home range size of Hawk Owls: dependence on calculation method, number of tracking days, and number of plotted perchings. In: Nero, Clark, Knapton & Hamre (Hrsg.): <i>Biology and conservation of northern forest owls</i> . USDA Forest Serv., Gen. Techn. Report <b>RM-142</b> : S. 145–148
37	Baker, E.(2016): <i>Athene noctua</i> . Bird Hosts. Distribution of British Fleas. - URL: <a href="http://britishfleas.myspecies.info/taxonomy/term/172">http://britishfleas.myspecies.info/taxonomy/term/172</a>
38	Baláz M., Repel M. & Slobodník R. (2018): Unusual frequent occurrence of Ural owls ( <i>Strix uralensis</i> ) in urban and rural habitats in the lowlands of southern Slovakia during the winter 2017/2018. <i>Slovak Raptor Journal</i> 2018, <b>12</b> : S. 63–69. DOI: 1 0.2478/srj-2018-0006
39	Barbaro L., Blache S. & Trochard G. (2014): Distribution spatiale et densité de la chevêche d'Europe sur la Réserve Biologique Intégrale des Hauts-Plateaux du Vercors. <i>Le Bièvre</i> <b>26</b> : S. 34-37
40	Barn Owl Trust (2012): Barn Owl Conservation Handbook. Pelagic Publishing / Exeter: 395 S.
41	Barn Owl Trust (2016): State of the UK Barn Owl population – 2016: a poor year in most areas, generally better in the west of England. Results from 32 independent groups collated by the Barn Owl Trust. Präsentation.
42	Barn Owl Trust (2018): State of the UK Barn Owl population – 2018: Generally a poor year with few exceptions. Results from 37 independent groups collated by the Barn Owl Trust; Präsentation.
43	Barn Owl Trust (2019): Nestbox success. Feedback 62; S. 9-21
44	Barriocanal C. & Robson D. (2017): Migration of Eurasian Scops Owl ( <i>Otus scops</i> ) over north of Sahara fringe and southwestern Mediterranean. Poster. University of Barcelona & Catalan Ornithological Institute
45	Bashta, A-T. (2009): Ural Owl <i>Strix uralensis</i> population dynamics and range expansion in western Ukraine. 4 <sup>th</sup> WOC/Groningen. <i>Ardea</i> <b>97</b> : S. 483-487
46	Baucells J. (2011): Brood defence by a female Long-eared Owl <i>Asio otus</i> against an attack by a Tawny Owl <i>Strix aluco</i> . <i>Revista Catalana d'Ornitologia</i> <b>27</b> : S. 36-39
47	Baudvin, H., Bouard, A., Coudor, P., Hazard, R., Joliet, D. & Olivier, G. (2017): Der Waldkauz im Burgund 2015 und 2016. <i>Eulen-Rundblick</i> <b>67</b> : S. 42-46
48	Baudvin, H., J.-L. Dessolin, G. Barabant & G. Olivier (1985): Quelques données recueillies en visitant des nichoirs à Chouette de Tengmalm, <i>Aegolius funereus</i> . <i>Nos Oiseaux</i> <b>38</b> : S. 19–24
49	Bauschmann, G. (2014): Erster Brutnachweis der Zwergohreule ( <i>Otus scops</i> ) in Hessen und weitere belegte Brutvorkommen in Deutschland, <i>Vogel u. Umwelt</i> <b>21</b> : S. 71-88
50	Bavoux C., Burneau G., Barbraud C., Métivier, M. & Roulin A. (2012): Habitat used by an insular population of Eurasian Scops Owl <i>Otus scops</i> on Oleron Island (Western France). <i>Alauda</i> <b>80</b> (3): S.179-186

51	Beck, T. W. & Smith, R. A. (1987): Nesting chronology of the Great grey owl at an artificial nest site in the Sierra Nevada. <i>J. Raptor Res.</i> <b>21</b> (3): S. 116–118
52	Becker, P. (1976): Sumpfohreule ( <i>Asio flammeus</i> ) als Brutvogel in geschlossenem Waldgebiet. <i>Vogelkdl. Ber. Niedersachsen</i> <b>8</b> : S. 47–49
53	Becker, P. (1978): Getreidebrut der Sumpfohreule ( <i>Asio flammeus</i> ) im Landkreis Hannover. <i>Beitr. Naturkd. Niedersachs.</i> <b>31</b> : S. 22–24
54	Bellebaum, J. (1995): Die Nahrung überwinternder Waldohreulen ( <i>Asio otus</i> ) in der Westruper Heide. <i>Charadrius</i> <b>31</b> : S. 220–224
55	Benker, G. (1993): Eule und Mensch. Die Nachtgeister und ihre Symbolik. <i>Eulen-Verlag/Freiburg i.Br.</i> : 142 S.
56	Benussi E. & Genero F. (2014): Gli Urali a casa nostra. ASTORE - Friuli, Venezia, Giulia: S. 2–13
57	Beziers, P. & Roulin, A. (2016): Double brooding and offspring desertion in the Barn Owl <i>Tyto alba</i> . <i>Avian Biology</i> <b>47</b> : S. 235–244
58	Berg, H.-M. & S. Zelz (1995): Ein neu entdecktes Vorkommen der Zwergohreule ( <i>Otus scops</i> ) im Bezirk Mattersburg/Burgenland. <i>BFB-Bericht</i> <b>83</b> : S. 5–21
59	Berg, A. von de, Bekir, S., Kniif, P. de & The Sound Approach (2010). Rediscovery, biology, vocalisations and taxonomy of fish owls in Turkey. <i>Dutch Birding</i> <b>32</b> : S. 287–298
60	Berger, V. (1996): Neues aus der „Störungsbiologie“ am Beispiel der Waldohreule. In: Gamauf, A. & V. Berger (Hrsg.): Greifvögel und Eulen Österreichs. Abh. Zool. Bot. Ges. Österr./Wien <b>29</b> : S. 161–172
61	Bergerhausen, W. & K. Radler (1989): Bilanz der Wiedereinbürgerung des Uhus in der Bundesrepublik Deutschland. <i>Natur u. Landschaft</i> <b>64</b> : S. 157–161
62	Bergerhausen, W. (1994): Wiederansiedlung des Uhus ( <i>Bubo bubo</i> ) in den nordwestdeutschen Mittelgebirgen – Resümee eines Projektes. <i>Eulen-Rundblick</i> <b>40/41</b> : S. 23–28
63	Bergerhausen, W. (1997): Schutz-Zonen für den Uhu ( <i>Bubo bubo</i> ). <i>Eulen-Rundblick</i> <b>46</b> : S. 17–20
64	Bergman, G. (1961): The food of birds of prey and owls in Fennoscandia. <i>British Birds</i> <b>54</b> : S. 307–320
65	Berndt, R. & W. Meise (1960): Naturgeschichte der Vögel. <b>Band 2</b> : Spezielle Vogelkunde. Franckh'sche Verlagshandlung / Stuttgart: 679 S.
66	Berthová L, Ružić M., Rajković D. & Spitalská E. (2013): Occurance of haemosporidian parasites in Long-Eared Owls ( <i>Asio otus</i> ) in winter roost in Vojvodina province, Northern Serbia. <i>Zborník z Konferencie III. Labudove dni. Virologicky ustav SAV</i> ; Bratislava, s. A123
67	Bertolini, S., Ghiberti, E. & Perrone, A. (2001): Feeding ecology of the Long-eared Owl ( <i>Asio otus</i> ) in nordin Italy: Is it a dietary specialist? <i>Canadian Journ. Zoology</i> <b>79</b> : S. 2192–2198
68	Bevanger K. & Overskaug K. (1998): Utility structures as a mortality factor for raptors and owls in Norway. Chancellor, R.D., B.-U. Meyburg & J.J. Ferrero (eds.): <i>Holarctic Birds of Prey</i> : S. 381–392
69	Bezzel, E. (1985): Kompendium der Vögel Mitteleuropas. <i>Nonpasseriformes</i> – Nichtsingvögel. Aula Verlag/Wiesbaden: 792 S.
70	BirdLife International (2015–2019): The IUCN Red List of Threatened Species: e.T22689362A93228127. <a href="https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T22689362A93228127.en">https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T22689362A93228127.en</a> .
71	Birds Migration - SEO/BirdLife Spain: Eurasian Scops Owl <i>Otus scops</i> . Overview of the species. <a href="http://www.migraciondeaves.org/#datos_especie.php?open=3500">http://www.migraciondeaves.org/#datos_especie.php?open=3500</a>
72	Birrer S. & Häller A. (2005): Erste Bodenbrut der Waldohreule <i>Asio otus</i> in der Schweiz. <i>Ornithol. Beob.</i> <b>102</b> : S. 299–302
73	Birrer, S. (2018): Waldkauz - <i>Strix aluco</i> . In: Knaus, P., Antoniazza, S., Wechsler, S., Guelat, J., Kery, M., Strebel, N. & Sattler, Th.: <i>Schweizer Brutvogelatlas 2013–2016</i> . Schweizer Vogelwarte/Sempach
74	Birrer, S. (2003): Bestandsentwicklung der Waldohreule <i>Asio otus</i> in der Schweiz. <i>Vogelwelt</i> <b>124</b> : S. 255–260
75	Birrer, S. (2009): Synthesis of 312 studies on the diet of the Long-eared Owl <i>Asio otus</i> . Proc. 4 <sup>th</sup> World Owl Conference/ Groningen 2007. <i>Ardea</i> <b>97</b> : S. 615–622
76	Birrer, S. (2014): Reaction of the Long-eared Owl <i>Asio otus</i> on imitations of wing-clapping and playback of mating calls – consequences for population censuses. <i>Vogelwarte</i> <b>52</b> : S. 111–117.
77	Birrer, S. (2017): Are Long-eared Owl ( <i>Asio otus</i> ) breeding in rock faces in Central Europe? Project Long-term monitoring of Long-eared Owls. <a href="https://www.researchgate.net/project/long-term-monitoring-long-eared-owls">https://www.researchgate.net/project/long-term-monitoring-long-eared-owls</a>
78	Birrer, S. (2017): Birds as food of owls - an intra- and interspecific comparison. WOC / Evora: Vortrag (abstract S. 89)
79	Blanco, G., Dávila, J. A., Septiem, J. A. L., Rodríguez, R. & Martínez, F. (2002): Sex-biased initial eggs favours sons in the slightly size-dimorphic Scops owl ( <i>Otus scops</i> ). <i>Biological Journal of the Linnean Society</i> <b>76</b> : S. 1–7

80	Block, B. (2000): 16 Jahre Untersuchungen an der Waldohreule ( <i>Asio otus</i> ) im Landkreis Havelland – Brutbestand und Reproduktion in einem Untersuchungsgebiet von 50 km <sup>2</sup> . Naturschutz und Landschaftspflege in Brandenburg <b>9</b> (2): S. 57–61
81	Block, B. (2009): Long-term trends in population density and reproductive success of Long-eared Owl <i>Asio otus</i> in Brandenburg, Germany. 4 <sup>th</sup> World Owl Conference / Groningen; Ardea <b>97</b> : S. 439-443
82	Bock, A., Naef-Daenzer, B., Keil, H., Korner-Nievergelt, F., Perrig, M. & Grüebler, M. U. (2013): Roost site selection by Little Owls <i>Athene noctua</i> in relation to environmental conditions and life-history stages. Ibis <b>155</b> : S. 847-856
83	Böck, F. & Walter, W. (1976): Zur Vogelfauna der Insel Krk und benachbarter Inseln der Kvarner Bucht. Egretta <b>19</b> : S. 11-22
84	Bock, W. & A. McEvey (1969): The radius and relationship of owls. Wilson Bull. <b>81</b> : S. 55–68
85	Bock, W. (1968): A radial propriozeptive organ in the wings of owls. Amer. Zool. <b>8</b> : S. 810
86	Böhr, E. & H.-J. Böhr (1996): Auf den Leim gegangen – seit über 2500 Jahren. Steinkauz als Lockvogel beim Vogelfang. Ornithologen-Kalender: S. 210–219
87	Bolboaca L., lordache I. & Ion C. (2018): Factors related with the distribution of Ural owl <i>Strix uralensis macroura</i> in Eastern Romania. North-western Journal of Zoology <b>14</b> (2): S. 193-198
88	Bolbocă L., Pocora V. & Baltag E. (2013): The breeding of scops owl ( <i>Otus scops</i> ) in lasi county (Eastern Romania). A Habitat Selectivity study. Travaux du Muséum National d'Histoire Naturelle «Grigore Antipa» Vol. LVI (2): S. 221–226. DOI: 10.2478/travmu-2013-0016
89	Bondrup-Nielsen S. (1977): Thawing of frozen prey by boreal and saw-whet owls. Canadian Journal of Zoology <b>55</b> (3): S. 595-601
90	Bontzorlos, V., Peris, S., Vlachos, C. & Bakalondis, D. (2009): Barn Owl <i>Tyto alba</i> prey in Thessaly, and evaluation of Barn Owl diets throughout Greece. 4 <sup>th</sup> WOC / Groningen. Ardea <b>79</b> : S. 625-633
91	Bordjan, D. & Rozoničnik, A. (2010): Breeding density of the Scops Owl <i>Otus scops</i> in urban settlements on the island of Brača (Central Dalmatia). Acrocephalus <b>31</b> (144): S. 15–20 doi: 10.2478/v10100-010-0002-9
92	Bowmaker, J. K. & Martin, G. R. (1977): Visual pigments and colour vision in a nocturnal bird, <i>Strix aluco</i> (Tawny owl). Vision Research <b>18</b> : S. 1125-1130
93	Boxall, P. & M. Lein (1982): Territoriality and habitat selection of female Snowy Owls ( <i>Nyctea scandiaca</i> ) in winter. Can. J. Zool. <b>60</b> : S. 2344–2350
94	Boyd, J.-H. (2007): Aves: Taxonomy in flux – an overview. <a href="http://jboyd.net/Taxo/taxo1.html">http://jboyd.net/Taxo/taxo1.html</a>
95	Bozó, L. & Csathó, A. I. (2017): The status and population changes of the Little Owl ( <i>Athene noctua</i> ) in the south of Békés county (Hungary). Ornis Hungarica <b>25</b> : S. 23-33
96	Bradtka, J. (2019): Zur Habichtskauz-Wiederansiedlung in den Wältern des nordostbayerischen und westböhmischen Grundgebirges. Jahrestagung AG-Eulen / Bad Blankenburg: Vortrag
97	Brambilla, M., Bassi, E., Bergero, V., Casale, F., Chemollo, M., Falco, R., Longoni, V., Saparetti, F., Viganò, E. & Vitulano, S. (2013): Modelling distribution and potential overlap between Boreal Owl <i>Aegolius funereus</i> and Black Woodpecker <i>Dryocopus martius</i> : implications for management and monitoring plans. Bird Conservation International <b>23</b> : S. 502–511
98	Brandt, Th. & Ch. Seebass (1994): Die Schleiereule – Ökologie eines heimlichen Kulturfilers. Aula/Wiesbaden: 152 S.
99	Brauneis, W. & Hormann, M. (2005): Bestand und Populationsdynamik des Uhus <i>Bubo bubo</i> in Hessen. Ornithol. Anzeiger <b>44</b> : S. 113-116
100	Brauneis, W. (2003): Der Uhu <i>Bubo bubo</i> in Hessen - Wiederbesiedlung und Bestandsentwicklung. Vogelwelt <b>124</b> : S. 241-247
101	Bressan, P. & Roscelli, F. (2013): Eccezionale svernamento di Gufo di palude <i>Asio flammeus</i> nella Bassa Parmese. Picus <b>39</b> : S. 29-33
102	Breuer, W. (2012). Geocaching und Eulenartenschutz - Probleme und Lösungsmöglichkeiten. Eulen-Rundblick <b>62</b> : S. 41-46
103	Breuer, W. & Brücher, St. (2017): Windenergie und Uhu - Aktuelle Aspekte eines unterschätzten Konflikts. Eulen-Rundblick <b>67</b> : S. 25-30
104	Breuer, W. (2018): Der Uhu am Hildesheimer Dom im Jahr 2017. Eulen-Rundblick <b>68</b> : S. 83-86
105	Brito P. (2005): The influence of Pleistocene glacial refugia on tawny owl genetic diversity and phylogeography in western Europe. Molecular Ecology <b>14</b> : S. 3077–3094. doi: 10.1111/j.1365-294X.2005.02663.x
106	Brito P. (2007): Contrasting patterns of mitochondrial and microsatellite genetic structure among Western European populations of tawny owls ( <i>Strix aluco</i> ). Molecular Ecology <b>16</b> : S. 3423–3437. doi: 10.1111/j.1365-294X.2007.03401.x

<b>107</b>	Brommer, J. E., Ahola, K. & Karstinen, T. (2005): The colour of fitness: plumage coloration and lifetime reproductive success in the tawny owl. <i>Proceedings of the Royal Society B</i> <b>272</b> : S. 935-940
<b>108</b>	Brommer, J. E., Karell, P., Pihlaja, T., Painter, J. N., Primmer, C. R. & Pietäinen, H. (2003): Ural owl sex allocation and parental investment under poor food conditions. <i>Oecologia</i> <b>137</b> : S. 140-147. DOI 10.1007/s00442-003-1317-1
<b>109</b>	Brommer, J. E., Pietäinen, H. & Kolunen, H. (1998): The effect of age at first breeding on Ural owl lifetime reproductive success and fitness under cyclic food conditions. <i>Journal of Animal Ecology</i> <b>67</b> : S. 359-369
<b>110</b>	Brommer, J. E., Pihlajamäki, O., Kolunen, H. & Pietäinen, H. (2003): Life-history consequences of partial-moult asymmetry. <i>Journal of Animal Ecology</i> <b>72</b> : S. 1057-1063
<b>111</b>	Brommer, J. E., Pietäinen, H. & Kolunen, H. (2003): Natural selection on individual clutch size – laying date trends in the Ural owl. <i>Evolutionary Ecology Research</i> <b>5</b> : S. 229–237
<b>112</b>	Brommer, J.E., Pietäinen, H. & H. Kolunen (2002): Reproduction and survival in a variable environment: Ural Owls ( <i>Strix uralensis</i> ) and the three-year vole cycle. <i>The Auk</i> <b>119</b> (2): S. 544–550
<b>113</b>	Bruns, H. A., Berndt, R. & Jeromin, K. (2004): Verbreitung, Brutbestandsentwicklung und Nahrung der Sumpfohreule ( <i>Asio flammeus</i> ) in Schleswig-Holstein (1989–2003). <i>Corax</i> <b>19</b> (4): S. 357-374
<b>114</b>	Buckle, A., Prescott, C. & Shawyer, C. (2017): The breeding performance of Barn Owl populations in five regions of the United Kingdom - 2016 data set. Campaigne for Responsible Rodenticide Use - UK; Report VPU 17025: 17 S.
<b>115</b>	Bühler, P. & W. Epple (1980): Die Lautäußerungen der Schleiereule ( <i>Tyto alba</i> ). <i>Journ. Ornithol.</i> <b>121</b> : S. 36–70
<b>116</b>	Bühler, P. (1970): Schlupfhilfe-Verhalten bei der Schleiereule ( <i>Tyto alba</i> ). <i>Vogelwelt</i> <b>91</b> : S. 121–130
<b>117</b>	Bühler, P. (1981): Das Fütterungsverhalten der Schleiereule <i>Tyto alba</i> . <i>Ökol. Vögel</i> <b>3</b> : S. 183–202
<b>118</b>	Bull E., Henjum M. & Rohweder R. (1988): Home range and dispersal of Great Grey Owls in northern Oregon. <i>Journ. Raptor Research</i> <b>22</b> (4): S. 101-106
<b>119</b>	Bull, E. L. & J. R. Duncan (1993): Great Gray Owl – <i>Strix nebulosa</i> . <i>The Birds of North America No.</i> <b>41</b> : S. 1–16; <a href="https://birdsna.org/Species-Account/bna/species/grgowl/introduction">https://birdsna.org/Species-Account/bna/species/grgowl/introduction</a>
<b>120</b>	Bull, E. L., Henjum, M. G. & Rohweder, R. S. (1989): Reproduction and Mortality of Great Gray Owls in Oregon. <i>Northwest Science</i> <b>63</b> (1): S. 38-43
<b>121</b>	Bull,E.L. & Henjum, M.G. (1990): Ecology of the great grey owl. General Technical Report. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station
<b>122</b>	Bull. E., M. Henjum & R. Anderson (1987): Nest platforms for Great Grey Owls. In: Biology and conservation of northern forest owls./Winnipeg. USDA For. Serv. Gen. Tech. Rep.R-M-142: S. 87–90
<b>123</b>	Bunn, D. S. & Warburton, A. B. (1977): Observations on breeding Barn Owls. <i>Brit. Birds</i> <b>70</b> : S. 246-256
<b>124</b>	Bunn, D., A. Warburton & R. Wilson (1982): The Barn Owl. Poyser/Catton: 264 S.
<b>125</b>	Burton, J.-A. (Hrsg.; 1986): Eulen der Welt. Entwicklung – Körperbau – Lebensweise. Neumann-Neudamm / Melsungen: 208 S.
<b>126</b>	Bye, F., Jacobsen, B. & Sonerud, G. (1992): Auditory prey location in a pause-travel predator: search height, search time, and attack range of Tengmalm's owls ( <i>Aegolius funereus</i> ). <i>Behavioral Ecology</i> <b>3</b> : S.266-276. doi: 10.1093/beheco/3.3.266.
<b>127</b>	Byrkjedal I. & Langhelle G. (1986): Sex and age biased mobility in Hawk Owls <i>Surnia ulula</i> . <i>Ornis scand.</i> <b>17</b> : S. 306-308
<b>128</b>	Caldara, G. F., Vitale, C. M., Calderone, O., Cascio, G. L., Ferrantelli, V. & Sarà, M. (2013): Changes in eggshell ultrastructure of <i>Falco naumanni</i> and <i>Tyto alba</i> exposed to pesticides and polychlorinated biphenyls (PCBs). <i>Italian Journal of Anatomy and Embryology</i> <b>118</b> : S. 42
<b>129</b>	Calladine, J. & Morrisson, N. (2013): Diurnal and nocturnal ranging behaviour by moorland-breeding Short-eared Owls <i>Asio flammeus</i> in Scotland. <i>Bird study</i> <b>60</b> (1): S.44–51
<b>130</b>	Calladine, J., Crick, H. & C. Wernham (2005): Development of methods for surveying and estimating population size of short-eared owls ( <i>Asio flammeus</i> ). BTO Research Report No. <b>394</b> , British Trust for Ornithology, Stirling, Scotland
<b>131</b>	Calladine, J., Feu, C. du & Feu, R. du (2012): Changing migration patterns of Short-eared Owl <i>Asio flammeus</i> in Europe: an analysis of ringing recoveries: <i>Journ. of Ornithology</i> <b>153</b> (3): S. 691–698. DOI: 10.1007/s10336-011-0786-y
<b>132</b>	Calladine, J., Garner, G. & C. Wernham (2007): Developing methods for the field survey and monitoring of breeding Short-eared Owls ( <i>Asio flammeus</i> ) in the UK: an interim report from pilot fieldwork in 2006. BTO Research Report No. <b>472</b> , British Trust for Ornithology, Stirling, Scotland
<b>133</b>	Calvi, G. & Muzio, M. (2019): Little Owl <i>Athene noctua</i> survey in Milan, northern Italy: distribution, habitat preferences and considerations about sampling protocol. <i>Avocetta</i> <b>43</b> : S. 37-48

<b>134</b>	Campenhausen, M. v. & Wagner, H. (2006): Influence of the facial ruff on the sound-receiving characteristics of the Barn Owl's ears. <i>Journ. Comp. Physiology</i> 192: S. 1073-1082
<b>135</b>	Campioni, L., Delgado, M. & Penteriani, V. (2010): Social status influences microhabitat selection: breeder and floater Eagle Owls <i>Bubo bubo</i> use different post sites. <i>IBIS</i> 152: S. 569–579
<b>136</b>	Campioni, L., Delgado, M., Lourenço, Bastianelli, G., Fernández, N. & Penteriani, V. (2013): Individual and spatio-temporal variations in the home range behaviour of a long-lived, territorial species. <i>Oecologia</i> 172: S.371–385. DOI 10.1007/s00442-012-2493-7
<b>137</b>	Carlsson, B.-G. (1991): Recruitment of mates and deceptive behavior by male Tengmalm's owls. <i>Behavioral Ecology and Sociobiology</i> 28 (5): S. 321–328
<b>138</b>	Carlsson, B.-G., Hörfeldt, B. & Lofgren, O. (1987): Bigyny in Tengmalm's Owl <i>Aegolius funereus</i> : Effect of Mating Strategy on Breeding Success. <i>Ornis Scandinavica</i> 18 (4): S. 237
<b>139</b>	Chang, A.M. & Wiebe, K. (2018): Movement patterns and home ranges of male and female Snowy Owls ( <i>Bubo scandiacus</i> ) wintering on the Canadian prairies. <i>Can. J. Zool.</i> 96: S. 545–552
<b>140</b>	Charter M., Leshem Y. & Halevi S. (2009): Use of nest baskets by Long-eared Owls <i>Asio otus</i> in Israel. <i>Sandgrouse</i> 31: S. 36-37
<b>141</b>	Chiappe, L. (2007): Glorified Dinosaurs. The origin and early evolution of birds. <i>J. Wiley &amp; Sons / Hoboken – USA:</i> 263 S.
<b>142</b>	Ciach, M. & S. Czyżowicz (2014): Abundance and distribution of owls Strigiformes in the Pieniny Mountains National Park (southern Poland) – the pattern of changes in the protected area after 10 years. <i>Ornis Polonica</i> 55: S. 83–95
<b>143</b>	Cieslak, M. & Kwiecinski, Z. (2009): Moult and breeding of captive Northern Hawk Owls <i>Surnia ulula</i> . <i>Ardea</i> 97 (4). S. 571-579
<b>144</b>	Cieslak, M. (2017): Feathers of European owls - insights into species ecology and identification. <i>Oriolus Förlag/Uppsala:</i> 205 S.
<b>145</b>	Clark, R. (1975): A field study of the Short-eared Owl <i>Asio flammeus (Pontoppidan)</i> , in North America. <i>Wildlife Monogr.</i> 47: 67 S.
<b>146</b>	Clarke, J. (1983): Moonlight's influence on predator/prey interactions between Short-eared Owls ( <i>Asio flammeus</i> ) and deermice ( <i>Peromyscus maniculatus</i> ). <i>Behav. Ecol. Sociobiol.</i> 13: S. 205–209
<b>147</b>	Clewley G., Norfolk D., Leech D. & Balmer D. (2016): Playback survey trial for the Little Owl <i>Athene noctua</i> in the UK. <i>Bird Study Volume</i> 63: S. 268-272
<b>148</b>	Coles C.F. & Petty S.J. (1997): Dispersal behavior and survival of juvenile Tawny Owls ( <i>Strix aluco</i> ) during the low point in a vole cycle. 2 <sup>nd</sup> Intern.Owl Symposium/Winnipeg; USDA Forest Service Gen. Tech. Report NC-190: S. 111-118
<b>149</b>	Collins, C. T. (1991): Diurnal body temperature cycle in the Northern Hawk Owl ( <i>Surnia ulula</i> ). <i>J. Raptor Research</i> 25 (3): S. 92-93
<b>150</b>	Collister, D. M. (1995): Prey caching by non-breeding northern Hawk Owls in Alberta. <i>Blue Jay</i> 53 (4): S. 203-214
<b>151</b>	Commission de l'Avifuna Francaise (2008)
<b>152</b>	Cornell Lab. of Ornithology: Northern Hawk Owl - Life History. <a href="https://www.allaboutbirds.org/guide/Northern_Hawk_Owl/lifehistory">https://www.allaboutbirds.org/guide/Northern_Hawk_Owl/lifehistory</a>
<b>153</b>	Cramp, S. (Hrsg.; 1985): Handbook of the birds of Europe, the Middle East and North Africa. The Birds of the Western Palearctic. Bd. 4; Oxford Univ. Press
<b>154</b>	Cullen, Ch. & Smiddy, P. (2012): Diet of Short-eared Owls <i>Asio flammeus</i> over seven winters in County Cork, Ireland. <i>Biology and Environment, Proceed. Royal Irish Academy</i> 112-B: S. 217-223
<b>155</b>	Curio, E. (2001): Wie Vögel ihr Auge schützen: zur Arbeitsteilung von Oberlid, Unterlid und Nickhaut. <i>J. Ornithol.</i> 142: S. 257–272
<b>156</b>	Czuchnowski, R. (1997): Diet of the Ural Owl ( <i>Strix uralensis</i> ) in the Niepolomicka Forest, SE-Poland. <i>Buteo</i> 9: S. 69–76
<b>157</b>	Da Silva, A., Van den Brink, V., Emarsi, G., Luzio, E., Bize, P., Dreiss, A. N. & Roulin, A. (2013): Melanin-based colour polymorphism signals aggressive personality in nest and territory defence in the tawny owl ( <i>Strix aluco</i> ). <i>Behav Ecol Sociobiol</i> 67: S. 1041–1052. DOI: 10.1007/s00265-013-1529-2
<b>158</b>	Dalbeck, L., Bergerhausen, W. & Hachtel, M. (1994): Zur jahreszeitlichen Ernährung des Uhus ( <i>Bubo bubo</i> ) in der Nordeifel. <i>Eulen-Rundblick</i> 40/41: S. 7-14
<b>159</b>	Dalbeck, L., Bergerhausen, W., Krischer, O. (1998): Telemetristudie zur Orts- und Partnertreue beim Uhu <i>Bubo bubo</i> . <i>Vogelwelt</i> 119: S.337–344
<b>160</b>	Dale S. (2017): Density, numbers and probable origin of Northern Hawk Owls <i>Surnia ulula</i> in southern Norway during the 2016 irruption. <i>Ornis Norvegica</i> 40: S. 1–13 DOI: 10.15845/on.v40i0.107

<b>161</b>	Danko, St. & S. Pačenovsky' (1995): Breeding of Scops Owl ( <i>Otus scops</i> ) in Eastern Slovakia. <i>Buteo</i> <b>7</b> : S. 67–71
<b>162</b>	Delgado M. M. & Penteriani V. (2007): Vocal behaviour and neighbour spatial arrangement during vocal displays in Eagle Owls ( <i>Bubo bubo</i> ). <i>Journal of Zoology</i> Volume <b>271</b> : S. 3–10
<b>163</b>	Delgado, M. M. & Penteriani, V. (2005): Eagle Owl <i>Bubo bubo</i> dispersal patterns and the importance of floaters for the stability of breeding populations. <i>Ornithol. Anzeiger</i> <b>44</b> : S. 153–158
<b>164</b>	Denac K. (2009): Habitat selection of Eurasian Scops Owl <i>Otus scops</i> on the northern border of its range, central Slovenia. <i>Ardea</i> <b>97</b> (4): S. 535–540
<b>165</b>	Denac, K. (2003): Population dynamics of Scops Owl <i>Otus scops</i> at Ljubljansko Barje (central Slovenia). <i>Acrocephalus</i> <b>24</b> (119): S.127–133
<b>166</b>	Deppe, C., Holt, D., Tewksbury, J.. Broberg, L., Petersen, J. & Wood, K. (2003): Effect of Northern Pygmy-Owl ( <i>Glaucidium gnoma</i> ) eyespots on avian mobbing. <i>Auk</i> <b>120</b> : S. 765-771
<b>167</b>	Desfor, K. B., Boomsma, J. J. & Sunde, P. (2007): Tawny Owls <i>Strix aluco</i> with reliable food supply produce male-biased broods. <i>Ibis</i> <b>149</b> : S. 98-105
<b>168</b>	Détroit C. (2013): Une nouvelle chouette découverte en Bourgogne : la Chevêchette d'Europe. <i>Rev. sci. Bourgogne-Nature</i> <b>18</b> : S. 66-68
<b>169</b>	Dichmann, K. (2017): Die Eulen in Dänemark - ein Überblick. <i>Jahrestagung AG-Eulen/ Breklum: Vortrag</i>
<b>170</b>	Diehl, O. (1993): Bemerkungen zur Ansiedlung von Schleiereulen in Gebäuden. <i>Vogel u. Umwelt</i> <b>7</b> : S. 321–324
<b>171</b>	Diemer, R. (1985): Rauhfußkauz <i>Aegolius funereus</i> von Kleiber <i>Sitta europaea</i> in Bruthöhle eingemauert. Kurze Mitteilungen. <i>Ornithologischer Anzeiger</i> <b>24</b> : S. 81
<b>172</b>	Domaszewicz, A. (2006): The owls of Bialowieza Primary Forest. <i>The Owl Pages</i>
<b>173</b>	Donázar, J. & O. Ceballos (1989): Selective predation by Eagle Owls <i>Bubo bubo</i> on rabbits <i>Oryctolagus cuniculus</i> : age and sex preferences. <i>Ornis Scandinavica</i> <b>20</b> (2): S. 117–122
<b>174</b>	Donnerbaum, K. & Frühauf, J. (2010): Artenschutzprojekt Schleiereule Ostösterreich. Umsetzungsphase; BirdLife Österreich: S. 1-60. <a href="http://www.noe.gv.at/noe/Naturschutz/Endbericht_Schleiereule">http://www.noe.gv.at/noe/Naturschutz/Endbericht_Schleiereule</a>
<b>175</b>	Doward, J. (2010): Eagle owl spreads across British Isles and divides conservationists. <i>The Guardian</i> . <a href="https://www.theguardian.com/environment/2010/dec/26/eagle-owl-cull-rspb">https://www.theguardian.com/environment/2010/dec/26/eagle-owl-cull-rspb</a>
<b>176</b>	Doyle, F.I., Therrien, J.-F., Reid, D.G., Gauthier, G. & C.J. Krebs (2017): Seasonal movements of female Snowy Owls breeding in the Western North American arctic. <i>J. Raptor Res.</i> <b>51</b> (4): S. 428–438
<b>177</b>	Dragonetti, M. (2007): Individuality in scops owl <i>Otus scops</i> Vocalisations. <i>The International Journal of Animal Sound and its Recording</i> <b>16</b> : S. 147–172
<b>178</b>	Dravecký, M. & J. Obuch (2009): Contribution to the knowledge on the synanthropization and dietary specialization of the Ural Owl ( <i>Strix uralensis</i> ) in urban environment of Košice city (East Slovakia). <i>Slovak Rapt J</i> <b>3</b> : S. 51–60
<b>179</b>	Duffy, D., B. Beehler & W. Haas (1976): Snowy Owl steals prey from Marsh Hawk. <i>Auk</i> <b>93</b> : S. 839–840
<b>180</b>	Dunajewski, A. (1040): Beiträge zur systematischen Stellung der Karpatischen Habichtskäuze. <i>Annales Musei Nat. Hungarici, P. Zoologica</i> <b>33</b> : S. 98-100
<b>181</b>	Duncan, J. R. & Duncan, P. A. (2014): Northern Hawk Owl ( <i>Surnia ulula</i> ). Version 2.0, in: Poole, A. F. (Hrsg.): The Birds of North America. Cornell Lab of Ornithology, Ithaca, NY, USA. - DOI: <a href="https://doi.org/10.2173/bna.356">https://doi.org/10.2173/bna.356</a> . <a href="https://birdsna.org/Species-Account/bna/species/nohowl/introduction">https://birdsna.org/Species-Account/bna/species/nohowl/introduction</a>
<b>182</b>	Duncan, J.R. & Hayward, P.H. (1994): Review of Technical Knowledge: Great Gray Owls. In: USDA Forest Service, Gen. Tech. Report RM-253: S.159–175. <a href="https://www.fs.fed.us/rm/pubs_rm/rm_gtr253/rm_gtr253">https://www.fs.fed.us/rm/pubs_rm/rm_gtr253/rm_gtr253</a>
<b>183</b>	Duncan, J.R. (1992): Influence of prey abundance and snow cover on Great Gray Owl breeding dispersal. Dr. Thesis, University of Manitoba, Winnipeg (Kanada): 127 S.
<b>184</b>	Duncan, P. A. & Harris, W. C. (1997): Northern Hawk Owls ( <i>Surnia ulula caparoch</i> ) and forest management in North America: A review. <i>J. Raptor Res.</i> <b>31</b> (2): S. 187-190
<b>185</b>	Durant J. M. (2002): The influence of hatching order on the thermoregulatory behaviour of barn owl <i>Tyto alba</i> nestlings. <i>Avian Science</i> Vol. <b>2</b> No. 3: S. 167-173
<b>186</b>	Durant, J. M., Gendner, J. & Handrich, Y. (2004): Should I brood or should I hunt: a female barn owl's dilemma. <i>Can. J. Zool.</i> <b>82</b> : S. 1011–1016. DOI: <a href="https://doi.org/10.1139/Z04-078">10.1139/Z04-078</a>
<b>187</b>	Durant, J. M., Gendner, J. P. & Handrich, Y. (2010): Behavioural and body mass changes before egg laying in the Barn Owl: cues for clutch size determination? <i>J. Ornithology</i> <b>151</b> : S. 11-17. DOI: <a href="https://doi.org/10.1007/s10336-009-0415-1">10.1007/s10336-009-0415-1</a>

188	Dworak, M., Laber, J., Ranner, A., Pellinger, A., & Tatai, S. (2014): Die Vögel des Neusiedler See-Gebietes (Artenliste Stand 2013). Nationalpark Neusiedlersee-Seewinkel & BirdLife Österreich: S. 38
189	Eck, S. & H. Busse (1973): Eulen. Die rezenten und fossilen Formen. Neue Brehm Bücherei <b>469</b> ; Ziems-Verlag/Wittenberg Lutherstadt: 196 S.
190	Ehrenbold, S. (2010): Schleiereule <i>Tyto alba</i> vertreibt junge Turmfalken <i>Falco tinnunculus</i> aus Nistkasten. Eulen-Rundblick <b>60</b> : S. 84
191	Eldegard, K. & Sonerud, G. A. (2009): Female offspring desertion and male-only care increase with natural and experimental increase in food abundance. Proceedings of the Royal Society B <b>276</b> : S. 1713–1721. DOI: 10.1098/rspb.2008.1775
192	Eldegard, K. & Sonerud, G. A. (2012): Sex roles during post-fledging care in birds: female Tengmalm's Owls contribute little to food provisioning. J. Ornithology <b>153</b> (2): S. 385-398
193	Eldegard, K., Vognild, H. & Sonerud, G. (2014): Intersexual difference in early natal dispersal: abrupt departure by females and gradual emigration by males in Tengmalm's Owl <i>Aegolius funereus</i> . J. Ornithol. <b>155</b> : S. 235-242
194	Ellenberg, H. (1997): Vegetation Mitteleuropas mit den Alpen in ökologischer, dynamischer und historischer Sicht. Ulmer/Stuttgart
195	Emaresi, G., Henry, I., Gonzales, G., Roulin, A. & Bize, P. (2016): Sex- and melanism-specific variations in the oxidative status of adult tawny owls in response to manipulated reproductive effort. Journal of Experimental Biology <b>219</b> : S. 73-79. DOI:10.1242/jeb.128959
196	Emin D., Toxopeus A. G., Groen Ir. T., Kontogeorgos I., Georgopoulou E. & Xirouchakis S. (2018): Home range and habitat selection of Long-eared Owls ( <i>Asio otus</i> ) in Mediterranean agricultural landscapes (Crete, Greece). Avian Biology Research <b>11</b> (3): S. 204–218
197	Epple, W. (1985): Ethologische Anpassungen im Fortpflanzungssystem der Schleiereule ( <i>Tyto alba</i> Scop., 1769). Ökologie d. Vögel <b>7</b> : S. 1–95
198	Erbes, J. (2013): Bruterfolg des Steinkauzes ( <i>Athene noctua</i> ) in Weinanbaugebieten von Rheinland-Pfalz. Bachelorarbeit. Hochschule für Forstwirtschaft Rottenburg, Deutschland
199	Ericsson, P., Nilsson, L., Haglund, K. & Ericsson, D. (2014): Breeding biology of a Tawny Owl <i>Strix aluco</i> population in southwestern Sweden – a 15 year survey. Ornis Svecica <b>24</b> : S. 41-50
200	Erik, A. (1925): Winter-broedgevallen van de velduil ( <i>Asio flammeus</i> ). Limosa <b>25</b> : S. 86
201	Eriksen, A. & Wabakken, P. (2018): Activity patterns at the Arctic Circle: nocturnal Eagle Owls and interspecific interactions during continuous midsummer daylight. Journal of Avian Biology <b>49</b> : S.1–11. DOI: 10.1111/jav.01781.
202	Erkert, H. (1969): Die Bedeutung des Lichtsinnes für Aktivität und Raumorientierung der Schleiereule ( <i>Tyto alba guttata</i> Brehm). Z. vergl. Physiologie <b>64</b> : S. 37–70
203	Erritzøe J. (1999): Causes of mortality in the Long-eared Owl <i>Asio otus</i> . Dansk Orn. Foren. Tidsskr. <b>93</b> : S. 162-164
204	Erritzoe, J. & R. Fuller (1999): Sex differences in winter distribution of Long-eared Owls ( <i>Asio otus</i> ) in Denmark and neighbouring countries. Die Vogelwarte <b>40</b> : S. 80–87
205	Escott N. G. (2002): An influx of the Northern Hawk Owl in Thunder Bay District. Ontario Birds <b>20</b> : S. 75-86
206	Estoppey, F. (1992): Une densité élevée de Chouettes chevêches, <i>Athene noctua</i> , dans la pleine du Po en Italie. Nos Oiseaux <b>41</b> : S. 315–319
207	Exo K. (1989): Tagesperiodische Aktivitätsmuster des Steinkauzes ( <i>Athene noctua</i> ). Die Vogelwarte <b>35</b> : S. 94-114
208	Exo, K.-M. & Hennes, R. (1980): Beitrag zur Populationsökologie des Steinkauzes ( <i>Athene noctua</i> ) - eine Analyse deutscher und niederländischer Ringfunde. Die Vogelwarte <b>30</b> : S. 162-179
209	Exo, K.-M. & W. Scherzinger (1989): Stimme und Lautrepertoire des Steinkauzes ( <i>Athene noctua</i> ): Beschreibung, Kontext und Lebensraumanpassung. Ökologie d. Vögel <b>11</b> : S. 149–187
210	Exo, K.-M. (1983): Habitat, Siedlungsdichte und Brutbiologie einer niederrheinischen Steinkauzpopulation ( <i>Athene noctua</i> ). Ökologie d. Vögel <b>5</b> : S. 1–40
211	Exo, K.-M. (1987): Das Territorialverhalten des Steinkauzes ( <i>Athene noctua</i> ) – eine verhaltensökologische Studie mit Hilfe der Telemetrie. Diss. Univ. Köln: 239 S.
212	Exo, K.-M. (1991): Der Untere Niederrhein – ein Verbreitungsschwerpunkt des Steinkauzes ( <i>Athene noctua</i> ) in Mitteleuropa. Natur u. Landschaft <b>66</b> : S. 156–159
213	Fabian, K. & J. Schimkat (2012): Long-eared Owls <i>Asio otus</i> in large cities – The colonisation of the inner-city urban area of Dresden. Vogelwelt <b>133</b> : S. 77-88
214	Fabian, K., Kapischke, H-J., Wilhelm, M. & Zöphel, U. (2012): Hoher Fledermausanteil in der Beute von Waldohreulen <i>Asio otus</i> in Dresden. Eulen-Rundblick <b>62</b> : S. 79-82

215	Fackelmann, Ch. (2018): Über Gesang und Nestruf der weiblichen Waldohreule <i>Asio otus</i> . Ornithol. Mitt. <b>70</b> : S. 3-8
216	Fadeeva, E. O. (2013): The microstructure of the primary remex of owls ( <i>Strigiformes</i> ). Biology Bulletin (Russland) <b>46</b> : S. 126-135
217	Fattebert, J., Michela, V., Scherler, P., Naef-Daenzer, B., Milanesi, P. & Grüebler, M. U. (2018): Little owls in big landscapes: Informing conservation using multi-level resource selection functions. Biological Conservation <b>228</b> : S. 1-9
218	Fattebert, J., Perrig, M., Naef-Daenzer, B., Grüebler, M.U. (2019): Experimentally disentangling intrinsic and extrinsic drivers of natal dispersal in a nocturnal raptor. Proc. R. Soc. B 286: 20191537: 9 S.. <a href="http://dx.doi.org/10.1098/rspb.2019.1537">http://dx.doi.org/10.1098/rspb.2019.1537</a>
219	Featherbase: Boreal Owl / Tengmalm's Owl <i>Aegolius funereus</i> . <a href="https://www.featherbase.info/hu/species/aegolius/funereus">https://www.featherbase.info/hu/species/aegolius/funereus</a>
220	Featherbase: Great Grey Owl <i>Strix nebulosa</i> . <a href="https://www.featherbase.info/nb/species/strix/nebulosa">https://www.featherbase.info/nb/species/strix/nebulosa</a>
221	Featherbase: Little Owl <i>Athene noctua</i> . <a href="https://www.featherbase.info/nb/species/athene/noctua">https://www.featherbase.info/nb/species/athene/noctua</a>
222	Featherbase: Northern Hawk-owl <i>Surnia ulula</i> . <a href="https://www.featherbase.info/hu/species/surnia/ulula">https://www.featherbase.info/hu/species/surnia/ulula</a>
223	featherbase: Sperlingskauz. <a href="https://www.featherbase.info/de/species/glaucidium/passerinum">https://www.featherbase.info/de/species/glaucidium/passerinum</a>
224	Feduccia, A. (1999): Origin and evolution of birds. Yale University, 2. Auflage: S.293–295
225	Feduccia,A. (2001):The problem of bird origin and early avian evolution. J. Ornithol. <b>142</b> , Sonderheft: S. 139- 147
226	Festetics, A. (1978): Jäger und Gejagte – über das sogenannte „Räuber-Beute-Verhältnis“ bei Tier und Mensch. In: Der Luchs in Europa. Kilda/Greven: S. 5–73
227	Feu, C. du, Joys, A., Clark, J., Fiedler, W., Downie, I., Noordwijk, A. van, Spina, F., Wassenaar, R.& Bouillie, S. (2009): EURING Data Bank geographical index. - <a href="http://www.euring.org/edb">http://www.euring.org/edb</a> (update 2011)
228	Fiedler, W. (2001): Ringfund-Auswertungen an Eulen, Zusammenfassung. 17. bundesweite Tagung der AG Eulen/Ludwigsburg: S. 46
229	Finck, P. (1993): Territoriengröße beim Steinkauz ( <i>Athene noctua</i> ): Einfluß der Dauer der Territorienbesetzung. J. Ornithol. <b>134</b> : S. 35–42
230	Fisler, C. (1960): Changes in food habits of Short-eared Owls feeding in a salt marsh. Condor <b>62</b> : S. 486–487
231	Fitzgerald, S.-D., Patterson, J., Kiupel, M., Simmons, H., Grimes, S., Sarver, C-F., Fulton, R., Stefiček, B., Cooley, T. M., Massey, J. & Sikarsky, G. (2003): Clinical and pathological features of West Nile Virus infection in native North American owls (family <i>Strigidae</i> ). Avian Diseases <b>74</b> : S. 602-610
232	Fleet, D. M., J. Frikke, P. Südbek & R. L. Vogel (1994): Breeding birds in the wadden sea 1991. Wadden Sea Ecosystem, No. <b>1</b> / Wilhelmshaven
233	Forsman, D. (1980): Ageing and moult in western palaearctic Hawk Owls <i>Surnia u. ulula</i> L. Ornis Fennica <b>57</b> : S.173–175
234	Förstel, A. (1987): Oberfränkischer Uhu ( <i>Bubo bubo</i> ) in Liechtenstein/ Ostalpen gefunden. Vogelwarte <b>34</b> : S. 127
235	Förstel, A. (1990): Beobachtungen am Uhu <i>Bubo bubo</i> L. im Gehege, Zucht und Auswilderung in Nordbayern. Anz. orn. Ges. Bayern <b>29</b> : S. 1–22
236	Förstel, A. (1995): Der Uhu <i>Bubo bubo</i> L. in Nordbayern. Orn. Anz. <b>34</b> : S. 77–95
237	Fraitágová, I. (2014): The Long-eared owl ( <i>Asio otus</i> ) migration within Central Europe. Diplomarbeit, Prag.
238	Framis, H. & Alonso, J. (2007): Little Owl ( <i>Athene noctua</i> ) winter fledglings in Catalonia, North-East Spain. <a href="https://www.steenuil.nl/pdf/Athene/A14_SU_winterfledglings_Catalonia.pdf">https://www.steenuil.nl/pdf/Athene/A14_SU_winterfledglings_Catalonia.pdf</a>
239	Framis, H. & Alonso, J. (2009): Winter Nesting of Little Owl ( <i>Athene noctua</i> ) in Catalonia, Northeastern Spain. Journal of Raptor Research <b>43</b> (2): S. 170-171. DOI: 10.3356/JRR-08-89.1
240	Francis, C. M. & Saurola, P. (2004): Estimating components of variance in demographic parameters of Tawny Owls, <i>Strix aluco</i> . Animal Biodiversity and Conservation <b>27</b> (1): S. 489-502
241	Franklin, A. B. (1988): Breeding biology of the great gray owl in southeastern Idaho and northwestern Wyoming. The Condor <b>90</b> : S. 689-696
242	Fransson, T., Jansson, L., Kolehmainen, T., Kroon, C. & Wenninger, T. (2017): EURING list of longevity records for European birds. <a href="https://euring.org/data-and-codes/longevity-list?page=3">https://euring.org/data-and-codes/longevity-list?page=3</a>
243	Franz, A., Th. Mebs & E. Seibt (1984): Zur Populationsbiologie des Rauhfußkauzes ( <i>Aegolius funereus</i> ) im südlichen Westfalen und in angrenzenden Gebieten anhand von Beringungsergebnissen. Vogelwarte <b>32</b> : S. 260–269

<b>244</b>	Frey, H. (1973): Zur Ökologie Niederösterreichischer Uhupopulationen. <i>Egretta</i> <b>16</b> : S. 1–68
<b>245</b>	Frey, H. (1992): Bestandsentwicklung und Jungenproduktion des Uhus ( <i>Bubo bubo</i> ) in Niederösterreich zwischen 1969 und 1991. <i>Egretta</i> <b>35</b> : S. 9–19
<b>246</b>	Frey, H., Scherzinger, W. & W. Walter (1974): Künstliche Nistplätze für den Uhu ( <i>Bubo bubo</i> ). <i>Ornith. Mitt.</i> <b>26</b> : 173–174
<b>247</b>	Fritz, R., Sander, J., Sander, A., Norgall, A. & Norgall, T. (1977): Zur Kopulation der Waldohreule ( <i>Asio otus</i> ). <i>Charadrius</i> <b>13</b> : S. 105–110
<b>248</b>	Gahbauer, M., Brooms, T., Johnson, J., De Cicco, L., Douglas, D., Novak, P., Takats-Priestley, L. & Keyes, K. (2017): Movements and habitat selection of Short-eared Owls <i>Asio flammeus</i> in North America. WOC/ Evora: Vortrag (abstract S. 82)
<b>249</b>	Galeotti, P. & Cesaris, C. (1996): Rufous and grey colour morphs in the Italian Tawny Owl: geographical and environmental influences. <i>Journal of Avian Biology</i> <b>27</b> (1): S. 15–20
<b>250</b>	Galeotti, P. & Pavan, G. (1991): Individual recognition of male Tawny Owl ( <i>Strix aluco</i> ) using spectrograms of their territorial calls. <i>Ethology, Ecology u. Evolution</i> <b>3</b> : S. 113–126
<b>251</b>	Galeotti, P. & Rubolini, D. (2007): Head ornaments in owls: what are their functions? <i>Journal of Avian Biology</i> <b>38</b> : S. 731–736
<b>252</b>	Galeotti, P. & Sacchi, R. (2001): Turn-over of territorial Scops Owls <i>Otus scops</i> as estimated by spectrographic analyses of male hoots. <i>J. Avian Biology</i> <b>32</b> : S. 256–262
<b>253</b>	Galeotti, P. & Tavecchia, G. (1995): Esperienze di radio-tracking sul gufo comune ( <i>Asio otus</i> ) nella Padania centrale. <i>Ric. Biol. Selvaggina/Suppl. Vol.</i> <b>23</b> : S. 151–155
<b>254</b>	Galeotti, P. (2001): <i>Strix aluco</i> Tawny Owl. In: Birds of Western Palearctic - Update, Vol. 3, No.1: S. 43–77
<b>255</b>	Galeotti, P., Rubolini, D., Sacchi, R. & Fasola, M. (2009): Global changes and animal phenotypic responses: melanin-based plumage redness of scops owls increased with temperature and rainfall during the last century. <i>Biology Letters</i> <b>5</b> : S. 532–534. DOI: 10.1098/rsbl.2009.0207
<b>256</b>	Galeotti, P., Sacchi, R. & Perani, E. (1997): Cooperative defense and intersexual aggression in Scops Owls ( <i>Otus scops</i> ). <i>J. Raptor Res.</i> <b>31</b> (4): S. 353–357
<b>257</b>	Galeotti, P., Tavecchia, G. & Bonetti, A. (2003): Parental defence in Long-eared Owls <i>Asio otus</i> : effects of breeding stage, parent sex and human persecution. <i>Journal of Avian Biology</i> <b>31</b> : S. 431–440. https://doi.org/10.1034/j.1600-048X.2000.310401.x
<b>258</b>	Gancz, A.Y., Barker, I.K., Lindsay, R., Dibernardo, A., McKeever, K. & Hunter, B. (2004): West Nile Virus outbreak in North American Owls, Ontario, 2002. <i>Emerging Infectious Disease journal</i> <b>10</b> (12): S. 2135–2142
<b>259</b>	Garcia, A-M., Cervera, F. & Rodriguez, A. (2005): Bat predation by Long-eared Owls in mediterranean and temperate regions of southern Europe. <i>Journ. Raptor Research</i> <b>39</b> : S. 445–453
<b>260</b>	Garner D. J. & Milne B. S. (1997): A study of the Long-eared Owl <i>Asio otus</i> using wicker nesting baskets. <i>Bird Study</i> <b>45</b> : S. 62–67
<b>261</b>	Gassmann, H. & Bäumer, B. (1993): Zur Populationsökologie des Steinkauzes ( <i>Athene noctua</i> ) in der westlichen Jülicher Börde. Erste Ergebnisse einer 15jährigen Studie. <i>Die Vogelwarte</i> <b>37</b> : S. 130–143
<b>262</b>	Gassmann, H., Bäumer, W. & Glasner, W. (1994): Faktoren der Steuerung des Bruterfolges beim Steinkauz ( <i>Athene noctua</i> ). <i>Vogelwelt</i> <b>115</b> : S. 5–13
<b>263</b>	Gedeon, K., Grüneberg, Ch., Mitschke, A. & Sudfeldt, Ch. (2014): Atlas der Deutschen Brutvogelarten. Stiftung Vogelmonitoring Deutschland und Dachverband Deutscher Avifaunisten/ Münster (ADEBAR): S. 332–351
<b>264</b>	Geidel, C. (2012): Entwicklung neuartiger Schutzkonzepte für den Uhu ( <i>Bubo bubo</i> ). Abschlussbericht; 191 S. Landesbund für Vogelschutz in Bayern e.V. https://d-nb.info/1041538944/34
<b>265</b>	Geidel, C. (2018): Wieviel Nachwuchs benötigen Uhus ( <i>Bubo bubo</i> ) zur Aufrechterhaltung einer stabilen Populationsgröße? 9. Intern. Symposium Populationsökologie von Greifvogel- u. Eulenarten / Halberstadt: Vortrag (abstract S. 12)
<b>266</b>	Gerber, R. (1960): Die Sumpföhreule ( <i>Asio flammeus</i> Pont.). <i>Neue Brehm-Bücherei</i> <b>259</b> : 54 S.
<b>267</b>	Gesner, K. (1669): Vollkommenes Vogelbuch. Nachdruck 1981; Schlüter'sche Verlagsanstalt / Hannover
<b>268</b>	Geyer T., Claus V., Sarradj E. & Hall P. (2017): Silent owl flight: The effect of the leading edge comb. <i>International Journal of Aeroacoustics</i> : S. 1–20; DOI: 10.1177/1475472X17706131
<b>269</b>	Geyer T., Claus V., Sarradj E. & Markus P. (2016): Silent Owl flight: The effect of the leading edge comb on the gliding flight noise. 22 <sup>nd</sup> Aeroacoustics Conference. Brandenburg University of Technology, Cottbus

270	Gilg, O., Sittler, B., Sabard, B., Hurstel, A., Sané, R., Delattre, P. & Hanski, I. (2006): Functional and numerical responses of four lemming predators in high arctic Greenland. <i>Oikos</i> <b>113</b> : S. 193–216
271	Glue D. E. (1977): Breeding biology of Long-eared Owls. <i>Brit. Birds</i> <b>70</b> : S. 318-331
272	Glue, D. & G. Hammond (1974): Feeding ecology of the Long-eared Owl in Britain and Ireland. <i>Brit. Birds</i> <b>67</b> : S. 361–369
273	Glue, D. & Scott, D. (1980): Breeding Biology of the Little Owl. <i>British Birds</i> <b>73</b> (4): S. 167-180
274	Glue, D. (1977): Feeding ecology of the Short-eared Owl in Britain and Ireland. <i>Bird Study</i> <b>2</b> : S. 70-78
275	Glutz von Blotzheim, U. & K. Bauer (1980): Handbuch der Vögel Mitteleuropas. Band <b>9</b> : <i>Columbiformes - Piciformes</i> . Akadem. Verlagsges./Wiesbaden: 1148 S.
276	Goffette, Q., Denis, M., Pöllath, N. & Van Neer, W. (2016): Change in Historical Range of the Ural Owl in Europe. <i>Belgian Journ. Zool.</i> , <b>146</b> (1): S. 33-43
277	Gomez-Ramirez, P., Martinez-Lopez, E., Garcia-Fernandez, A-J., Zweers, A-J. & Van den Brinck, N. W. (2012): Organohalogen exposure in a European Eagle Owl ( <i>Bubo bubo</i> ) population from Southeastern Spain: temporal-spatial trends and risk assessment. <i>Chemosphere</i> <b>88</b> : S. 903-911
278	Görner, M. (1978): Schleiereule, <i>Tyto alba</i> , als Vogeljäger. <i>Beitr. Vogelkd.</i> <b>24</b> : S. 273–275
279	Görner, M. (2005): Der Uhu <i>Bubo bubo</i> in Thüringen: Brutbiologie, Ernährung, Prädation. <i>Ornithol. Anz.</i> <b>44</b> : S. 137–139
280	Görner, M. (2010): Ergebnisse einer sechzigjährigen Uhuhorstkontrolle <i>Bubo bubo</i> in Thüringen. <i>Charadrius</i> <b>46</b> : S. 56-64
281	Görner, M. (2016): Zur Ökologie des Uhus ( <i>Bubo bubo</i> ) in Thüringen - Eine Langzeitstudie. <i>Acta ornithoecologica</i> <b>8</b> : S. 151-319
282	Gorzel M. & Grzywaczewski G. (2003): Feed of Little Owl ( <i>Athene Noctua</i> Scop. 1769) in agricultural landscape of the Lublin area. <i>Acta Agrophysica</i> <b>1</b> (3): S. 433-440
283	Gosselin, M. & Keyes, K. (2009): A Long-eared Owl x Short-eared Owl ( <i>Asio otus</i> x <i>Asio flammeus</i> ) specimen from Ontario. <i>Ontario Birds</i> <b>27</b> : S. 23-29
284	Gotta A. & Pigozzi G. (1997): Trophic niche of the barn owl and little owl in a rice field habitat in northern Italy. <i>Italian Journal of Zoology</i> <b>64</b> : S. 55-59. doi: 10.1080/11250009709356172
285	Gottschalk, T. K., Ekschmitt, K. & Wolters, V. (2011): Efficient placement of nest boxes for the Little Owl ( <i>Athene noctua</i> ). <i>Journal of Raptor Research</i> <b>45</b> (1): S. 1-14
286	Gouar P., Scheckerman H., Jeugd H., Boele A., Harxen R., Fuchs P., Stroecken P. & Noordwijk A. (2011): Long-term trends in survival of a declining population: the case of the little owl ( <i>Athene noctua</i> ) in the Netherlands. <i>Oecologia</i> <b>166</b> (2): S. 369-379
287	Graef, K.-H. (2017): Dismigration und Sterblichkeit der Schleiereule ( <i>Tyto alba</i> ) im Hohenlohekreis (KÜN) - Ergebnisse aus 36 Jahren Schleiereulenberingung. <i>Eulen-Rundblick</i> <b>67</b> : S. 8
288	Grandāns, G., Keišs, O. & Avotiņš, A. (2009): Onset of breeding in Tawny Owl <i>Strix aluco</i> in eastern Latvia. <i>Acta Universitatis Latviensis</i> <b>753</b> : S. 81–87
289	Grasyte, G. (2017): Timing of breeding, dynamics of individual and population parameters, their long-term changes and relationships with habitat and climate change in Tawny Owl <i>Strix aluco</i> . Dissertation. Vilnius University Nature Research Center (Litauen)
290	Grasyte, G., Rumbutis, S., Dagys, M., Vaitkuviene, D. & Treinys, R. (2017): Tawny owl females of intermediate colour morph reproduce better and increase in a local polymorphic population. <i>Ornis Fennica</i> <b>94</b> : S. 33-44
291	Grašytės, G. (2012): Žvirblinės pelėdos ( <i>Glaucidium passerinum</i> L.) bunveinu pasirinkimas ir vokalizacijos salygos. <i>Zoologische Masterarbeit</i> , Universität Vilnius. <a href="https://epublications.vu.lt/object/elaba:2154567/">https://epublications.vu.lt/object/elaba:2154567/</a>
292	Grava T., Methevon N., Place E. & Balluet P. (2008): Individual acoustic monitoring of the European Eagle Owl <i>Bubo bubo</i> . <i>British Ornithologists' Union</i> <b>150</b> S.279-287
293	Graves, G. R., Newsome, S. D., Willard, D. E., Grosshuesch, D. A., Wurzel, W. W. & Vogel, M. L. (2012): Nutritional stress and body condition in the Great Gray Owl ( <i>Strix nebulosa</i> ) during winter irruptive migrations. <i>Canadian Journal of Zoology</i> <b>90</b> (7): S. 787-797. DOI: 10.1139/z2012-047
294	Grieco F. (2018): Aggregation of Eurasian Scops Owls <i>Otus scops</i> breeding in Magpie <i>Pica pica</i> nests. <i>Ardea</i> <b>106</b> : S. 177–191. doi:10.5253/arde.v106i2.a9
295	Grouw, H. van (2017): The dark side of birds - fact and fiction. <i>Bulletin British Ornithol. Club</i> <b>137</b> : S. 12-36
296	Grüebler M. & Naef-Daenzer B. (2014): Dispersal und Ansiedlung von Steinkäuzen – Erkenntnisse für die Artenförderung in der Schweiz. <i>Schweizerische Vogelwarte. Ornith. Beob.</i> <b>111</b> : S. 252-258

297	Grüebler, M. U., Schaller, S., Keil, H. & Naef-Daenzer, B. (2013): The occurrence of cavities in fruit trees: effects of tree age and management on biodiversity in traditional European orchards. <i>Biodivers. Conserv.</i> <b>22</b> : S. 3233-3246
298	Grüll, A. & H. Frey (1992): Bestandsentwicklung, Bruterfolg und Nahrungszusammensetzung des Uhus ( <i>Bubo bubo</i> ) im Burgenland von 1981 bis 1991. <i>Egretta</i> <b>35</b> : S. 20–36
299	Grüneberg, C., Bauer, H-G., Haupt, H., Hüppop, O., Ryslavý, T. & Südbeck, P. (2015): Rote Liste der Brutvögel Deutschlands; 5. Fassung. Ber. z. Vogelschutz <b>52</b>
300	Grünkorn, T., Rönn, J., Blew, J., Nehls, G., Potick, A., Reichenbach, M., Rönn, J. v. & Weitekamp, S. (2016): Prognosis and assessment of bird collision risks at wind turbines in Northern Germany - (Progress). <i>Bundemin. Ökonomie u- Energie</i>
301	Gryz, J. & Krauze-Gryz, D. (2018): Influence of habitat urbanisation on time of breeding and productivity of Tawny Owl ( <i>Strix aluco</i> ). <i>Polish Journal of Ecology</i> <b>66</b> (2): S. 153—161
302	Grzywaczewski, G. (2009): Home range size and habitat use of the Little Owl <i>Athene noctua</i> in East Poland. <i>Ardea</i> <b>97</b> : S. 541-545
303	Gundersen, O. A. S. (2014): Assessing prey delivery and handling in Tengmalm's owl ( <i>Aegolius funereus</i> ) by video surveillance at nest. Master-Thesis. Norwegian University of Life Sciences
304	Gustin M., Provenza N. & Sorace A. (2006): First records of winter reproduction of Long-Eared Owl in Italy. <i>J. Raptor Res.</i> <b>40</b> (3): S. 249-250
305	Hagemeijer, W. & Blair, M. (Hrsg.; 1997): The EBCC atlas of European breeding birds, their distribution and abundance. Poyser/London: 903 S.
306	Hagen, Y. & Barth, E. (1950): Iaktta-gelser over haukuglen ( <i>Surnia ulula</i> ). <i>Fauna/Drammen</i> <b>1</b> : S. 1–12
307	Hagen, Y. (1956): The irruption of Hawk owls ( <i>Surnia ulula</i> ) in Fennoscandia 1950–51. <i>Sterna</i> <b>24</b> : S. 1–22
308	Hagen, Y. (1960): The Snowy Owl, <i>Nyctea scandiaca</i> (L.), on Hardangervidda in the summer of 1959. <i>Medd. Stat. vilt.</i> <b>2</b> : S. 1–25
309	Hahn, E. (1991): Schwermetallgehalte in Vogelfedern – ihre Ursache und der Einsatz von Federn standorttreuer Vogelarten im Rahmen von Bioindikationsverfahren. <i>Ber. Forschungszentrum Jülich</i> Nr. <b>2493</b> : 160 S.
310	Hakala, A., Huhtala, K., Kaikusalo, A., Pulliainen, E. & Sulkava, S. (2006): Diet of Finnish Snowy Owls <i>Nyctea scandiaca</i> . <i>Ornis Fennica</i> <b>83</b> : S. 59–65
311	Hakkarainen H., Korpimäki E. (1994): Nest defence of Tengmalm's owls reflects offspring survival prospects under fluctuating food conditions <i>Animal Behaviour</i> , <b>48</b> (4): S. 843-849
312	Hakkarainen, H. & Korpimäki, E. (1994): Environmental, parental and adaptive variation in egg size of Tengmalm's owls under fluctuating food conditions. <i>Oecologia</i> <b>98</b> : S. 362-368
313	Hakkarainen, H., Koivunen, V., Korpimäki, E. & Kurki, S. (1996): Clear-cut areas and breeding success of Tengmalm's owls <i>Aegolius funereus</i> . <i>Wildlife Biology</i> <b>2</b> (3): S. 253-258
314	Hakkarainen, H., Korpimäki, E., Koivunen, V. & Ydenberg, R. (2002): Survival of male Tengmalm's Owls under temporally varying food conditions. <i>Oecologica</i> <b>131</b> (1): S.83–88
315	Hakkarainen, H., Korpimäki, E., Laaksonen, T., Nikula, A. & Suorsa, P. (2008): Survival of male Tengmalm's owls increases with cover of old forest in their territory. <i>Oecologia</i> <b>155</b> : S. 479–486. DOI 10.1007/s00442-007-0929-2
316	Hakkarainen, H., Mykrä, S., Kurki, S., Korpimäki, E., Nikula, A. & Koivunen, V. (2003): Habitat composition as a determinant of reproductive success of Tengmalm's owls under fluctuating food conditions. <i>Oikos</i> <b>100</b> : S. 162–171
317	Haller, H. (1977): 400 km Abwanderungsstrecke eines ausgesetzten Uhus. <i>Ornithol. Beob.</i> <b>74</b> : S. 31
318	Haller, H. (1978): Zur Populationsökologie des Uhus <i>Bubo bubo</i> im Hochgebirge: Bestand, Bestandsentwicklung und Lebensraum in den Rätischen Alpen. <i>Ornith. Beob.</i> <b>75</b> : S. 237–265
319	Hámori D. (2019): Conservation biological studies on the Little Owl <i>Athene noctua</i> (Scopoli, 1769) in the Kiskunság. Doctor-Thesis, Univ. Sopron
320	Hamori D., Szél G. & Winkler D. (2017): Food composition of the Little Owl ( <i>Athene noctua</i> ) in a farmland area of Central Hungary, with particular attention to arthropod diversity. <i>Ornis Hungarica</i> <b>25</b> (2): S.34–50.
321	Hámori, D., Winkler, D. & Vadász, C. (2017): Demographic data on the Little Owl ( <i>Athene noctua</i> ) in Upper-Kiskunság (Hungary). <i>Ornis Hungarica</i> <b>25</b> (2): S. 11-22. DOI: 10.1515/orhu-2017-0012
322	Hámori, D., Winkler, D., Cserkész, T. (2018): Little Owl's ( <i>Athene noctua</i> ) vertebrate food composition in breeding season with high frog dominance in grasslands. <i>Ornis Hungarica</i> <b>27</b> (1): S.44–61. DOI: 10.2478/orhu-2019-0003
323	Hampe, H. (1986): Am Boden ruhende Waldohreulen. <i>Apus</i> <b>6</b> : S. 143–144

324	Hänel, K. (2014): Populationsentwicklung des Uhus <i>Bubo bubo</i> im Weserbergland. Eulen-Rundblick <b>64</b> : S. 4-11
325	Hannah, K. C. & Hoyt, J. S. (2004): Northern Hawk Owls and recent burns: Does burn age matter? The Condor <b>106</b> : S. 420-423
326	Hardouin L. A., Tabel P. & Bretagnolle V. (2006): Neighbour-stranger discrimination in the little owl, <i>Athene noctua</i> . Animal Behaviour <b>72</b> : S. 105–112. doi:10.1016/j.anbehav.2005.09.020
327	Hardouin, L. A., Reby, D., Bavoix, C., Burneau, G. & Bretagnolle, V. (2007): Notes and Comments. Communication of male quality in owl hoots. The American Naturalist <b>169</b> : S. 552-562
328	Haresign T. & Moiseff A. (1988): Early growth and development of the common Barn-Owl's facial ruff. The Auk <b>105</b> : S. 699-705
329	Härma, O., Kareksela, S., Siitari, H. & Suhonen, J. (2011): Pygmy owl <i>Glaucidium passerinum</i> and the usage of ultraviolet cues of prey. Journal of Avian Biology <b>42</b> : S.89–91. DOI: 10.1111/j.1600-048X.2010.05192.x
330	Harmening, W. M. (2008): Fundamentals of spatial vision in the barn owl ( <i>Tyto alba pratincola</i> ): Ocular aberrations, grating acuity, contrast sensitivity, and vernier acuity. Dissertation. Rheinisch-Westfälische Technischen Hochschule Aachen (Deutschland)
331	Harms (2018): Brütendes Uhuweibchen <i>Bubo bubo</i> wehrt Angriffe verschiedener Prädatoren ab. Ornithol. Mitt. <b>70</b> : S. 139 – 152
332	Harms, C. (2018): 2017 erneut hohe Verluste bei Uhubruten im Raum Freiburg (Baden-Württemberg)]. Eulen-Rundblick <b>68</b> : S.15–20. <a href="https://www.researchgate.net/publication/327848562">https://www.researchgate.net/publication/327848562</a>
333	Harrison, C. (1975): Jungvögel, Eier und Nester aller Vögel Europas, Nordafrikas und des Mittleren Ostens – Ein Naturführer zur Fortpflanzungsbiologie. Parey/Hamburg – Berlin: 435 S.
334	Harrop A. (2010): Records of Hawk Owls in Britain. British Birds <b>103</b> : S. 276–283
335	Hartert E. (1912): Die Vögel der paläarktischen Fauna. <b>Band 2</b> . J. Cramer Verlag
336	Hartwig, E. & Vauk, G. (1969): Zug, Rast und Nahrung der auf Helgoland durchziehenden Waldohreulen ( <i>Asio otus</i> ). Vogelwarte <b>25</b> : S. 13-19
337	Harxen R. van & Stroeken, P. (2011): Handleiding broedbiologisch onderzoek Steenuil. STONE Steenuilenoverleg Nederland / Heiloo: 96 S.
338	Harxen, R. & Stoeken, P. (2011): De Steenuil. KNNV Uitgeverij, Zeist. 159 S.
339	Haupt, M. & Kaatz, G. (2017): Der Waldkauz in Schleswig-Holstein - ein Bericht aus den Referenzrevieren. Jahrestagung AG-Eulen / Brekum: Vortrag
340	Hausknecht, R., Jacobs, S., Müller, J., Zink, R., Frey, H., Solheim, R., Vrezec, A., Kristin, A., Mihok, J., Kergalve, I., Saurola, P. & Kuehn, R. (2013): Phylogeographic analysis and genetic cluster recognition for the conservation of Ural Owls ( <i>Strix uralensis</i> ) in Europe. Journ. Ornithology <b>155</b> (1): S.121–134. DOI: <a href="https://doi.org/10.1007/s10336-013-0994-8">https://doi.org/10.1007/s10336-013-0994-8</a>
341	Hausmann, L. (2011): Die Sinnesleistungen der Eulen - Sehen: Eine Zusammenfassung nach neueren Ergebnissen. Eulen-Rundblick <b>61</b> : S. 112-115
342	Hausmann, L. (2011): Einblicke in die Sinnesleistungen der Eulen - Hören, wo die Beute ist: eine Literaturübersicht. Eulen-Rundblick <b>61</b> : S. 115-117
343	Hausmann, L. (2016): Licht ins Dunkel bringen: Wo stehen wir nach 40 Jahren Forschung über Sinnesleistungen der Schleiereule? Eulen-Rundblick <b>66</b> : 24-26
344	Haw, J. (2017): From cures to courses - owls and their place in traditional healing in Southern Africa. WOC/ Evora: Vortrag (abstract S. 40)
345	Hecht S. & Pirenne M. (1940): The sensibility of the nocturnal Long-eared owl in the spectrum. The Journal of General Physiology: S. 709-717
346	Heidrich, P., Wink, M. (1998): Phylogenetic relationships in Holarctic owls (Order <i>Strigiformes</i> ): Evidence from nucleotide sequences of the mitochondrial cytochrome b gene, In: Chancellor, R.D., Meyburg, B.U., Ferrero J.J. (Hrsg.): Holaric Birds of Prey: S.73–87
347	Heinroth, O. & M. (1967): Die Vögel Mitteleuropas. Bd. <b>2</b> u. <b>4</b> ; Reprint -Edition Leipzig
348	Heinroth, O. (1922): Beziehungen zwischen Vogelgewicht, Eigewicht, Gelegegewicht und Brutdauer. Journ. Ornithol. <b>70</b> : S. 172–285
349	Hengjiu, T., Jianwei, J., Shi, Y., Zhiming, Z., Laghari, M.Y., Narejo, N.T. & Lashari, P. (2016): Complete mitochondrial genome of Eage Owl ( <i>Bubo bubo</i> , <i>Strigiformes</i> ; <i>Strigidae</i> ) from China. PubMed. DOI: 10.3109/19401736.2014.953090
350	Henninger, C. & G. Banderet (1990): Nidification du Hibou petit-duc, <i>Otus scops</i> , dans la vallée de la Broye (Fribourg, Suisse). Nos Oiseaux <b>40</b> : S. 277–284
351	Henrioux F. (2000): Home range and habitat use by the Long-eared owl in northwestern Switzerland. J. Raptor Research <b>34</b> (2): S. 93-101

352	Henrioux, P., Henrioux, J.-D. & Walder, P. (2007): A Tengmalm's owl <i>Aegolius funereus</i> as a victim of black woodpecker <i>Dryocopus martius</i> . <i>Nos Oiseaux</i> <b>542</b> : S.79–80
353	Henrioux, P., J.-D. Henrioux, P. Walder & G. Chopard (2003): Die Bedeutung der Waldstruktur für den Sperlingskauz <i>Glaucidium passerinum</i> im Schweizer Jura. <i>Vogelwelt</i> <b>124</b> : S. 309–312
354	Henry, J., Antoniazza, S., Dubey, S., Simin, S., Waldvogel, C., Burri, R. & Roulin, A. (2013): Multiple paternity in polyandrous Barn Owls ( <i>Tyto alba</i> ). <i>PLoS ONE</i> 8(11):e8012 - DOI: 10.1371/journal.pone.0080/12
355	Hernandez, M. (1988): Road Mortality of the little owl ( <i>Athene noctua</i> ) in Spain. <i>Journ. Raptor Research</i> <b>22</b> (3): S.81–84
356	Herrera, C. & F. Hiraldo (1976): Food-niche and trophic relationships among European owls. <i>Ornis Scand.</i> <b>7</b> : S. 29–41
357	Herrlinger, E. (1973): Die Wiedereinbürgerung des Uhu <i>Bubo bubo</i> in der Bundesrepublik Deutschland. <i>Bonner zool. Monogr.</i> <b>4</b> : 151 S.
358	Hertl, I. (2014): Wood-decaying fungus as an unusual cause of breeding failure in the Boreal Owl ( <i>Aegolius funereus</i> ). <i>Sylvia</i> <b>50</b> : 99–102.
359	Hibbert-Ware, A. (1938): Report of the Little Owl food inquiry, 1936-37. <i>The British Trust for Ornithology</i> : S.162-187
360	Hilden, O. & Helo, P. (1981): The Great Grey Owl <i>Strix nebulosa</i> - a bird of the northern taiga. <i>Ornis Fennica</i> <b>58</b> : S. 159-166
361	Hillerich, K. (1998): Waldkauz-Langzeitstudie in Südhessen. AG Eulenschutz/Tecklenburg: Vortrag
362	Hillers, D. (2011): Untersuchung der Dismigration und Sterblichkeit von Schleiereulen <i>Tyto alba</i> in Schleswig-Holstein nach Ringwiederfunden. <i>Eulen-Rundblick</i> <b>61</b> : S. 63–75
363	Hipkiss T. (2002): Brood sex ratio and sex differences in Tengmalm's owl ( <i>Aegolius funereus</i> ). Doctoral Dissertation. Department of Ecology and Environmental Science Umeå University.
364	Hipkiss T. (2007): Can migrating Tengmalm's Owls <i>Aegolius funereus</i> be reliably sexed in autumn using simple morphometric measurements?. <i>Ringing &amp; Migration</i> , <b>23</b> :4: S. 201-204, DOI: 10.1080/03078698.2007.9674364
365	Hipkiss, T. & Hörfeldt, B. (2004): High interannual variation in the hatching sex ratio of Tengmalm's owl broods during a vole cycle. <i>Population Ecology</i> <b>46</b> : S. 263–268
366	Hipkiss, T., Hörfeldt, B., Eklund, U. & Berlin, S. (2002): Year-dependant sex-biased mortality in supplementary-fed Tengmalm's owl nestings. <i>Journal of Animal Ecology</i> <b>71</b> : S.693–699
367	Hipkiss, T., Stefansson, O. & Hörfeldt, B. (2008): Effect of cyclic and declining food supply on great grey owls in boreal Sweden. <i>Can. J. Zool.</i> <b>86</b> : S. 1426-1431
368	Hirschberg, J. M. (2018): Investigating foraging preferences of the Short-eared Owl ( <i>Asio flammeus</i> ) for taking effective conservation measures. Bachelor-Arb.; Univ. Osnabrück: 35 S.
369	Hof, A. (2005): Monitoring the Little Owl <i>Athene noctua</i> on Quinta da Rocha. A Rocha Portugal Observatory Report 2005-2006: S. 3-9
370	Hoff, J. van (2001): Balancing on the edge: The critical situation of the Little Owl <i>Athene noctua</i> in an intensive agricultural landscape. <i>Oriolus</i> <b>67</b> : S.100–109
371	Hoffmann-Krayer, E. & H. Bächtold-Sträubli (1929/30): Handwörterbuch des Deutschen Aberglaubens. Berlin-Leipzig
372	Höglund, J., Mitkus, M., Olsson, P., Lind, O., Drews, A., Bloch, N.I., Kelber, A. & Strandh, M. (2019): Owls lack UV-sensitive cone opsin and red oil droplets, but see UV light at night: Retinal transcriptomes and ocular media transmittance. <i>Vision Research</i> <b>158</b> . S.109–119
373	Hogstad, O. (1986): On the winter food of the hawk owl <i>Surnia ulula</i> . <i>Fauna Norvegica Series C Cinclus</i> <b>9</b> (2): S. 107–110
374	Holfert, H. (1994): Dezemberbrut beim Waldkauz. <i>Geflügel-Börse</i> <b>115</b> : 2 S.
375	Holland, T. (1974): Behaviour of Long-eared Owls in presence of dog. <i>Brit. Birds</i> <b>67</b> : S. 212–213
376	Holroyd, G. & Trefry, E. (2011): Tracking movements of <i>Athene</i> owl: the application of North American experiences to Europe. <i>Animal Biodiversity and Conservation</i> <b>34</b> : S. 379-387
377	Holsegård-Rasmussen, M., Sunde, P., Thorup, K., Jacobsen, L., Ottese,n N., Svenne, S. & Rahbek, C. (2009): Variation in working effort in Danish Little Owls <i>Athene noctua</i> . <i>Ardea</i> <b>97</b> (4): S.547–554.
378	Holt, D. & S. Leasure (1993): Short-eared Owl – Order <i>Strigiformes</i> , Family <i>Strigidae</i> . <i>The Birds of North America</i> <b>62</b> : 24 S.
379	Holt, D. (1992): Notes on Short-eared Owl, <i>Asio flammeus</i> , nest sites, reproduction, and territory sizes in coastal Massachusetts. <i>Canadian Field-Naturalist</i> <b>106</b> : S. 352-356

380	Holt, D. W., Berkley, R., Deppe, C., Enríquez Rocha, P., Petersen, J. L., Rangel Salazar, J. L., Segars, K. P., Wood, K. L. & Marks, J. S. (2020): Great Grey Owl ( <i>Strix nebulosa</i> ), in: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D. A., de Juana, E. (Hrsg.): Handbook of the Birds of the World Alive. Lynx Edicions, Barcelona
381	Holt, D. W., Berkley, R., Deppe, C., Enríquez, P. R., Petersen, J. L., Salazar, J. L. R., Segars, K. P., Wood, K. L., Christie, D. A. & Marks, J.S. (2019): Northern Hawk-owl ( <i>Surnia ulula</i> ), in: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D. A., de Juana, E. (Hrsg.): Handbook of the Birds of the World Alive. Lynx Edicions, Barcelona. <a href="https://www.hbw.com/species/northern-hawk-owl-surnia-ulula">https://www.hbw.com/species/northern-hawk-owl-surnia-ulula</a>
382	Holt, D. W., Larson, M. D., Smith, N., Evans, M. D. & Parmelee, D. F. (2015): Snowy Owl ( <i>Bubo scandiacus</i> ), version 2.0. Cornell Lab of Ornithology, Ithaca, NY, USA. <a href="https://doi.org/10.2173/bna.10">https://doi.org/10.2173/bna.10</a>
383	Holt, D. W., Melvin, S. M. & B. Steele (1992): Nestling growth rates of Short-eared Owls. E Wilson Bulletin <b>104</b> (2): S. 326–333
384	Holt, D.W., Berkley, R., Deppe, C., Enríquez Rocha, P., Petersen, J.L., Rangel Salazar, J.L., Segars, K.P., Wood, K.L. & Marks, J.S. (2019): Eurasian Pygmy-owl ( <i>Glaucidium passerinum</i> ), In: Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. & de Juana, E. (Hrsg.): Handbook of the Birds of the World Alive. Lynx Edicions, Barcelona. <a href="https://www.hbw.com/node/55057">https://www.hbw.com/node/55057</a>
385	Holt, D.W., Berkley, R., Deppe, C., Enríquez Rocha, P., Petersen, J.L., Rangel Salazar, J.L., Segars, K.P., Wood, K.L., Garcia, E.F.J., Marks, J.S. & Sharpe, C.J. (2019): Snowy Owl ( <i>Bubo scandiacus</i> ), in: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. & de Juana, E. (Hrsg.): Handbook of the Birds of the World Alive. Lynx Edicions, Barcelona
386	Holt, D.W., Gray, K., Maples, M.T. & M.A. Korte (2016): Mass growth rates, plumage development, and related behaviors of Snowy Owl ( <i>Bubo scandiacus</i> ) nestlings. Journ. Raptor Research <b>50</b> (2), S. 131-143. DOI: 10.3356/rapt-50-02-131-143.1
387	Holt, D.W., Maples, M.T., Petersen-Parret, J.L., Korti, M. & Seidensticker, M. (2009): Characteristics of nest mounds used by Snowy Owls in Barrow, Alaska, with conservation and management implications. 4 <sup>th</sup> World Owl Conference 2007, Groningen- NL. Ardea <b>97</b> : S. 555–561. DOI: 10.5253/078.097.0422
388	Holt, D.W., Mull, M.L., Seidensticker, M.T. & Larson, M.D. (2016): Sex differences in Long-eared Owl plumage coloration. Journ. Raptor Research <b>50</b> : S.60–69 DOI: 10.3356/rapt-50-01-60-69.1
389	Hölzinger, J. & K. Schilhansl (1968): Zum Vorkommen und zur Brutbiologie der Sumpfohreule ( <i>Asio flammeus</i> ) im Ulmer Raum. Anz. orn. Ges. Bayern <b>8</b> : S. 278–285
390	Hölzinger, J. (1974): Ringfunde der Sumpfohreule ( <i>Asio flammeus</i> ). Auspicium <b>5</b> : S. 347–350
391	Hölzinger, J., M. Mickley & K. Schilhansl (1973): Untersuchungen zur Brut- und Ernährungsbiologie der Sumpfohreule ( <i>Asio flammeus</i> ) in einem süddeutschen Brutgebiet mit Bemerkungen zum Auftreten der Art in Mitteleuropa. Anz. orn. Ges. Bayern <b>12</b> : S. 176–197
392	Hopf, L. (1888): Thierorakel und Orakelthiere in alter und neuer Zeit. Kohlhammer/Stuttgart
393	Hořice, D. (1937): Brutinvasion der Sumpfohreule ( <i>Asio flammeus Pontopp.</i> ) in Südböhmen. Sylvia: 48-49
394	Hörnfeldt, B., Carlsson, B.-G. & Nordström, Å. (1988): Molt of primaries and age determination in Tengmalm's Owl ( <i>Aegolius funereus</i> ). Auk <b>15</b> : S. 783-789
395	Hosking, E. & Flegg, J. (1982): Eric Hosking's owls. Pelham Books/London: 169 S.
396	Hosking, E. & Newberry, C. (1945): Birds of the night. Collins/London: 128 S.
397	Hoy, S., Millon, A., Petty, S., Whitfield, D. P. & Lambin, X. (2018): Food availability and predation risk, rather than intrinsic attributes, are the main factors shaping the reproductive decisions of a long-lived predator. Journal of Animal Ecology <b>85</b> (4): S.892-902. DOI: 10.1111/1365-2656.12517
398	Hoyo, J. del, A. Elliott & Sargatal, J. (Hrsg.; 1999): Handbook of the birds of the world. Bd. <b>5</b> , Barn Owls to Hummingbirds. Lynx Edicions/Barcelona: 759 S.
399	Hrabovský M. (2006): The winter breeding of the Long-eared Owl ( <i>Asio otus</i> ) in Slavkov u Brna. Crex <b>26</b> : S. 9-10
400	Huang, A. C., Elliott, J. E., Hindmarch, S., Lee, S. L., Maisonneuve, F., Bowes, V., Cheng, K. M. & Martin, K. (2016): Increased rodenticide exposure rate and risk of toxicosis in barn owls ( <i>Tyto alba</i> ) from southwestern Canada and linkage with demographic but not genetic factors. Ecotoxicology <b>25</b> (6): S. 1061-1071. DOI 10.1007/s10646-016-1662-6
401	Huang, J-L. & Liang, W. (2017): Notes of four breeding birds using Magpie ( <i>Pica pica</i> ) nests in Xianghai Nature Reserve, Jilin, China. Chinese Journ. Zoology <b>52</b> : S. 565-573
402	Huhtala, K., Korpimäki, E. & Pulliainen, E. (1987): Foraging activity and growth of nestlings in the Hawk Owl: Adaptive strategies under northern conditions. USDA Forest Service General Technical Report <b>RM-142</b> : S. 152-156

<b>403</b>	Hull, J. M., Englis Jr., A., Medley, J. R., Jepsen, E. P., Duncan, J. R., Ernest, H. B. & Keane, J. J. (2014): A New Subspecies of Great Gray Owl ( <i>Strix nebulosa</i> ) in the Sierra Nevada of California, U.S.A. <i>Journ. Raptor Research</i> <b>48</b> (1): S. 68-77. DOI: <a href="http://dx.doi.org/10.3356/JRR-13-35.1">http://dx.doi.org/10.3356/JRR-13-35.1</a>
<b>404</b>	Hull, J.M., Keane, J.J., Tell, L.A. & Ernest, H.B. (2008): Development of 37 microsatellite loci for the great gray owl ( <i>Strix nebulosa</i> ) and other <i>Strix</i> spp. owls. <i>Conservation Genetics</i> <b>9</b> : S.1357–1361
<b>405</b>	Human Ageing Genomic Resources (2017): An Age entry for <i>Aegolius funereus</i> . URL: <a href="http://genomics.senescence.info/species/entry.php?species=Aegolius_funereus">http://genomics.senescence.info/species/entry.php?species=Aegolius_funereus</a>
<b>406</b>	Human Ageing Genomic Resources (2017): An Age entry for <i>Athene noctua</i> . URL: <a href="http://genomics.senescence.info/species/entry.php?species=Athene_noctua">http://genomics.senescence.info/species/entry.php?species=Athene_noctua</a>
<b>407</b>	Human Ageing Genomic Resources (2017): An Age entry for <i>Surnia ulula</i> . URL: <a href="http://genomics.senescence.info/species/entry.php?species=Surnia_ulula">http://genomics.senescence.info/species/entry.php?species=Surnia_ulula</a>
<b>408</b>	Human Aging Genomic Resources (2017): An Age entry for <i>Asio otus</i> . URL: <a href="http://genomics.senescence.info/about.html">http://genomics.senescence.info/about.html</a>
<b>409</b>	Humbel, J. (2014): Secondary brood sex ratio in little owls ( <i>Athene noctua</i> ): patterns and determinants. Master Thesis. University of Zurich, Schweiz
<b>410</b>	Hunt, B. (2017): Great Grey Owl, <i>Strix nebulosa</i> . The Owl Research Institute, Denver. <a href="https://www.owlresearchinstitute.org/great-grey-owl">https://www.owlresearchinstitute.org/great-grey-owl</a>
<b>411</b>	Hunter Roach, C. D. (2014): The oldest wild British Barn Owl. BOT - Bisham Barn Owl Group; <a href="https://www.barnowltrust.org.uk/oldest-british-barn-owl/">https://www.barnowltrust.org.uk/oldest-british-barn-owl/</a>
<b>412</b>	Hurst, J. (2009): Die Populationsgenetik des Steinkauzes ( <i>Athene noctua</i> ) in Süddeutschland und angrenzenden Gebieten. Diplomarbeit. Albert-Ludwigs-Universität Freiburg, Deutschland
<b>413</b>	Hutto, R. L., Conway, C. J., Saab, V. A. & Walters, J. R. (2008): What constitutes a natural fire regime? Insight from the ecology and distribution of coniferous forest birds in North America. <i>Fire Ecology</i> <b>4</b> (2): S. 115-132. DOI: <a href="10.4996/fireecology.0402115">10.4996/fireecology.0402115</a>
<b>414</b>	Huysman, A., St. George, D., Johnson, M., Baldwin, R., Charter, M., Hindmarch, S., Wendt, C., Kross, S., Rozman, G., Rivadeneira, P. & E. Phillips (2018): A review of research methods for barn owls in integrated pest management. Technical Report of the BARD Conference on the Use of Barn Owls for Agricultural Pest Control, 5–7 March 2018 at University of California Agricultural and Natural Resources. Published by Humboldt State University, Arcata, California, USA. <a href="http://www.barnowlpestcontrol.com/uploads/1/1/7/3/117396152/Huysman_et_al_2018">http://www.barnowlpestcontrol.com/uploads/1/1/7/3/117396152/Huysman_et_al_2018</a> : 41 S.
<b>415</b>	Il'tschew, W. (1975): Lokacija Ptic (Das Ortungsvermögen der Vögel – Adoptionsmechanismen der passiven Ortung der Eulen). Akademija Nauk SSR/Moskau: 195 S.
<b>416</b>	Ille R. (1995): Ergebnisse einer Bestandserhebung beim Steinkauz ( <i>Athene noctua</i> ) im Nordburgenland zwischen 1992-1994. <i>BFB-Bericht</i> <b>83</b> : S. 23-29
<b>417</b>	Ille, R. (1983): Ontogenese des Beutefangverhaltens beim Steinkauz ( <i>Athene noctua</i> ). <i>Journ. Ornithol.</i> <b>124</b> : S. 133–146
<b>418</b>	Ille, R. (1991): Preference of prey size and profitability in Barn Owls <i>Tyto alba guttata</i> . <i>Behaviour</i> <b>116</b> : S. 180–189
<b>419</b>	Illner, H. (2010): Erfolgreiche Brut einer Sumpfohreule <i>Asio flammeus</i> im EU-Vogelschutzgebiet Hellwegbörde (Mittelwestfalen) im Jahr 2007. <i>Charadrius</i> <b>46</b> : S. 41-48
<b>420</b>	Ivanovsky, V. (2003): Nesting biology and breeding success of Long-eared Owls <i>Asio otus</i> in northern Belarus. <i>Vogelwelt</i> <b>124</b> : S. 261-263
<b>421</b>	IUCN / SSC (2013): Guidelines for reintroduction and other conservation translocations; version 1.0. Gland - Switzerland: 57 S.
<b>422</b>	Jablonski, P. (1991): Distribution of Tawny Owl <i>Strix aluco</i> in Warsaw. <i>Acta ornithol.</i> <b>26</b> : S. 31-28
<b>423</b>	Jacobsen L. (2006): Ynglebestanden af Kirkeugle <i>Athene noctua</i> i Vendsyssel og Himmerland 1981-2000. <i>Dansk Ornitolologisk Forenings Tidsskrift</i> : S. 35-43
<b>424</b>	Jacobsen L., Sunde P., Rahbek C., Dabelsteen T. & Thorup K. (2013): Territorial calls in the Little Owl ( <i>Athene noctua</i> ): spatial dispersion and social interplay of mates and neighbours. <i>Ornis Fennica</i> <b>90</b> : S. 41–49.
<b>425</b>	Jacobsen, K-O. & Rov, N. (2007): Hubro pa Slenesetog windkraft. <i>Norsk Inst. Naturforskning - NNA Rapport</i> <b>264</b> : 23 S.
<b>426</b>	Jamdar, N. & K. Shrivastava (1988): A note on possible migration route of Short-eared Owl ( <i>Asio flammeus</i> ) over sea. <i>Journal, Bombay Natural Hist. Society</i> <b>85</b> (1): S. 423
<b>427</b>	Jedrzejewski, W., B. Jedrzejewska, K. Zub, A. Ruprecht & C. Bystrowski (1994): Ressource use by Tawny Owls <i>Strix aluco</i> in relation to rodent-fluctuations in Bialowieza National Park, Poland. <i>Journ. Avian Biology</i> <b>25</b> : S. 308–318

<b>428</b>	Jędrzejewska, B. & W. Jędrzejewski (1998): Predation in Vertebrate Communities. Springer Verlag, Berlin - Heidelberg, Abschnitte 3.24–3.28 und S. 162
<b>429</b>	Jenni, D. (2011): Bestandsentwicklung und Bruterfolg des Uhus <i>Bubo bubo</i> im Engadin. Ornithol. Beob. <b>108</b> : S. 233-250
<b>430</b>	Jörges, M. & Franke, S. (2006): Vom Totensymbol zum Sympathieträger: Situation des Steinkauzes <i>Athene noctua</i> in Nordrhein-Westfalen. Charadrius <b>42</b> : S. 164-177
<b>431</b>	Jörges, M. & Herkenrath, P. (2018): Spektakulärer Brutplatz des Uhus <i>Bubo bubo</i> auf dem Gelände der ehemaligen Zeche Ewald im Kreis Recklinghausen 2017. Eulen-Rundblick <b>68</b> : S. 61-64
<b>432</b>	Jörges, M. & St. Sudmann (2006, Hrsg.): Themenheft Steinkauz. Charadrius <b>42</b> : S. 161–214
<b>433</b>	Johnsgard, P. (1988): North American owls. Biology and natural history. Smithsonian Inst. Press/Washington – London: 295 S.
<b>434</b>	Johnson D. (1997): Wing loading in 15 species of North American Owls. 2 <sup>nd</sup> Intern. Symposium; USDA Forest Service, Gen. Tech. Report <b>NC-190</b> : S. 553-561
<b>435</b>	Johnson, D. (2013): Owls in the fossil record. The Owl Pages. <a href="https://www.owlpages.com/owls/articles.php?a=17">https://www.owlpages.com/owls/articles.php?a=17</a>
<b>436</b>	Johnson, J.A., Booms, T. L., DeCicco, L. H. & Douglas, C. D. (2017): Seasonal movements of the Short-Eared Owl ( <i>Asio flammeus</i> ) in Western North America as revealed by satellite telemetry. Journ. Raptor Research <b>51</b> (2): S. 115–128. DOI: 10.3356/JRR-15-81.1
<b>437</b>	Jones M., Pierce K. & Ward D. (2007): Avian Vision: A review of form and function with special consideration to birds of prey. Journal of Exotic Pet Medicine, Vol <b>16</b> , No 2: S. 69-87
<b>438</b>	Jong, J. de (2006): Populationsentwicklung der Schleiereule ( <i>Tyto alba</i> ) in den Niederlanden und bestandsbeeinflussende Faktoren (1970–2002). – In: Stubbe, M. & A. (Hrsg.): Populationsökologie Greifvogel- und Eulenarten <b>5</b> : S. 513–527
<b>439</b>	Jong, J. de (2009): The recovery of the Barn Owl <i>Tyto alba</i> in Friesland, northern Netherlands: population growth in relation to landscape features. 4 <sup>th</sup> WOC/ Groningen; Ardea <b>97</b> : S. 445-452
<b>440</b>	Jong, J. de (2012): Eine neue Methode zur Geschlechtsbestimmung bei Schleiereulen <i>Tyto alba guttata</i> . Eulen-Rundblick <b>62</b> : S. 33-36
<b>441</b>	Jong, J. de (2014): Habitatnutzung der Schleiereule <i>Tyto alba</i> während der Brutzeit. Eulen-Rundblick <b>64</b> : S. 66-72
<b>442</b>	Jong, J. de (2017): De Kerkuil - ecologie, gedrag en bescherming. Eigenverlag / Drachten-NL
<b>443</b>	Jovanovic-Grove, T., Šćiban, M. & M. Ružić (2008): Study of Tawny Owl <i>Strix aluco</i> diet from pellet samples collected in Serbia. The Owl Pages. <a href="https://www.owlpages.com/owls/articles.php?a=58">https://www.owlpages.com/owls/articles.php?a=58</a>
<b>444</b>	Juillard, M. (1984): La Chouette cheveche. Nos Oiseaux/Sonderheft: 243 S.
<b>445</b>	Juillard, M., P. Bassin, H. Baudvin, J.-C. Genot, P.-A. Ravussin & C. Rebetez (Hrsg.; 1991): Rapaces nocturnes. Actes 30. Coll. Porrentruy (Suisse); Nos Oiseaux/Prangins: 327 S.
<b>446</b>	Jürgens, R. (1994): Sumpfohreulen ( <i>Asio flammeus</i> ), regelmäßige Wintergäste im Schiffgrabenbruch bei Jerxheim, Landkreis Helmstedt. Vogelkundl. Ber. Niedersachs. <b>26</b> : S. 89
<b>447</b>	Kadachnikov, N. (1963): On the breeding biology of the Scops Owl in the Voronezh province. Ornitologia <b>6</b> : S.104–110
<b>448</b>	Kajtoch, L., Zmihorski, M. & Wieczorek, P. (2015): Habitat displacement effect between two competing owl species in fragmented forests. Popul Ecol <b>57</b> : S.517–527 - DOI: 10.1007/s10144-015-0497-y
<b>449</b>	Kämpfer-Lauenstein A. (2006): Methodik der Steinkauz-Bestandserfassung. Charadrius <b>42</b> (4): S.212-214
<b>450</b>	Kämpfer-Lauenstein, A. & Lederer, W. (2006): Naturhöhlen in Bäumen als Brutplatz und Tageseinstand für den Steinkauz <i>Athene noctua</i> . Charadrius <b>42</b> (4): S. 201-207
<b>451</b>	Kämpfer-Lauenstein, A. & Lederer, W. (2010): Populationsdynamik des Raufußkauzes <i>Aegolius funereus</i> im Arnsberger Wald. Charadrius <b>46</b> (1-2): S. 69-78
<b>452</b>	Kämpfer-Lauenstein, A. & W. Lederer (1988): Dismigration des Steinkauzes <i>Athene noctua</i> in Mittelwestfalen. Vogelwelt <b>109</b> : S. 155–164
<b>453</b>	Kämpfer-Lauenstein, A. & W. Lederer (1992): Bemerkenswerte Umsiedlungen von Raufußkauz-Weibchen ( <i>Aegolius funereus</i> ). Vogelwarte <b>36</b> : S.236–237
<b>454</b>	Kämpfer-Lauenstein, A. (1991): Zum intraspezifischen Territorialverhalten des Raufußkauzes ( <i>Aegolius funereus</i> ) im Herbst. Ökol. Vögel 13: S. 111–120
<b>455</b>	Karell, P. (2007): Short- and long-term consequences of food resources on Ural owl <i>Strix uralensis</i> reproduction. Dissertation. FI-University of Helsinki (Finland)

<b>456</b>	Karell, P., Ahola, K., Karstinen, T., Koskenpato, K., Asghar, M., Bensch, St., Valkama, J. & Brommer, J. (2017): Evolutionary dynamics of colour polymorphism in Tawny Owls <i>Strix aluco</i> . WOC/ Evora: Vortrag (abstract S. 55)
<b>457</b>	Karell, P., Ahola, K., Karstinen, T., Valkama, J. & Brommer, J. E. (2011): Climate change drives microevolution in a wild bird. <i>Nature Communications</i> <b>2</b> (208): S. 1-7. DOI: 10.1038/ncomms1213
<b>458</b>	Karell, P., Bensch, S., Ahola, K. & Asghar, M. (2017) Pale and dark morphs of tawny owls show different patterns of telomere dynamics in relation to disease status. <i>Proceedings of the Royal Society - B</i> <b>284</b> (1859). pii 20171127. DOI: <a href="http://dx.doi.org/10.1098/rspb.2017.1127">http://dx.doi.org/10.1098/rspb.2017.1127</a>
<b>459</b>	Kaus, D. (1977): Zur Populationsdynamik, Ökologie und Brutbiologie der Schleiereule <i>Tyto alba</i> in Franken. <i>Anz. orn. Ges. Bayern</i> <b>16</b> : S. 18–44
<b>460</b>	Keišs, O. & G. Pētersons (2014): Migrating birds, bats and time at Pape, Latvia 1966–2013. Vortrag in Falsterbo / Schweden
<b>461</b>	Kekkonen, J., Kolunen, H., Pietiainen, H., Karell, P. & Brommer, J. E. (2008): Tawny owl reproduction and offspring sex ratios under variable food conditions. <i>J Ornithol</i> <b>149</b> : S. 59–66. DOI 10.1007/s10336-007-0212-7
<b>462</b>	Kellomäki, E. (1977): Food of the Pygmy Owl <i>Glaucidium passerinum</i> in the breeding season. <i>Ornis Fennica</i> <b>54</b> : S. 1–29
<b>463</b>	Kertell, K. (1986): Reproductive biology of Northern Hawk-Owls in Denali National Park, Alaska. <i>Raptor Research</i> <b>20</b> (3): S. 91-101
<b>464</b>	Keyes, K.L. (2011): Geographic and habitat fidelity in the short-eared owl ( <i>Asio flammeus</i> ). Department of Natural Resource Sciences, Macdonald Campus, McGill University, Montreal.
<b>465</b>	Kiliaan, H. (1989): A Hawk Owl Spruce Grouse encounter in the Northwest Territories. <i>Blue Jay</i> <b>74</b> : S. 213-214
<b>466</b>	Kitowski I. & Stasiak K. (2013): The disappearance of barn owl <i>Tyto alba</i> and little owl <i>Athene noctua</i> occurrence sites in farmland in east Poland. <i>Ekológia (Bratislava)</i> . Vol. <b>32</b> , No. 4: S. 361-168. Doi: 10.2478/eko-2013-0033
<b>467</b>	Klammer, G. & Wunschik, M. (2004): Zweitbrut der Waldohreule ( <i>Asio otus</i> ). <i>Eulen-Rundblick</i> <b>51/52</b> : S. 44-46
<b>468</b>	Klammer, G. (1996): Kunsthörstprogramm für die Waldohreule ( <i>Asio otus</i> ) – erste Ergebnisse. <i>Populationsökol. Greifvogel- u. Eulenarten</i> <b>3</b> : S. 387–392
<b>469</b>	Klaus, S., H. Mikkola & J. Wiesner (1975): Aktivität und Ernährung des Rauhfußkauzes <i>Aegolius funereus</i> (L.) während der Fortpflanzungsperiode. <i>Zool. Jb. Syst.</i> <b>102</b> : S. 485–507
<b>470</b>	Kleefstra, R., Barkema, L., Venema, D. & Spijkstra-Scholten, W. (2015): Een explosie van veldmuizen, een invasie van broedende veldiulen in Friesland in 2014. <i>Limosa</i> <b>88</b> : S. 74-82
<b>471</b>	Kleinschmidt O. (1907): Zum geographischen Variieren von <i>Strix Athene</i> . Vorarbeit für Berajah. <i>Journal</i> <b>3</b> : S. 63-67
<b>472</b>	Kloubec, B. (1992): (Methods of occurrence determination of Pygmy Owl ( <i>Glaucidium passerinum L.</i> )). (Tschech., engl. summ.) <i>Tichodroma / Bratislava</i> <b>4</b> : S. 43–52
<b>473</b>	Kloubec, B., L. Bufka & J. Obuch (2005): [Ural Owls ( <i>Strix uralensis</i> ) in Sumava Mountains: population increase, new records and notes to diet composition]. <i>Buteo</i> <b>14</b> : S. 69–75 (in Tschechisch)
<b>474</b>	Kniprath, E. & Stier, S. (2008): Schleiereule <i>Tyto alba</i> : Die Federkleider der Nestlinge und die Dunen der Altvögel. <i>Eulen-Rundblick</i> <b>58</b> : S. 54-57
<b>475</b>	Kniprath, E. & Stier, S. (2008): Schleiereule <i>Tyto alba</i> : Mehrfachbruten in Südniedersachsen. <i>Eulen-Rundblick</i> <b>58</b> : S. 41-54
<b>476</b>	Kniprath, E. & Stier-Kniprath, S. (2015): Schleiereule <i>Tyto alba</i> 2014: Von Zweitbruten, Partnerschaften und Helferinnen. <i>Eulen-Rundblick</i> <b>65</b> : S. 55-56
<b>477</b>	Kniprath, E. (1999): Regenbadende Schleiereule. <i>Eulen-Rundblick</i> <b>48/49</b> : S. 49
<b>478</b>	Kniprath, E. (2007): Schleiereule <i>Tyto alba</i> : Dynamik und Bruterfolg einer niedersächsischen Population. <i>Eulen Rundblick</i> <b>57</b> : S. 17–39
<b>479</b>	Kniprath, E. (2010): Die Wanderungen der jungen Schleiereulen <i>Tyto alba</i> in Europa. <i>Eulen-Rundblick</i> <b>60</b> : S. 56-65
<b>480</b>	Kniprath, E. (2011): Scheidung und Partnertreue bei der Schleiereule <i>Tyto alba</i> . <i>Eulen-Rundblick</i> <b>61</b> : S. 76-86
<b>481</b>	Kniprath, E. (2012). Die Wanderung nestjung beringter, norddeutscher Schleiereulen <i>Tyto alba</i> nach dem Material der Vogelwarte Helgoland - Teil 1. <i>Eulen-Rundblick</i> <b>62</b> : S. 101-110
<b>482</b>	Kniprath, E. (2012): "Polygamie" bei Eulen - ein Versuch, nach der Literatur die Begriffe im Umfeld der Partnerschaften zu ordnen. <i>Eulen-Rundblick</i> <b>62</b> : S. 123-127

<b>483</b>	Kniprath, E. (2013): Die Wanderung nestjung beringter, norddeutscher Schleiereulen <i>Tyto alba</i> nach dem Material der Vogelwarte Helgoland - Teil 2. Eulen-Rundblick <b>63</b> : S. 30-46
<b>484</b>	Kniprath, E. (2016): Schleiereule <i>Tyto alba</i> : Unterseitenfärbung und Bruterfolg. Eulen-Rundblick <b>66</b> : S.86-87
<b>485</b>	Kniprath, E. (2016): Zur Mortalität norddeutscher Schleiereulen <i>Tyto alba</i> . Eulen-Rundblick <b>66</b> : 73-85
<b>486</b>	Kniprath, E. (2017): Fertilität, Natalität, Immigration und das source-sink-Problem bei Populationen der Schleiereule <i>Tyto alba</i> . Eulen-Rundblick <b>67</b> : S. 52-56
<b>487</b>	Kniprath, E. (2018): 90 Stunden im Leben einer Schleiereulenfamilie <i>Tyto alba</i> . I bis III. Eulen-Rundblick <b>68</b> : S. 32-56
<b>488</b>	Kniprath. E. & Döge, K. (2018): Schleiereule <i>Tyto alba</i> erobert einen Brutplatz. Eulen-Rundblick <b>68</b> : S. 69-71
<b>489</b>	Knoch, D. (1966): Zur Verbreitung und Ökologie des Rauhfußkauzes ( <i>Aegolius funereus</i> L.) im Südschwarzwald. Mitteilung des badischen Landesvereins für Naturkunde und Naturschutz e.V. <b>9</b> (1): S.85-93
<b>490</b>	Knoll, A. & Fabian, K. (2009): Der Sperlingskauz <i>Glaucidium passerinum</i> in der Dresdner Heide. Mitt. Ver. Sächs. Ornithol. <b>10</b> : S. 273-280
<b>491</b>	Koch, U.R. & Wagner, H. (2002): Morphometry of auricular feathers of Barn Owls ( <i>Tyto alba</i> ). European Journal of Morphology <b>40</b> (1): S.15-21
<b>492</b>	Kociuba, M. (2014): Nesting sites of the Ural Owl <i>Strix uralensis</i> in the western part of the Przemyskie Foothills. Chronmy Przyrode Ojozysta <b>70</b> : S. 535-539
<b>493</b>	Koenig, L. (1973): Das Aktionssystem der Zwergohreule <i>Otus scops scops</i> (Linné 1758). Fortschritte d. Verhaltensforsch. <b>13</b> ; Verlag Paul Parey/Berlin u. Hamburg: S. 1-124
<b>494</b>	Kohl, I. & Leditznig, Ch. (2012): Einsatz der Telemetrie zur Unterstützung der Wiederansiedlung des Habichtskauz' <i>Strix uralensis</i> im Wildnisgebiet Dürrenstein (Österreich). Eulen.Rundblick <b>62</b> : S. 14-22
<b>495</b>	Kohl, I. & Leditznig, Ch. (2014): Die Wiederansiedlung des Habichtskauz' <i>Strix uralensis</i> in Österreich - Überblick über fünf Jahre Forschung im Wildnisgebiet Dürrenstein. Eulen-Rundblick <b>64</b> : S. 28-42
<b>496</b>	Kohl, I., Leditznig, Ch., Aigner, F., Pennersdorfer, J., Walter, Th. & Zink, R. (2018): 10 Jahre Wiederansiedlung von Habichtskäuzen ( <i>Strix uralensis</i> ) im Wildnisgebiet Dürrenstein in den Jahren 2009 bis 2018. Silva Fera (Wildnisgebiet Dürrenstein/Scheibbs) <b>7</b> : S. 43-64
<b>497</b>	Kohl, I., Rotheneder, G. & Hochebner, Th. (2018): Neuentdeckung für das Wildnisgebiet Dürrenstein: Waldochreulen-Brut auf 1.450 m ( <i>Asio otus</i> ). Silva Fera <b>7</b> : S. 1-6
<b>498</b>	Kohl, I., Zink, R. & Leditznig, C. (2015): Endbericht für das LE-Projekt, Habichtskauz-Folgeprojekt (RU5-S-1039/001-2013). <a href="http://www.noe.gv.at/noe/Naturschutz/Habichtskauz_Wiederansiedlung_2015.pdf">http://www.noe.gv.at/noe/Naturschutz/Habichtskauz_Wiederansiedlung_2015.pdf</a>
<b>499</b>	Kohl, St. (1977): Über die taxonomische Stellung der südosteuropäischen Habichtskäuze, <i>Strix uralensis macroura Wolf 1810</i> . Studi si comunicari Muzeul Brukenthal, Stinte nat. <b>21</b> : S. 309-334
<b>500</b>	Kohl, St. (2002): Osteometrische Untersuchungen an Skeletten von Habichtskäuzen ( <i>Strix uralensis macroura Wolf</i> ) aus Siebenbürgen, In: Verein Sächsischer Ornithologen e. V. (Hrsg.): Mitteilungen des Ver. Sächsischer Ornithologen <b>9</b> . S.67-75
<b>501</b>	Koivula M., Korpimäki E. & Viitala J. (1997): Do Tengmalm's owls see vole scent marks visible in ultraviolet light?. Anim. Behav. <b>54</b> : S. 873-877
<b>502</b>	Koivunen, V., Korpimäki, E., Hakkarainen, H. & Norrdahl, K. (1996): Prey choice of Tengmalm's owls ( <i>Aegolius funereus funereus</i> ): Preference for substandard individuals? Canadian Journal of Zoology <b>74</b> : S. 816–823. DOI: 10.1139/z96-094.
<b>503</b>	Kolb, K.-H. & Schnitzler, H. U. (1990): Zum Beutefangverhalten des Rauhfußkauzes ( <i>Aegolius funereus</i> ) bei Licht und bei Dunkelheit. Vogel u. Umwelt <b>6</b> : S. 5-8
<b>504</b>	Kolb, K.-H. (1990): Ganz Aug und Ohr. Eulen – hervorragende Nachtjäger. Nationalpark/ Grafenau <b>69</b> : S. 25–28
<b>505</b>	Kolbe, H. (2010): Raufußkauz <i>Aegolius funereus</i> und Sperlingskauz <i>Glaucidium passerinum</i> als neue Brutvogelarten in Hohen Flämimg. Apus <b>14</b> : S.3-13
<b>506</b>	Kolbe, H. (2011): Raufußkauz <i>Aegolius funereus</i> (Linnaeus, 1758): Arbeitsmaterialien zur Avifauna Sachsen-Anhalts, Heft 2: S. 1-18
<b>507</b>	Kolbe, H. (2018): Sperlingskauz <i>Glaucidium passerinum</i> (Linnaeus, 1758). In: Vogelwelt Sachsen-Anhalt. (online-Ausgabe: Vogelwelt-Sachsen-Anhalt.de): S. 3
<b>508</b>	König C. (1998): Ecology and population of Pygmy Owls <i>Glaucidium passerinum</i> in the Black Forest (S.W. Germany). Chancellor, R.D., B.-U. Meyburg & J.J. Ferrero. Holarctic Birds of Prey: S. 447-450
<b>509</b>	König, C. & Weick, F. (2008): Owls of the world. Christoph Helm/ London: 528 S.
<b>510</b>	König, C. (1964): Flügelklatschender Rauhfußkauz ( <i>Aegolius funereus</i> ). Vogelwelt <b>85</b> : S. 64

511	König, C. (1968): Lautäußerungen von Rauhfußkauz ( <i>Aegolius funereus</i> ) und Sperlingskauz ( <i>Glaucidium passerinum</i> ). Beih. Vogelwelt <b>1</b> : S. 115–138
512	König, C. (1970): Herbstbalz der Zwergohreule ( <i>Otus scops</i> ). Ornith. Mitt. <b>22</b> : S. 44–45
513	König, C. (1991): Zur Taxonomie und Ökologie der Sperlingskäuze ( <i>Glaucidium spp.</i> ) des Andenraumes. Ökologie d. Vögel <b>13</b> : S. 15–76
514	König, C. (1994): Lautäußerungen als interspezifische Isolationsmechanismen bei Eulen der Gattung <i>Otus</i> (Aves: <i>Strigidae</i> ) aus dem südlichen Südamerika. Stuttgarter Beitr. Naturkd./Ser. A <b>511</b> : 35 S.
515	Koning, F. (2018): Der Waldkauz ( <i>Strix aluco</i> ) von "Source to Sink". Jahrestagung AG-Eulen/ Halberstadt: Vortrag (abstract S. 23)
516	Koning, F., Koning, H. & Baeyens, G. (2009): Long-term study on interactions between Tawny Owls <i>Strix aluco</i> , Jackdaws <i>Corvus monedula</i> and Northern Goshawks <i>Accipiter gentilis</i> . 4 <sup>th</sup> World Owl Conference / Groningen; Ardea <b>97</b> : S. 453-456
517	Konishi, M. (1973): How the owl tracks its prey. Americ. Scientist <b>61</b> : S. 414–424. <a href="https://www.americanscientist.org/article/how-the-owl-tracks-its-prey">https://www.americanscientist.org/article/how-the-owl-tracks-its-prey</a>
518	Konishi, M. (1973): Locatable and non locatable acoustic signals for Barn Owls. Americ. Naturalist <b>107</b> : S. 775–785
519	Kontiainen, P., Pietiäinen, H., Huttunen, K., Karel, P., Kolumen, H. & Brommer, J. E. (2009): Aggressive Ural owl mothers recruit more offspring. Behavioral Ecology <b>20</b> (4): S. 789–796. DOI: 10.1093/beheco/arp062
520	Koopman M., McDonald D., Hayward G., Eldegard K., Sonerud G. & Sermach S. (2005): Genetic similarity among Eurasian subspecies of Boreal owls <i>Aegolius funereus</i> . Journal of Avian Biology <b>36</b> : S. 179–183
521	Kopij, G. (2011): Population and range expansion of forest boreal owls ( <i>Glaucidium passerinum</i> , <i>Aegolius funereus</i> , <i>Strix uralensis</i> and <i>Strix nebulosa</i> ) in Eastern Europe. Vogelwelt <b>132</b> : S. 93–100
522	Köppl, C. & Yates, G. (1999): Coding of sound pressure level in the Barn Owl's auditory nerve. The Journal of Neuroscience <b>19</b> (21): S. 9674–9686
523	Köppl, C. (1997): Phase locking to high frequencies in the auditory nerve and cochlear <i>Nucleus Magnocellularis</i> of the Barn Owl, <i>Tyto alba</i> . The Journal of Neuroscience <b>17</b> (9): S.3312–3321
524	Köppl, Ch., Futterer, E., Nieder, B., Sistermann, R. & Wagner, H. (2005): Embryonic and posthatching development of the Barn Owl ( <i>Tyto alba</i> ): reference data for age determination. Developmental Dynamics <b>233</b> : S. 1248–1260
525	Korpimäki, E. & Hakkarainen, H. (2012): The Boreal Owl - ecology, behaviour and conservation of a forest-dwelling predator. Cambridge Univ. Press/ Cambridge - UK: 357 S.
526	Korpimäki, E. & Hongell, H. (1986): Partial migration as an adaptation to nest-site scarcity and vole cycles in Tengmalm's Owl <i>Aegolius funereus</i> . Vår Fågelson. Suppl. <b>11</b> : S.85-92
527	Korpimäki, E. & Huhtala, K. (1986): Nest visit frequencies and activity patterns of Ural Owls <i>Strix uralensis</i> . Ornis Fennica <b>63</b> : S. 42–46
528	Korpimäki, E. (1983): Polygamy in Tengmalm's Owl <i>Aegolius funereus</i> . Ornis Fennica <b>60</b> : S. 86–87
529	Korpimäki, E. (1985): Clutch size and breeding success in relation to nest-box size in Tengmalm's owl <i>Aegolius funereus</i> . Holarctic Ecology <b>8</b> : S. 175–180
530	Korpimäki, E. (1986): Seasonal changes in the food of the Tengmalm's owl <i>Aegolius funereus</i> in western Finland. Ann. Zool. Fennici <b>23</b> : S.339–344
531	Korpimäki, E. (1987): Clutch size, breeding success and brood size experiments in Tengmalm's Owl <i>Aegolius funereus</i> : a test of hypotheses. Ornis Scandinavica <b>18</b> : S. 277–284
532	Korpimäki, E. (1988): Diet of breeding Tengmalm's Owls <i>Aegolius funereus</i> : Long-term changes and year-to-year variation under cyclic food conditions. Ornis Fennica <b>65</b> : S.21–30
533	Korpimäki, E. (1988): Effects of age on breeding performance of Tengmalm's Owl <i>Aegolius funereus</i> in western Finland. Ornis Scandinavica <b>19</b> : S. 21-26
534	Korpimäki, E. (1989): Mating system and mate choice of Tengmalm's Owls ( <i>Aegolius funereus</i> ). Ibis <b>131</b> : S. 41–50
535	Korpimäki, E. (1991): Poor reproductive success of polygynously mated female Tengmalm's owls: Are better options available? Anim. Behav. <b>41</b> : S. 37-47
536	Korpimäki, E. (1992): Population dynamics of Fennoscandian owls in relation to wintering conditions and between-year fluctuations of food. In: The Ecology and Conservation of European Owls/UK Nature Conserv. <b>5</b> : S. 1–10

537	Korpimäki, E., Hakkarainen, H., Ilmonen, P. &, Wiehn, J. (2002): Detrimental effects of blood parasites on parental effort and reproductive success of Tengmalm's owls ( <i>Aegolius funereus</i> ) and Eurasian kestrels ( <i>Falco tinnunculus</i> ). WOC/ Canberra 2000; Newton, I., Kavanagh, R., Olsen, J. & Taylor, I.: Ecology and Conservation of Owls: S. 68-73
538	Korpimäki, E., Hakkarainen, H., Laaksonen, T. & Vasko, V. (2009): Responses of owls and Eurasian kestrels to spatio-temporal variation of their main prey. 4 <sup>th</sup> World Owl Conference / Groningen; <i>Ardea</i> <b>97</b> : S. 646-647
539	Korpimäki, E., Norrdahl, K. (1989): Avian and mammalian predators of shrews in Europe: regional differences, between-year and seasonal variation, and motality due to predation. <i>Ann. Zool. Fennici</i> <b>26</b> : S. 389-400
540	Korpimäki, E., Salo, P. & Valkama, J. (2011): Sequential polyandry by brood desertion increases female fitness in a bird with obligatory bi-parental care. <i>Behav. Ecol. Sociobiol.</i> <b>65</b> : S. 1093–1102
541	Kouba M., Bartos, L. & Zárybnická, M. (2014): Perching of Tengmalm's Owl ( <i>Aegolius funereus</i> ) nestlings at the nest box entrance: effect of time of the day, age, wing length and body weight. <i>PLoS ONE</i> <b>9</b> (5): e97504. doi:10.1371/journal.pone.0097504
542	Kouba, M. & Tomášek, V. (2018): Size of home range of Tengmalm's owl ( <i>Aegolius funereus</i> ) males during breeding season assessed by radio-telemetry in the Jizera Mountains, Czechia. <i>Slovak Raptor Journal</i> <b>12</b> : S. 1–7. DOI: 10.2478/srj-2018-0004
543	Kouba, M., Bartos, L. & Stásný, K. (2013): Differential movement patterns of juvenile Tengmalm's Owls ( <i>Aegolius funereus</i> ) during the post-fledging dependence period in two years with contrasting prey abundance. <i>PLoS ONE</i> <b>8</b> (7): e67034. doi:10.1371/journal.pone.0067034
544	Kouba, M., Bartoš, L., Korpimäki, E. & Zárybnická, M. (2015): Factors affecting the duration of nestling period and fledgling order in Tengmalm's Owl ( <i>Aegolius funereus</i> ): effect of wing length and hatching sequence. <i>PLoS ONE</i> <b>10</b> (3): e0121641. doi:10.1371/journal.pone.0121641
545	Kouba, M., Bartoš, L., Šindelář, J. & Štastný, K. (2017): Alloparental care and adoption in Tengmalm's Owl ( <i>Aegolius funereus</i> ). <i>Journ. Ornithology</i> <b>158</b> (1): S. 185-191
546	Kouba, M., Bartoš, L., Tomášek, V., Popelková, A., Štastný, K. & Zárybnická, M. (2017): Home range size of Tengmalm's owl during breeding in Central Europe is determined by prey abundance. <i>PLoS ONE</i> <b>12</b> (5): e0177314. <a href="https://doi.org/10.1371/journal.pone.0177314">https://doi.org/10.1371/journal.pone.0177314</a>
547	Krings, M., Müller-Limberger, E. & Wagner, H. (2019): Embryonic development of the Little Owl ( <i>Athene noctua</i> ) and Tengmalm's Owl ( <i>Aegolius funereus</i> ) compared to the American Barn Owl ( <i>Tyto furcata</i> ): reference data for staging. <i>Journ. Ornithology</i> , <b>161</b> (1), 267-273.
548	Krings, M., Müller-Limberger, E. & Wagner, H. (2019): Evo-Devo in owl ear asymmetry – the Little Owl ( <i>Athene noctua</i> ). <i>Zoology</i> <b>132</b> : S. 1-5
549	Krings, M., Nyakatura, J. A., Fischer, M. S. & Wagner, H. (2014): The cervical spine of the American Barn Owl ( <i>Tyto furcata praticola</i> ): I. Anatomy of the vertebrae and regionalization in their S-shaped arrangement. <i>PLoS ONE</i> <b>9</b> (3): e91653. doi:10.1371/journal.pone.0091653
550	Krings, M., Nyakatura, J., Boumans, M., Fischer, M. & Wagner, H. (2017): Barn Owls maximize head rotations by a combination of yawning and rolling in functionally diverse regions of the neck. <i>Journ. Anatomy</i> <b>231</b> : S. 12-22
551	Krings, M., Rosskamp, L. & Wagner, H. (2018): Development of ear asymmetry in the American barn owl ( <i>Tyto furcata praticola</i> ). <i>Zoology</i> <b>126</b> : S. 82–88
552	Kristin, A. & Sarossy, M. (2002): Orthoptera und Mantodea in Nahrungsterritorien der mediterranen Eulenart <i>Otus scops</i> in der Slowakei. <i>Linzer biol. Beitr.</i> <b>34</b> : S. 467-473
553	Krofel, M. (2008): Survey of Scops Owl <i>Otus scops</i> on the high karst grasslands of Snežnik plateau (southern Slovenia). <i>Acrocephalus</i> <b>29</b> : S. 33-37
554	Kroodsma, D. & Miller, E. (1982): Acoustic communication in birds. -Volume 1: Production, perception and design features of sound. Academic Press/New-York-London-Paris: 370 S.
555	Kropachevaa, Y.E., Smirnova, N.G., Zykova, S.V., Cheprakova, M.I., Sadykovaa, N.O. & Bachurin, N. G. (2019): The diet of the Great Gray Owl, <i>Strix nebulosa</i> , at different levels of prey abundance during the nesting season. <i>Russian Journal of Ecology</i> <b>50</b> (1): S. 43–49. DOI: 10.1134/S1067413619010041
556	Krüger, Th. (2013): Das Vorkommen der Sperbereule <i>Surnia ulula</i> in Deutschland. <i>Vogelwelt</i> <b>134</b> : S. 203-232
557	Krüger, Th. (2019): Sumpfohreulen <i>Asio flammeus</i> als Brutvögel in Mähwiesen: Gefährdung und Schutz. <i>Vogelwelt</i> <b>139</b> : S. 183-201
558	Krüger, Th., Ludwig, J., Pfützke, S. & Zang, H. (2014): Atlas der Brutvögel in Niedersachsen und Bremen 2005-2008. <i>Naturschutz u. Landschaftspfl. Niedersachsen</i> <b>48</b> : S. 280-295

<b>559</b>	Krumm, B., Klump, G., Köppl, C. & Langemann, U. (2017): Barn owls have ageless ears. Proceedings of the Royal Society – B <b>284</b> (1863): S. 2-7. DOI: <a href="https://doi.org/10.1098/rspb.2017.1584">https://doi.org/10.1098/rspb.2017.1584</a>
<b>560</b>	Kuhk, R. (1953): Lautäußerungen und jahreszeitliche Gesangstätigkeit des Rauhfußkauzes ( <i>Aegolius funereus</i> ). Journ. Ornithol. <b>94</b> : S. 83–93
<b>561</b>	Kuhk, R. (1969): Schlüpfen und Entwicklung der Nestjungen beim Rauhfußkauz ( <i>Aegolius funereus</i> ). Bonn. zoological Bulletin <b>20</b> : S.145–150
<b>562</b>	Kullberg C. (1995): Strategy of the Pygmy Owl while hunting avian and mammalian prey. Ornis Fennica <b>72</b> : S. 72-78
<b>563</b>	Kurochkin, E. N. & Gareth, J. D. (2011): The first fossil owls (Aves: <i>Strigiformes</i> ) from the Paleogene of Asia and a review of the fossil record of <i>Strigiformes</i> . Paleontological Journal <b>45</b> (4): S. 445-458. DOI: <a href="https://doi.org/10.1134/S003103031104006X">10.1134/S003103031104006X</a>
<b>564</b>	Küster, H. (1998): Geschichte des Waldes. C. H. Beck/München: 267 S.
<b>565</b>	Kuzmenko Y. (2018): Great Grey Owl, <i>Strix nebulosa</i> ( <i>Strigiformes, Strigidae</i> ), breeding and reproduction in Polisskiy Nature Reserve, Ukraine. Vestnik Zoologii, <b>52</b> (3): S. 257–262. DOI 10.2478/vzoo-2018-0027
<b>566</b>	Laaksonen, T., Hakkarainen, H. & Korpimäki, E. (2004): Lifetime reproduction of a forest-dwelling owl increases with age and area of forests. Proceedings of the Royal Society B <b>271</b> : S. 461-S464. DOI: <a href="https://doi.org/10.1098/rsbl.2004.0221">10.1098/rsbl.2004.0221</a>
<b>567</b>	Laaksonen, T., Korpimäki, E. & Hakkarainen, H. (2002): Interactive effects of parental age and environmental variation on the breeding performance of Tengmalm's owls. Journal of Animal Ecology <b>71</b> : S. 23-31
<b>568</b>	Lagerström, M. & Häkkinen, I. (1978): Uneven sex ratio of voles in the food of <i>Aegolius funereus</i> and <i>Strix aluco</i> . Ornis Fennica <b>55</b> : S.149–153
<b>569</b>	Lahti E. & Mikkola H. (1974): Viiru-, lehto- ja lapinpöllön pesäpaikoista ja pesimisbiotoopeista. Eripainos Savon Luonto <b>6</b> : S. 1-10
<b>570</b>	Lane, P. A. & Duncan, J. R. (1987): Observations of Northern Hawk-Owls nesting In Roseau County. The Loon <b>59</b> (4): S. 165-174
<b>571</b>	Lang, M. (1996): Der Sperlingskauz ( <i>Glaucidium passerinum</i> ) Brutvogel im Steigerwald. Avifaunistischer Informationsdienst Bayern 3, Heft <b>4</b> : S. 133-141
<b>572</b>	Lange, L. & W. Paulig (2018): Fledermäuse als Beute der Waldohreule <i>Asio otus</i> . Ornithol. Mitt. <b>70</b> : S. 9-10
<b>573</b>	Langgemach, T. & Dürr, T. (2008): Informationen über Einflüsse der Windenergienutzung auf Vögel - Stand 19. März 2018. Ber. Landesamt f. Umwelt Brandenburg, Staatl. Vogelschutzwarte
<b>574</b>	Lanszki, J. (2006): Seasonal diet of Little Owl ( <i>Athene noctua</i> ) in a suburban habitat, Somogy County. Natura Somogyiensis <b>9</b> : S. 315-324
<b>575</b>	Larson, M. D., Larson, J. C., Holt, D. W., Gniadek, S. & Eckert, A. (2019): The Northern Hawk Owl in Montana: A summary of breeding biology, diet, habitat association, and records (1994–2015). Journ. Raptor Research <b>53</b> (1): S. 66-74. DOI: <a href="https://doi.org/10.3356/JRR-17-87">https://doi.org/10.3356/JRR-17-87</a>
<b>576</b>	Latková, A., Sándor, K. & Krištín, A. (2012): Diet composition of the scops owl ( <i>Otus scops</i> ) in central Romania. Slovak. Raptor Journal <b>6</b> : S. 17–26. DOI: <a href="https://doi.org/10.2478/v10262-012-0064-9">10.2478/v10262-012-0064-9</a>
<b>577</b>	Lawicki, L., Abramcuk, A., Doashevsky, S., Paal, U., Solheim, R., Chodkiewicz, T. & Wozniak, B. (2013): Range extension of Great Grey Owl in Europe. Dutch Birding <b>35</b> : S. 145-154
<b>578</b>	Le Gouar P., Schekkerman, H., Jeugd, H., Noordwijk, A., Stroeken, P., Harxen, R. & Fuchs, P. (2010): Survival and dispersal in Little Owls <i>Athene noctua</i> in The Netherlands based on 35 years of ringing data. Limosa <b>83</b> (2): S.61–74
<b>579</b>	Leditzinger, Ch. (1996): Habitatwahl des Uhus ( <i>Bubo bubo</i> ) im Südwesten Niederösterreichs und in den donaunahen Gebieten des Mühlviertels auf Basis radiotelemetrischer Untersuchungen. Abh. Zool.-Bot. Ges. Österreich <b>29</b> : S.47–68
<b>580</b>	Leditzinger, Ch. (1999): Zur Ökologie des Uhus im Südwesten Niederösterreichs und den donaunahen Gebieten des Mühlviertels. Universität für Bodenkultur, Wien. <a href="https://abstracts.boku.ac.at/oe_list.php?paID=3&amp;paSID=2058&amp;paSF=-1&amp;paCF=0&amp;paLIST=0&amp;language_id=DE">https://abstracts.boku.ac.at/oe_list.php?paID=3&amp;paSID=2058&amp;paSF=-1&amp;paCF=0&amp;paLIST=0&amp;language_id=DE</a>
<b>581</b>	Leditzinger, Ch. & Kohl, I. (2013): Die Wiederansiedlung des Habichtskauzes ( <i>Strix uralensis</i> ) in den nördlichen Kalkalpen. Silva Fera (Wildnisgebiet Dürrenstein/Scheibbs) <b>2</b> : S. 78-93
<b>582</b>	Leditzinger, Ch. & Kohl, I. (2014): Habitatanalyse beim Habichtskauz ( <i>Strix uralensis</i> ) im Rahmen der Wiederansiedlung am niederösterreichischen Alpennordrand. Silva Fera <b>3</b> : S. 71-103

583	Leditznig, Ch. & Leditznig, W. (2006): Einfluss unterschiedlicher Witterungsverhältnisse auf die Reproduktion des Uhus ( <i>Bubo bubo</i> ) im Mostviertel, Niederösterreich. In: Gamauf, A. & H.-M. Berg (Hrsg.): Greifvögel und Eulen in Österreich. Naturhistor. Museum/Wien: S. 165–181
584	Leditznig, Ch. & Leditznig, W. (2010): Brutverhalten des Uhus <i>Bubo bubo</i> ( <i>Linnaeus 1758</i> ) - Welchen Einfluss hat der Klimawandel? <i>Egretta</i> <b>51</b> : S. 24–34
585	Leditznig, Ch. (2013): Die Wiederansiedlung des Habichtskauzes ( <i>Strix uralensis</i> ) im Wildnisgebiet Dürrenstein. <i>Acta ornithoecologica</i> <b>7</b> : S. 239–258
586	Lee, M., Lee, S., Jeon, H., Lee, S-H., Park, J. & An, J. (2018). Complete mitochondrial genome of the Northern Long-eared Owl ( <i>Asio otus</i> Linnaeus, 1758) determined using next-generation sequencing. <i>Mitochondrial DNA Part B</i> , <b>3:2</b> : S. 494–495, DOI: 10.1080/23802359.2018.1451260
587	Lehikoinen A., Ranta E., Pietäinen H., Byholm P., Saurola P., Valkama J., Huitu O., Henttonen H. & Korpimäki E. (2011): The impact of climate and cyclic food abundance on the timing of breeding and brood size in four boreal owl species. <i>Oecologia</i> <b>165</b> : S. 349–355
588	Lehikoinen, A., Hokkanen, T. & H. Lokki (2011): Young and female-biased irruptions in pygmy owls <i>Glaucidium passerinum</i> in southern Finland. <i>Avian Biology</i> <b>42</b> (6): S. 564–569. DOI: 10.1111/j.1600-048X.2011.05461.x
589	Leibak, E., Lilleleht, V. & Veromann, H. (1994): Birds of Estonia / Tallin
590	Leibundgut, H. (1973): Studien über das Verhalten von Uhus in der Gefangenschaft. <i>Z. f. Jagdwiss.</i> <b>19</b> : S. 122–131
591	Leinonen, A. (1978): Hawk Owl breeding biology and behaviour at nest. <i>Lintumies</i> <b>13</b> : S. 13–18
592	Leipelt, A. (2013): Giftköder gefährden Greife, Eulen und Hasen. <i>NABU</i> , Sachsen-Anhalt.
593	León-Ortega, M., Martínez, J.E., Pérez, E., Lacalle, J.A. & Calvo, J.F. (2017): The contribution of nonprotected areas to the conservation of Eurasian Eagle-Owls in Mediterranean ecosystems. <i>Ecosphere</i> <b>8</b> (9): 11 S. e01952.10.1002/ecs2.1952
594	Lindblad, J. (1967): I ugglemarker. Bonniers/Stockholm: 198 S.
595	Lindeiner, A. von (2014): Windkraft und Vogelschutz. Anliegen Natur (ANL/Laufen): <b>36</b> : S. 36-46
596	Lindner, M. & Harms, C. (2017): The Eagle Owl ( <i>Bubo bubo</i> ) as a breeder on buildings. WOC/ Evora; Poster - DOI: 10.13140/RG.2.2.18278.52805.
597	Lindner, M. (2015): Auswilderung von Uhus in Vergangenheit und Gegenwart. <i>Eulen-Rundblick</i> <b>65</b> : S. 3-8
598	Linkola, P. & Myllymäki, A. (1969): Der Einfluß der Kleinsäugerfluktuationen auf das Brüten einiger kleinsägerfressenden Vögel im südlichen Häme, Mittelfinnland 1952-1966. <i>Ornis Fenn.</i> <b>46</b> : S. 45-77
599	Lisney, T., Iwaniuk, A., Bandet, M. & Wyllie, D. (2012): Eye shape and retinal topography in owls (Aves: <i>Strigiformes</i> ). <i>Brain, behavior and evolution</i> <b>79</b> : S.218–236. DOI: 10.1159/000337760.
600	Lo Verde, G. & Massa, B. (1988): Abitudini alimentari della Civetta ( <i>Athene noctua</i> ) in Sicilia. <i>Naturalista sicil.</i> <b>12</b> (Suppl.): S. 145-149
601	Lockie, J. (1955): The breeding habits and food of Short-eared Owls after a vole plague. <i>Bird Study</i> <b>2</b> : S. 53-69
602	Löhmus A. (1999): Vole-induced regular fluctuations in the Estonian owl populations. <i>Ann. Zool. Fennici</i> <b>36</b> : S. 176-178
603	Lourenço, R., Delgado, M., Campioni, L., Korpimäki, E. & Penteriani, V. (2015): Evaluating the influence of diet-related variables on breeding performance and home range behaviour of a top predator. <i>Population Ecology</i> <b>57</b> : S.625–636. DOI: 10.1007/s10144-015-0506-1
604	Lourenço, R., Goytre, F., Delgado, M., Thornton, M., Rabaca, J. E. & Penteriani, V. (2013): Tawny owl vocal activity is constrained by predation risk. <i>Journal of Avian Biology</i> <b>44</b> : S. 001–008. DOI: 10.1111/j.1600-048X.2013.00157.x
605	Lourenco, R., Tavares, P., Delgado, M-M., Rabaca, J. & Penteriani, V. (2011): Superpredation increases mercury level in a generalist top predator, the Eagle Owl. <i>Ecotoxicology</i> <b>20</b> : S. 635-642
606	Lourenço, R.F. & Rebaça, J. E. (2006): Intraguild predation by eagle owls in Europe. <i>Airo</i> <b>16</b> : S. 63–68
607	Lövy M. & Riegert J. (2013): Home range and land use of urban Long-eared Owls. <i>Condor</i> <b>115</b> , No. 3: S. 551-557
608	Löwer, S. (2018): Erstmals brütet ein Uhu im Lutherturm in Kassel (Hessen). <i>Eulen-Rundblick</i> <b>68</b> : S. 91-92
609	Luder, R. & Stange, Ch. (2001): Entwicklung einer Population des Steinkauzes <i>Athene noctua</i> bei Basel 1978–1993. <i>Ornithol. Beob.</i> <b>98</b> : S. 237–248
610	Lundberg, A. (1974): Taxering av slaguggla <i>Strix uralensis</i> i Uppland – methoder och resultat. <i>Vår Fågelvärld</i> <b>33</b> : S. 147–154

611	Lundberg, A. (1979): Residency, migration and a compromise: adaptions to nest-site scarcity and food specialization in three Fennoscandian owl species. <i>Oecologia</i> <b>41</b> : S. 273–281
612	Lundberg, A. (1981): Population ecology of the Ural Owl <i>Strix uralensis</i> in Central Sweden. <i>Ornis Scand.</i> <b>12</b> : S. 111–119
613	Lundberg; A. (1980): Vocalisations and courtship feeding of the Ural owl <i>Strix uralensis</i> . <i>Ornis Scand.</i> <b>11</b> : S. 65–70
614	MacDonald, D. (1976): Nocturnal observations of Tawny Owls <i>Strix aluco</i> preying upon earthworms. <i>Ibis</i> <b>118</b> : S. 579–580
615	Mägdefrau, H. (2015): Erfolgreiche Brut von Uhus <i>Bubo bubo</i> im Nürnberger Reichswald. <i>Ornithol. Anzeiger</i> <b>54</b> : S. 60–62
616	Maier, S. (2017): Die Situation des Uhus an der unteren Oder und die Brut an der Oderbrücke Neurüdnitz-Siekierki. <i>Eulen-Rundblick</i> <b>67</b> : S. 60–63
617	Makarova T. & Sharikov A. (2015): Winter roost place selection of Long-eared Owls in European Russia. <i>Journ. Raptor Research</i> , <b>49</b> (3): S. 333–336. DOI: <a href="http://dx.doi.org/10.3356/JRR-13-65.1">http://dx.doi.org/10.3356/JRR-13-65.1</a>
618	Mäkert R., Bauch S., Erdmann G., Schmidt J. & Weisbach K. (2009): Der Waldkauz ( <i>Strix aluco</i> ) in Leipzig – Westsachsen. <i>Populationsökologie von Greifvogel- und Eulenarten, Band 6</i> : S. 1–10
619	Malle, G. & Probst, R. (2015): Die Zwergohreule ( <i>Otus scops</i> ) in Österreich. Bestand, Ökologie und Schutz in Zentraleuropa unter besonderer Berücksichtigung der Kärntner Artenschutzprojekte. <i>Carinthia / Klagenfurt, Sonderheft 65</i> : 288 S.
620	Mammen, U & Thümmler, T. (2018): Jahresbericht 2007 und 2008 zum Monitoring Greifvögel und Eulen Europas. <b>20/21</b> : 80 S.
621	Manegold, A. (2005): Zur Phylogenie und Evolution der „Racken“-, Specht- und Sperlingsvögel („Coraciiformes“, <i>Piciformes</i> und <i>Passeriformes</i> : Aves). <i>Vogelwarte</i> <b>43</b> : S. 273–274
622	Manganaro, A., Salvati, L., Ranazzi, L. & Fattorini, S. (1999): Predation on geckos ( <i>Gekkonidae</i> ) by urban Tawny Owls ( <i>Strix aluxo</i> ). <i>Avocetta</i> <b>23</b> (2): S. 73–75
623	Mannes, P. (1986): Sumpfohreule <i>Asio flammeus</i> . In: Zang & Heckenroth (Hrsg.): <i>Die Vögel Niedersachsens. Natursch. Landschaftspfl. Niedersachs.</i> , <b>B 2.7</b> : S. 88–92
624	Maples, M. & Holt, D. (1995): Ground-nesting Long-eared Owls. <i>Wilson Bull.</i> <b>107</b> : S. 563–565
625	Mappes T., Halonen M., Suhonen J. & Ylönen H. (1993): Selective avian predation on a population of the field vole, <i>Microtus agrestis</i> : greater vulnerability of males and subordinates. <i>Ethology, Ecology &amp; Evolution</i> <b>5</b> : S. 519–527
626	Marchesi L. & Sergio F. (2005): Distribution, density, diet and productivity of the Scops Owl <i>Otus scops</i> in the Italian Alps. <i>Ibis</i> <b>147</b> : S. 176–187
627	Marks, J.S., Evans, D.L. & Holt, D.W. (1994): Long-eared Owl, <i>Asio otus</i> . The Cornell Lab of Ornithology. Birds of North America. <a href="https://birdsna.org/Species-Account/bna/species/loewowl/introduction">https://birdsna.org/Species-Account/bna/species/loewowl/introduction</a>
628	Marples, B.J. (1942): A Study of the Little Owl, <i>Athene noctua</i> , in New Zealand. <i>Transactions and Proceedings of the Royal Society of New Zealand</i> <b>72</b> : S.237–252
629	Martens, H. D. (2009): Der Sperlingskauz, neuer Brutvogel in Schleswig-Holstein. <i>Min. Landwirtschaft, Umwelt, Ländliche Räume; Jahresbericht für Jagd u. Naturschutz 2008</i> : S. 78–90
630	Marthinissen, G., Wennerberg, L., Solheim, R. & Lifield, J. T. (2007): No phylogeographic structure in the circumpolar snowy owl ( <i>Bubo scandiacus</i> ). <i>Conservation Genetics</i> <b>10</b> (4): S. 923–933
631	Martin J. (1994): The origins, and past and present status of the Little Owl. <i>Suffolk Natural History</i> <b>30</b> : S. 1–11
632	Martin J. R. & Mikkola H. (2019): Distribution trends of the Scops Owl in Britain and northern Europe. <i>Scottish Birds</i> <b>39:2</b> : S. 168–172
633	Martin, G. R. (1985): Sensory capacities and the nocturnal habit of owls ( <i>Strigiformes</i> ). <i>Ibis</i> <b>128</b> : S.266–277. DOI: <a href="https://doi.org/10.1111/j.1474-919X.1986.tb02674.x">10.1111/j.1474-919X.1986.tb02674.x</a>
634	Martinez, J. A. & López, G. (1999): Breeding ecology of the Barn Owl ( <i>Tyto alba</i> ) in Valencia (SE Spain). <i>Journ. Ornithol.</i> <b>140</b> : S. 93–99
635	Martínez, J. A., Martínez, J.E., Pérez, E., Zuberogoitia, I. & Izquierdo, A. (2003): Possible first record of multiple brooding of the eagle owl <i>Bubo bubo</i> . <i>Ardeola</i> <b>50</b> (1): S.77–79
636	Martínez, J.A., Zuberogoitia, I., Colás, J. & Macía, J. (2002): Use of recorder calls for detecting Long-eared Owls <i>Asio otus</i> . <i>Ardeola</i> <b>49</b> (1): S. 97–101
637	Martínez, J.A., Zuberogoitia, I., Martínez, J., Zabala-Albizua, J. & Calvo, J. (2007): Patterns of territory settlement by Eurasian Scops-owls ( <i>Otus scops</i> ) in altered semi-arid landscapes. <i>Journal of Arid Environments</i> <b>69</b> : S. 400–409. DOI: <a href="https://doi.org/10.1016/j.jaridenv.2006.10.011">10.1016/j.jaridenv.2006.10.011</a>
638	Martinez, J-A., Zuberogoitia, I. & Alonso, R. (2002): Rapaces nocturnas. Guia para la determinacion de la edad y el sexo en las Estrigiformes Ibericas. Monticola-Verlag / Madrid

639	Martinez, J-A.. & Zuberogoitia, J. (2004): Habitat preferences for Long-eared Owl <i>Asio otus</i> and Little Owl <i>Athene noctua</i> in semiarid environments at three spatial scales. <i>Bird Study</i> <b>51</b> : S. 163-169
640	Martinez, J-E., Gil, F., Zuberogoitia, J., Martinez, J-A., & Calvo, J-F. (2005): First record of cooperative nesting in the Eagle Owl <i>Bubo bubo</i> . <i>Ardea</i> <b>52</b> : S- 351-353
641	März, R. & R. Piechocki (1976): Der Uhu <i>Bubo bubo</i> . <i>Neue Brehm-Bücherei</i> <b>108</b> : 119 S.
642	Masoero, G., Morosinotto, C., Laaksonen, T. & Korpimäki, E, (2018): Food hoarding of an avian predator: sex- and age-related differences under fluctuating food conditions. <i>Behavioral Ecology and Sociobiology</i> <b>72</b> : S. 159. DOI: 10.1007/s00265-018-2571-x
643	Mastrorilli M. (2002): Distribution of the Little Owl <i>Athene noctua</i> in Italy. <i>The Owl Pages</i> . URL: <a href="https://www.owlpages.com/owls/articles.php?a=16">https://www.owlpages.com/owls/articles.php?a=16</a>
644	Masurat, H. (1980): Beobachtungen zur Brutbiologie der Schleiereule ( <i>Tyto alba</i> ). <i>Vogelwelt</i> <b>101</b> : S. 175–182
645	Matics, R. & Hoffmann, G. (2002): Location of the transition zone of the Barn Owl subspecies <i>Tyto alba alba</i> and <i>Tyto alba guttata</i> (Strigiformes, Tytonidae). <i>Acta Zool. Cracoviensia</i> <b>45</b> : S. 245-250
646	Mátics, R., Bank, L., Vraga, S., Klein, A. & Hoffmann, G. (2008): Interspecific offspring killing in owls. <i>Biological Journal of the Linnean Society</i> <b>95</b> : S. 488–494.
647	Mayr, G. (2016): The Long Evolutionary History of Owls. In: <i>Avian Evolution: The fossil records of birds and its palaeobiological significance</i> . Wiley-Blackwell: S. 210-212
648	McGowan, K. (2001): Snowy Owls ( <i>Nyctea scandiaca</i> ): some recent visitors and thoughts on aging and sexing. Cornell Univ. Museum, Ornitholog. Collection (Foto Serie) - <a href="http://www.birds.cornell.edu/crows/snowy.htm">http://www.birds.cornell.edu/crows/snowy.htm</a>
649	McMorris, A. (2011): Snowy Owls: age, sex and plumage. Powerpoint-Präsentation; URL: <a href="http://dvoc.org/OrnithStudy/presentations/2012/Snowy%20Owl%plumages.pdf">dvoc.org/OrnithStudy/presentations/2012/Snowy%20Owl%plumages.pdf</a>
650	Mebs Th. & Nicklaus G. (2014): Die Brutvorkommen der Zwergohreule <i>Otus scops</i> in Deutschland. <i>Ornithol. Anz.</i> <b>53</b> : S. 94–104
651	Mebs Th. (2008): Zur aktuellen Situation des Habichtskauzes <i>Strix uralensis</i> in Europa. <i>Vogelkdl. Ber. Niedersachs.</i> <b>40</b> : S. 241-246
652	Mebs, Th. (1987): Eulen und Käuze. 6. Auflage. Franckh-Kosmos/Stuttgart, 124 S.
653	Mebs, Th. (1994): Verbreitung und Bestandsentwicklung des Steinkauzes ( <i>Athene noctua</i> ) in Nordrhein-Westfalen. <i>Kiebitz</i> <b>14</b> : S. 123–126
654	Mebs, Th. (1998): Positive Bestandsentwicklung bei Uhu, Sperlingskauz und Rauhfußkauz in Deutschland. <i>Ornithol. Mitt.</i> <b>50</b> : S. 184–188
655	Mebs, Th. (2001): Aktuelle Verbreitung und Arealerweiterungen des Sperlingskauzes ( <i>Glaucidium passerinum</i> ) in Deutschland. <i>Kauzbrief</i> <b>14</b> : S. 4–12
656	Mebs, Th. (2010): Bemerkenswerte Bruten von Uhus <i>Bubo bubo</i> an Ruinen oder anderen menschlichen Bauwerken. <i>Eulen-Rundblick</i> <b>60</b> : S. 75-76
657	Mebs, Th., R. Möckel, D. Gruber & M. Jörges (1997): Zur aktuellen Verbreitung und Bestandssituation des Rauhfußkauzes ( <i>Aegolius funereus</i> ) in Deutschland. <i>Vogel u. Umwelt</i> <b>9</b> : S. 5–31
658	Melde, M. (1989): Der Waldkauz ( <i>Strix aluco</i> ). <i>Neue Brehm-Bücherei</i> <b>564</b> : 104 S.
659	Menyushina, I. E. (1997): Snowy Owl ( <i>Nyctea scandiaca</i> ) reproduction in relation to lemming population cycles on Wrangel Island. 2 <sup>nd</sup> Intern. Symposium / Winnipeg. USDA Gen. Techn. Report <b>NC-190</b> : S. 572-582
660	Menyushina, N. (2007) Snowy Owl and lemmings. 4 <sup>th</sup> World Owl Conference/ Groningen (Vortrag, abstract)
661	Meri T., Halonen M., Mappes T. & Suhonen J. (2008): Younger bank voles are more vulnerable to avian predation. <i>Canadian Journal of Zoology</i> <b>86</b> (9): S. 1074-1078
662	Meyer W. & Melle M. (2010): Mehr als drei Jahrzehnte Untersuchungen am Rauhfußkauz <i>Aegolius funereus</i> - Beobachtungen bei der praktischen Arbeit. <i>Berichte der Vogelwarte Hiddensee</i> <b>20</b> : S. 75-82
663	Meyer, H. (2006): Ein Spitzenjahr des Rauhfußkauzes <i>Aegolius funereus</i> auf der Münchner Schotterebene. <i>Ornithologischer Anzeiger</i> <b>45</b> : S. 55-61
664	Meyer, H. (2006): Gelege des Sperlingkauzes <i>Glaucidium passerinum</i> in einem Nistkasten für den Rauhfußkauz <i>Aegolius funereus</i> . <i>Ornithologischer Anzeiger</i> <b>45</b> : S.171–176
665	Meyer, H. (2013): Drittbruten beim Rauhfußkauz <i>Aegolius funereus</i> . <i>Ornithologischer Anzeiger</i> <b>52</b> : S. 86-88
666	Meyer, W. (2003): Mit welchem Erfolg nutzt der Rauhfußkauz <i>Aegolius funereus</i> (L.) Naturhöhlen und Nistkästen zur Brut? <i>Vogelwelt</i> <b>124</b> : S. 325–331
667	Mezzavilla F.& Lombardo S. (2013): Sulla presenza dell' allocco degli Urali, <i>Strix uralensis</i> , in Cansiglio. <i>Associazione Faunisti Veneti, Museo di Storia Naturale, Venezia</i> : 1 S.

<b>668</b>	Mezzavilla, F., Lombardo, S. & Sperti, M. T. (1994): First data on biology and breeding success of Tengmalm's Owl <i>Aegolius funereus</i> in Cansiglio. <i>Mus. Reg. Sci. Nat. Torino</i> : 325-334
<b>669</b>	Mezzavilla, F. & De Nadai, G. (2016): Nidificazione tardiva di Civetta Capogrosso <i>Aegolius funereus</i> nel Parco Nazionale delle Dolomiti Bellunesi. <i>Frammenti Conoscere e Tutelare la Natura Bellunese</i> <b>6</b> : S. 79-82
<b>670</b>	Mezzavilla, F. & Lombardo, S. (2012): Indagini sulla biologica riproduttiva della civetta capogrosso <i>Aegolius funereus</i> : anni 1987-2012. II Convegno Italiano Rapaci diurni e notturni, At Treviso, Quaderni Faunistici vol 3: S. 261-270
<b>671</b>	Michalonek, D., Busse, W. & R. Lasecki (2005): Age structure of the Long-eared Owl ( <i>Asio otus</i> ) migration at Bukowo-Kopañ station (southern Baltic coast) in autumns 1996–2003. <i>Ring</i> <b>27</b> (2): S. 145–157.
<b>672</b>	Michel, V. T. (2016): Individual responses of adult Little Owls ( <i>Athene noctua</i> ) to environmental conditions. <i>Dissertation. Universität Zürich, Schweiz</i>
<b>673</b>	Michel, V. T., Jiménez-Franco, M. V., Naef-Daenzer, B. & Grüebler, M. U. (2016): Intraguild predator drives forest edge avoidance of a mesopredator. <i>Ecosphere</i> <b>7</b> (3): e01229. DOI: 10.1002/ecs2.1229
<b>674</b>	Michelat D. & Gauthier-Clerc M. (2016): Statut de la Chevêchette d'Europe <i>Glaucidium passerinum</i> dans le Jura franc-comtois. <i>Ornithos</i> <b>23-1</b> : S.28-43
<b>675</b>	Michelat, D. & Giraudoux, P. (2000): The feeding behaviour of breeding Short-eared Owls ( <i>Asio flammeus</i> ) and relationship with communities of small mammal prey. <i>Rev. Ecol. (Terre Vie)</i> <b>55</b> : S. 77-91
<b>676</b>	Miera, C. (1976): Zur Brutbiologie der Sumpfohreule. <i>Falke</i> <b>23</b> : S. 403–407
<b>677</b>	Mihelic T., Vrezec A., Perusek M. & Svetlicic J. (2000): Ural Owl <i>Strix uralensis</i> in Slovenia. <i>Acrocephalus</i> <b>21</b> (98-99): S. 9 – 22
<b>678</b>	Mihok, J. & Frey, H. (2013): Der Habichtskauz ( <i>Strix uralensis</i> ) in der Ostslowakei. <i>Silva Fera</i> <b>2</b> (Wildnisgebiet Dürrrenstein/Scheibbs): S. 16-21
<b>679</b>	Mikkola H. (2012): Frühe Geschichte des Bartkauzes in Kanada vs. Europa. <i>Kauzbrief</i> <b>24</b> : S. 7-9
<b>680</b>	Mikkola H. (2012): Owls of the world. Chr. Helm/ London: 512 S.
<b>681</b>	Mikkola H. (2019): Ari Rantamäki – An expert on Tawny Owls in the far north of Finland. Interviewed in Pori, Finland on 13-14 February 2019. <i>Tyto</i> : S. 3-11.
<b>682</b>	Mikkola, A. & Mikkola, H. (2015): Voice and daytime calling of Scops Owls ( <i>Otus scops</i> ). <i>Ornis Hungarica</i> <b>23</b> (2): S. 49–52. DOI: 10.1515/orhu-2015-0014
<b>683</b>	Mikkola, H. & Lamminmäki, J. (2014): Moult, ageing and sexing of Finish owls. <i>Verlag Lintuvaruste / Oy</i> : 96 S.
<b>684</b>	Mikkola, H. (1970): On the activity and food of the Pygmy Owl <i>Glaucidium passerinum</i> during breeding. <i>Ornis Fennica</i> <b>47</b> : S. 10–14
<b>685</b>	Mikkola, H. (1972): Hawk Owls and their prey in northern Europe. <i>Brit. Birds</i> <b>65</b> : S. 453–460
<b>686</b>	Mikkola, H. (1976): Owls killing and killed by other owls and raptors in Europe. <i>Brit. Birds</i> <b>69</b> : S.144–154
<b>687</b>	Mikkola, H. (1981): Der Bartkauz. <i>Neue Brehm-Bücherei</i> <b>538</b> : 124 S.
<b>688</b>	Mikkola, H. (1983): Owls of Europe. Poyser/Calton-GB: 397 S.
<b>689</b>	Mikkola, H. (2000): Colour mutations in owls. Albinism in Owls. <i>Tyto</i> IV (V). S. 133–140
<b>690</b>	Mikkola, H. (2001): A longevity record for a Milky Eagle Owl? <i>Tyto</i> <b>6</b> (3): S.138–141
<b>691</b>	Mikkola, H. (2003): Farbmuationen bei Eulen. <i>Kauzbrief</i> <b>15</b> : S.28–35
<b>692</b>	Mikkola, H. (2003): The Great Grey Owl "Linda" Strikes Again. <i>Tyto</i> <b>8</b> (3): S.8–11
<b>693</b>	Mikkola, H. & Tornberg, R. (2014): Sex specific diet analysis of the Eurasian Eagle Owl in Finland. <i>Ornis Fennica</i> <b>91</b> : S. 195-200
<b>694</b>	Mikkola, H. (2017): The Eurasian Eagle Owl is the largest living owl species! <i>Tyto</i> <b>12</b> : S.15–18
<b>695</b>	Mikusek R. (2019): The role of caches in the Eurasian Pygmy Owl <i>Glaucidium passerinum</i> during the breeding season. <i>Ornis Polonica</i> <b>60</b> : S. 1-15
<b>696</b>	Mikusek R., Kloubec B. & Obuch J. (2001): Diet of the Pygmy Owl ( <i>Glaucidium passerinum</i> ) in eastern part of Central Europe. <i>Buteo</i> <b>12</b> : S. 47-60
<b>697</b>	Milchev, B. (2013): Barn Owl <i>Tyto alba</i> rock nest close to Eagle Owls <i>Bubo bubo</i> in Bulgaria. <i>Vogelwelt</i> <b>134</b> : S. 149-151
<b>698</b>	Möckel, R. & Raden, F. (2018): Verbreitung und Lebensraum des Raufußkauzes <i>Aegolius funereus</i> im Süden Brandenburgs. <i>Otis</i> <b>25</b> : S.87–108
<b>699</b>	Möckel, R. & W. (1984): Sperlingskauz, <i>Glaucidium passerinum</i> , plündert Kohlmeisenbrut in einem Holzbetonnistkasten. <i>Beitr. Vogelkd.</i> <b>30</b> : S. 29–32
<b>700</b>	Möckel, R. (1992): Der Waldkauz ( <i>Strix aluco</i> ) im Westerzgebirge. <i>Mitt. Ver. Sächs. Ornith.</i> <b>7</b> : S. 62–70

701	Möckel, R. (1996): Arealveränderungen des Rauhfußkauzes <i>Aegolius funereus</i> im Osten Deutschlands. Vogelwelt <b>117</b> : S. 57–66
702	Molina-López R. & Darwich L. (2011): Causes of admission of little owl ( <i>Athene noctua</i> ) at a wildlife rehabilitation centre in Catalonia (Spain) from 1995 to 2010. Animal Biodiversity and Conservation <b>34.2</b> : S.401–405.
703	Mora, O., Delgado, M. & Penteriani, V. (2010): Secondary sex ratio in Eurasian Eagle-Owls: early-breeding females produce more daughters. Journ. Raptor Research <b>44</b> (1): S.62–65. DOI: <a href="http://dx.doi.org/10.3356/JRR-09-08.1">http://dx.doi.org/10.3356/JRR-09-08.1</a>
704	Mori, E., Mazzetto, F., Menchetti, M., Bodino, N., Grasso, E. & Sposimo , P.(2016): Feeding ecology of the scops owl, <i>Otus scops</i> (Aves: Strigiformes), in the island of Pianosa (Tuscan Archipelago, Central Italy) outside the breeding period. Italian Journal of Zoology <b>83</b> (3): S. 417–422. DOI: <a href="https://doi.org/10.1080/11250003.2016.1212937">10.1080/11250003.2016.1212937</a>
705	Mori, E., Menchetti, M. & Dartora, F. (2014): Evidence of carrion consumption behaviour in the Long-eared Owl <i>Asio otus</i> (Linnaeus, 1758) (Aves: Strigiformes; <i>Strigidae</i> . Italian Journ. Zoology 2014: S. 1-5 - DOI: <a href="https://doi.org/10.1080/11250003.2014.520928">10.1080/11250003.2014.520928</a>
706	Mori, E., Menchetti, M. & Ferretti, F. (2014): Seasonal and environmental influences on the calling behaviour of Eurasian Scops Owls. Bird Study <b>61</b> (2): S. 1-5
707	Morosinotto, C., Villers, A., Thomson, R.L., Varjonen, R., & Korpimäki, E. (2017): Competitors and predators alter settlement patterns and reproductive success of an intraguild prey. Ecological Monogr. <b>87</b> : S. 4-20
708	Mueller, H. C. (1986): The evolution of reserved sexual dimorphism in owls: An empirical analysis of possible selective factors. Wilson Bull. <b>98</b> (3): S. 387-406
709	Müller M. (2012): Das Nahrungsspektrum von Steinkäuzen ( <i>Athene noctua</i> ) im Landkreis Ludwigsburg (D). Bachelorarbeit Zürcher Hochschule für angewandte Wissenschaften / Wädenswil: S. 2-73
710	Müller, F. (1978): Erfolgreiche Bodenbrut der Waldohreule ( <i>Asio otus</i> ) in der Vorderrhön. Beitr. z. Naturkd. Osthessen <b>14</b> : S. 127–130
711	Müller, F. (1992): Staubbäden bei der Waldohreule ( <i>Asio otus</i> ). Acta ornithoecol./Jena <b>2</b> : S. 303-310
712	Müller, G. (1983): Extrem frühe Brut beim Waldkauz ( <i>Strix aluco</i> ). Charadrius <b>19</b> : S. 224
713	Müller, F., Herzig, L., König, J. & Krüpe, M. (1979): Zur winterlichen Scharenbildung bei der Waldohreule ( <i>Asio otus</i> ). Beitr. Z. Naturk. Osthessen <b>15</b> : S. 115-118
714	Müller, J., Scherzinger, W. & Moning, C. (2007): Europäischer Habichtskauz-Workshop. Nationalpark Bayerischer Wald, Tagungsbericht 8: 92 Seiten.
715	Müller, W., Epplen, J. T. & Lubjuhn, T. (2001): Genetische Vaterschaftsanalysen bei Steinkäuzen ( <i>Athene noctua</i> ): Beeinflusst der hohe elterliche Aufwand der Männchen das Auftreten von Vaterschaften außerhalb des Paarbildungs? Journ. Ornithologie <b>142</b> (2): S. 195-203
716	Muller, Y. (2009): Neue Erkenntnisse über den Sperlingskauz <i>Glaucidium passerinum</i> in Frankreich im 21. Jahrhundert. Eulen-Rundblick <b>59</b> : S. 3-6
717	Muller, Y. (2015): Chevechette d'Europe <i>Glaucidium passerinum</i> (Linnaeus, 1758). Atlas des oiseaux de France; ONCFS
718	Muraoka Y. (2009): Videoanalyse der Zwergohreule in Unterkärnten: Auswertung von Infrarotaufnahmen aus einem Nistkasten – Brutsaison 2007. Bericht im Auftrag des Amtes der Kärntner Landesregierung, Abt. 20, Uabt. Naturschutz; unveröff.: 30 S.
719	Muraoka, Y., Sommer, J. & Grafl, K. (2009): Bestandserfassung der Zwergohreule <i>Otus scops</i> im Mattersburger Hügelland in der Brutsaison 2009 durch Verhören und anhand individueller Gesangsunterschiede. Vogelkundliche Nachrichten aus Ostösterreich <b>20</b> : S. 1-4
720	Murphy, C. & Howland, H. (1983): Owl eyes: accommodation, corneal curvature and refractive state. Journal of Comparative Physiology <b>151</b> : S.277–284. DOI: <a href="https://doi.org/10.1007/BF00623904">10.1007/BF00623904</a> .
721	Murphy, R. (1992): Long-eared Owl ingests nestlings' feces. Wilson Bull. <b>104</b> : S. 192-193
722	Mysterud, J. & Dunker, H. (1978): Mammal ear mimicry: a hypothesis on the behavioural function of owl-„horns“. Behaviour <b>27</b> : S. 316 ff
723	NABU (2013): Was hat es mit dem Kopfverdrehen der Eulen auf sich? Umwelt-natur/wie und warum verdrehen eulen ihren kopf/
724	Nadler K. (1996): Massenüberwinterung des Sperlingskauzes ( <i>Glaucidium passerinum</i> ) im mittleren Mühlviertel / Oberösterreich. Egretta <b>39</b> : S. 55 - 70
725	Nadler, K. (1995): Zum winterlichen Auftreten des Sperlingskauzes ( <i>Glaucidium passerinum</i> ) auf einer Mühlviertler Probefläche 1994/95. Vogelkdl. Nachr. O.Ö/Naturschutz aktuell <b>3</b> : S. 80–83

726	Naef-Daenzer, B., Korner-Nievergelt, F. Fiedler, W. & Grüebler, M. (2016): Bias in ring-recovery studies: causes of mortality of little owls ( <i>Athene noctua</i> ) and implications for population assessment. Journ. Avian Biology <b>48</b> : doi: 10.1111/jav.00947.
727	Nagl, Ch. & Schulze, Ch. (2018): Populationsdichte und Habitatpräferenzen des Waldkauzes <i>Strix aluco</i> in Auwäldern Ostösterreichs. Eulen-Rundblick <b>68</b> : S. 57-60
728	Nankinov, D., Dutsov, A., Nikolov, B., Borisov, B., Stoyanov, G., Gradev, G., Georgiev, D., Popev, D., Domuschier, D., Kirov, D., Tilova, E., Nikolov, I., Ivanov, I., Dichev, K., Popov, K., Karaivanov, N., Todorov, N., Ivanov, P-S., Marin, S., Staikov, S., Nikolov, S., Dalekchieva, S., Ivanov, S. & Nikolov, H. (2004): Breeding totals of the ornithofauna in Bulgaria. Green Balkans Plovdiv
729	Nero, R. & Taylor, N. (1980): The Great Grey Owl – phantom of the northern forest. Smithsonian Inst. Press/Washington: 167 S.
730	Nero, R. (1995): Notes on a wintering Northern Hawk Owl in Manitoba. Blue Jay <b>53</b> : S. 205-324
731	Nero, R. W., Clark, R. J., Knapton, R. J. & Hamre, R. H. (1987): Biology and conservation of northern forest owls. Symposium Proceedings. USDA Forest Service, Gen. Tech. Report RM-142: S. 101-107
732	Nero, R., Copland, H. & Mezibroski, J. (1984): The Great Grey Owl in Manitoba, 1968–1983. Blue Jay <b>42</b> : S.130–151
733	Neuhaus, W., Bretting, H. & Schweizer, B. (1973): Morphologische und funktionelle Untersuchungen über den „lautlosen“ Flug der Eulen ( <i>Strix aluco</i> ) im Vergleich zum Flug der Enten ( <i>Anas platyrhynchos</i> ). Biol. Zentralbl. <b>92</b> : S. 495–512
734	Newton I. (2002): Population limitation in Holarctic Owls. In: I. Newton, R. Kavenagh, J. Olsen & Taylor, I. (Hrsg.): Ecology and conservation of owls. CSIRO Publishing / Collingwood - Australia: S- 3-29
735	Newton, I. & Wyllie, I. (2002): Rodenticides in British Barn Owls ( <i>Tyto alba</i> ). WOC / Canberra: S. 287-295; CSIRO-Publ./ Collingwood- AUS
736	Newton, I. (2008): The Migration Ecology of Birds. Academic Press, London, Großbritannien
737	Newton, I., Wyllie, I. & Asher, A.(1991): Mortality causes in British Barn Owls <i>Tyto alba</i> , with a discussion of aldrin-dieldrin poisoning. Ibis <b>133</b> : S. 162–169
738	Nicolai B. (2000): Bestandsentwicklung und Situation des Steinkauzes ( <i>Athene noctua</i> ) in Sachsen-Anhalt. Apus <b>10</b> : S.55-64
739	Niethammer, G. (Hrsg.; 1938): Handbuch der Deutschen Vogelkunde. Akad. Verlagsges./Leipzig; Bd. <b>2</b> : S. 73–125
740	Nieuwenhuyse, D. van, Genot, J-C. & Johnson, D. (2008): The Little Owl - conservation, ecology and behaviour of <i>Athene noctua</i> . Cambridge Univ. Press/Cambridge-UK: 574 S.
741	Nikolov, B., Stoyanov, S., Groen, T., Hristova-Nikolova, I. & Zlatanov, T. (2015): Habitat requirements of Boreal Owl ( <i>Aegolius funereus</i> ) and Pygmy Owl ( <i>Glaucidium passerinum</i> ) in mountainous populations on the Balkan Peninsula. In: Konferenz of Mountain Forest Management / High Tatra Mountains; powerpoint-Präsentation
742	Noga M. (2009): Winter breeding of the Long-eared Owl ( <i>Asio otus</i> ) in South-Western Slovakia. Slovak Raptor Journal <b>3</b> : S. 61–62
743	Noga, M. & Dobrý, M. (2013): Nesting and non-nesting occurrence of the short-eared owl <i>Asio flammeus</i> in the Záhorie region (SW-Slovakia). Slovak Raptor Journal <b>7</b> : S. 73–80. DOI: 10.2478/srj-2013-0006.
744	Norberg, A. (1970): Hunting technique of Tengmalm's Owl <i>Aegolius funereus</i> (L.). Ornis Scandinavica <b>1</b> : S. 49–64
745	Norberg, A. (1978): Skull asymmetry, ear structure and function, and auditory localization in Tengmalm's Owl, <i>Aegolius funereus</i> (Linné). Philosophical Transactions of the Royal Society of London. B. <b>282</b> : S. 325–410
746	Norberg, A. (1987): Evolution, structure and ecology of northern forest owls: In: Biology and Conservation of Northern Forest Owls; USDA Forest Service, Gen. Techn. Report <b>RM-142</b> : S. 9–43
747	Norberg, R. (1977): Occurrence and independent evolution of bilateral ear asymmetry in owls and implications on owl taxonomy. Royal Society <b>280</b> : S.375–408. DOI: <a href="https://doi.org/10.1098/rstb.1977.0116">https://doi.org/10.1098/rstb.1977.0116</a>
748	Norgall, TH. (1985): Bigamie bei der Waldohreule ( <i>Asio otus</i> ). Vogelwelt <b>106</b> : S. 193–194
749	Nuijen, H. (1992): Ransuilen <i>Asio otus</i> nemen zandbad. Limosa <b>65</b> : S. 125
750	Nybo, J.O. & Sonerud, G. A. (1990): Seasonal changed in diet of Hawk Owls <i>Surnia ulula</i> : importance of snow cover. Ornis Fennica <b>67</b> : S. 45–51
751	Øien, I.J., Aarvak, T., Jacobsen, K.-O. & Solheim, R. (2018): Satellite telemetry uncovers important wintering areas for Snowy Owls on the Kola Peninsula, Northwestern Russia: Том Орнитология/Ornithologia <b>42</b> : S. 42–49

752	Olsen, K. (1985): Om vinterføring av musvak, myrhauk og andre rovfugler på Lista 1981/82. Vår Fuglefauna <b>8</b> : S. 129–133
753	Olsen, P., Kirwan, G., Christie, D. & Marks, J. (2020): Short-eared Owl ( <i>Asio flammeus</i> ). In: del Hoyo, J., Sargatal, J., Christie, D. & Juana, E. (Hrsg.): Handbook of the Birds of the World Alive. Lynx Edition/ Barcelona
754	Olsen, P.D. & Marks, J.S. (2019): Northern Long-eared Owl ( <i>Asio otus</i> ). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. & de Juana, E. (eds.). Handbook of the Birds of the World Alive. Lynx Edicions, Barcelona.
755	Olson S. (1995): The genera of owls in the <i>Asioninae</i> . Bdf. B.OC <b>115</b> (1): S. 35-39
756	Olsson, V. (1997): Breeding success, dispersal, and long-term changes in a population of Eagle Owls <i>Bubo bubo</i> in southeastern Sweden 1952-1996. Ornis Svecica <b>7</b> : S. 49–60
757	Onrubia, A. & Jubete, F. (1998): Status reproductor de la Lechuza Campestre <i>Asio flammeus</i> en España (1993-94). In: Chancellor, R., Meyburg, B-U. & Ferrero, J. (Hrsg.): Holarctic Birds of Prey: S. 453-466
758	Orlowski, J., Harmening, W. & Wagner, H. (2012): Night vision in barn owls: Visual acuity and contrast sensitivity under dark adaptation. Journal of Vision <b>12</b> (4): S. 1-8. DOI :10.1167/12.13.4
759	Overskaug K. & Kristiansen E. (1994): Sex ratio of accidentally killed Long-eared Owls <i>Asio otus</i> in Norway. Ringing & Migration <b>15</b> : S. 104-106
760	Ovsyanikov, N. & Menushina, I. (1986): Competition for food between the Snowy Owl ( <i>Nyctea scandiaca</i> ) and the Arctic Fox ( <i>Alopex lagopus</i> ). (Ruus., engl.summary). Zool. Journal/ Moskau 45 / Akademia Nauk SSSR <b>6</b> : S. 901-910
761	Pačenovský, S. & Šotnár, K. (2010): Notes on the reproduction, breeding biology and ethology of the Eurasian pygmy owl ( <i>Glaucidium passerinum</i> ) in Slovakia. Slovac Raptor Journal <b>4</b> : S.49–81. DOI: 10.2478/v10262-012-0046-y.
762	Palanca-Castan, N., Laumen, G., Reed, D. & Köppl, Ch. (2016): The binaural interaction component in Barn Owl ( <i>Tyto alba</i> ) presents few differences to mammalian data. Journ. Assoc. Research Otolaryngology <b>17</b> : S.577. <a href="https://doi.org/10.1007/s10162-016-0583-7">https://doi.org/10.1007/s10162-016-0583-7</a>
763	Panzeri, M., Menchetti, M., & Mori, E. (2014): Habitat use and diet of the Eurasian Scops Owl <i>Otus scops</i> in the breeding and wintering periods in Central Italy. Ardeola <b>61</b> (2): S. 393-399. DOI: <a href="http://dx.doi.org/10.13157/arpa.61.2.2014.393">http://dx.doi.org/10.13157/arpa.61.2.2014.393</a>
764	Parejo, D., Avilés, J. M. & Rodríguez, J. (2010): Visual cues and parental favouritism in a nocturnal bird. Biology Letters <b>10</b> : S. 171-173. DOI: 10.1098/rsbl.2009.0769
765	Parejo, D., Avilés, J. M. & Rodríguez, J. (2012): Alarm calls modulate the spatial structure of a breeding owl community. Proceedings of the Royal Society B <b>279</b> : S. 2135–2141
766	Parejo, D., Cruz-Miralles, Á., Rodríguez-Ruiz, J., Expósito-Granados, M. & Avilés, J. M. (2018): Determinants of color polymorphism in the Eurasian Scops Owl <i>Otus scops</i> . Journal of Avian Biology <b>49</b> (12): S. 1-11. DOI: 10.1111/jav.01777
767	Pavelčík, P. (1998): Breeding of Scops Owl ( <i>Otus scops</i> ) in South-East Moravia in 1998. Newsletter South Moravian Branch Czech Ornith. Soc. <b>12</b> : S. 26
768	Pedersen D., Thorup K., Sunde P., Jacobsen L. & Rahbek C. (2013): Post-fledging behaviour of juveniles in the Little Owl ( <i>Athene noctua</i> ). Ornis Fennica <b>90</b> (2): S. 117-128
769	Peers, M.J.L. & Boutin, S. (2017): Northern Hawk Owl ( <i>Surnia ulula</i> ) scavenges and defends a Lynx ( <i>Lynx canadensis</i> ) carcass in winter. The Wilson Journal of Ornithology <b>129</b> (4): S. 875–878
770	Pelchen H., Dannert R. & Dannert H. (2004): Sperlingskauz ( <i>Glaucidium passerinum</i> ) plündert Buntspechthöhle. Orn.Jh.Bad.-Württ. <b>20</b> : S. 197-199
771	Pellegrino, I., Negri, A., Cucco, M., Mucci, N., Pavia, M., Salek, M., Boano, G. & Randi, E. (2014): Phylogeography and Pleistocene refugia of the Little Owl <i>Athene noctua</i> inferred from mtDNA sequence data. Ibis <b>156</b> : S.640-657. DOI: 10.1111/ibi.12162
772	Penteriani, V. & Delgado, M. de Mar (2019): The Eagle Owl. Poyser: 384 S.
773	Penteriani, V. & Delgado, M. M. (2005): Dispersionsmuster und die Bedeutung von Nichtbrütern (»floatern«) für die Stabilität von Brutpopulationen des Uhus <i>Bubo bubo</i> . Ornithol. Anz. <b>44</b> : S. 153–158
774	Penteriani, V. & Delgado, M. M. (2008): Brood-switching in Eagle Owl <i>Bubo bubo</i> fledglings. Ibis <b>150</b> : S. 816–819
775	Penteriani, V. & Delgado, M. M. (2008): Owls may use faeces and prey feathers to signal current reproduction. PLoS ONE <b>3</b> (8) S. 1-6. doi:10.1371/journal.pone.0003014
776	Penteriani, V. & Delgado, M. M. (2009): The dusk chorus from an owl perspective: Eagle Owls vocalize when their white throat badge contrasts most. PLoS ONE <b>4</b> (4): e4960. doi:10.1371/journal.pone.0004960

<b>777</b>	Penteriani, V. (2002): Variation in the function of Eagle Owl vocal behaviour: territorial defence and intra-pair communication? <i>Ethology, Ecology and Evolution</i> <b>14</b> : S. 275–281
<b>778</b>	Penteriani, V., Gallardo, M. & Roche, P. (2002): Landscape structure and food supply affect eagle owl ( <i>Bubo bubo</i> ) density and breeding performance: a case of intra-population heterogeneity. <i>J. Zoo., Lond.</i> , <b>257</b> : S. 65–372
<b>779</b>	Penteriani, V., Alonso-Alvarez, C., Delgado, M. M., Sergio, F. & Ferrer, M. (2006): Brightness variability in the white badge of the eagle owl <i>Bubo bubo</i> . <i>Journal of Avian Biology</i> <b>37</b> : S. 110–116
<b>780</b>	Penteriani, V., Delgado, M. M., Campioni L. & Lourenco, R. (2010): Moonlight makes owls more chatty. <i>PLoS ONE</i> <b>5</b> (1): e8696. doi:10.1371/journal.pone.0008696
<b>781</b>	Penteriani, V., Delgado, M. M., Alonso-Allvarez, C., Viqueira-Pina, N., Sergio, F., Bartolommei, P. & Thompson L. (2007): The importance of visual cues for nocturnal species: Eagle Owl fledglings signal with white mouth feathers. <i>Ethology</i> <b>113</b> : S. 934–943
<b>782</b>	Penteriani, V., Delgado, M. M., Alonso-Alvarez, C., Sergio, F. (2007): The importance of visual cues for nocturnal species: eagle owls signal by badge brightness. <i>Behavioral Ecology</i> <b>18</b> : S.143–147
<b>783</b>	Penteriani, V., Delgado, M. M., Gallardo, M. & Ferrer, M. (2004): Spatial heterogeneity and structure of bird populations: a case example with the Eagle Owl. <i>Population Ecology</i> <b>46</b> (2): S.185–192. DOI: 10.1007/s10144-004-0178-8.
<b>784</b>	Penteriani, V., Delgado, M. M., Maggio, C., Aradis, A. & Sergio, F. (2005): Development of chicks and predispersal behaviour of young in the Eagle Owl <i>Bubo bubo</i> . <i>Ibis</i> <b>147</b> : S.155–168
<b>785</b>	Penteriani, V., Delgado, M. M., Stiglano R., Campioni, L. & Sanchez, M. (2014): Owl dusk chorus is related to the quality of individuals and nest-sites. <i>Ibis</i> <b>156</b> : S. 892–895
<b>786</b>	Penteriani, V., Gallardo, M., Roche, P., Cazassus, H. (2001): Effects of Landscape spatial structure and composition on the settlement of the eagle owl <i>Bubo bubo</i> in a mediterranean habitat. <i>Ardea</i> <b>89</b> (2): S.331–340
<b>787</b>	Pérez-García, J.M., Sánchez-Zapata, J.A. & Botella, F. (2011): Distribution and breeding performance of a high-density Eagle Owl <i>Bubo bubo</i> population in southeast Spain. <i>Bird Study</i> <b>59</b> : S.22–28. <a href="http://dx.doi.org/10.1080/00063657.2011.613111">http://dx.doi.org/10.1080/00063657.2011.613111</a>
<b>788</b>	Perrig M. (2015): Juvenile survival and onset of natal dispersal in Little Owls ( <i>Athene noctua</i> ) in relation to nestling food supply. Dissertation Universität Zürich: S. 1-177
<b>789</b>	Perrig M., Grüebler M., Keil H. & Naef-Daenzer B. (2017): Post-fledging survival of Little Owls <i>Athene noctua</i> in relation to nestling food supply. <i>International Journal of avian science</i> <b>159</b> : S. 532-540
<b>790</b>	Perrig, M., Grüebler, M. U., Keil, H. & Naef-Daenzer, B. (2014): Experimental food supplementation affects the physical development, behaviour and survival of Little Owl <i>Athene noctua</i> nestlings. <i>Ibis</i> <b>156</b> : S. 755-767
<b>791</b>	Pessner, K. & Hartung, B. (1989): Zur Brutbiologie der Waldohreule. <i>Falke</i> <b>36</b> : S. 194–200 und S. 225–227
<b>792</b>	Peter, H. (2006): Brutinvasionen und Bestandsentwicklung der Sumpfohreule ( <i>Asio flammeus</i> ) in Österreich 1959–2001. In: Gamauf, A. & H.-M. Berg (Hrsg.): Greifvögel & Eulen in Österreich. Verlag Naturhistor. Museum Wien: S. 183–189
<b>793</b>	Peters, J-L. (1940): Check-list of birds of the world. Band <b>4</b> . Harvard Univ. Press/Cambridge, Mass.
<b>794</b>	Petrovics Z. (2018): Die Erforschung des Brutbestandes vom Habichtskauz ( <i>Strix uralensis</i> ) im Zempliner Gebirge (Ungarn) von 1994–2018. 9. Intern. Symposium Greifvogel- u. Eulenarten / Haberstadt: Poster
<b>795</b>	Petrovics, Z. (2015): Population data of the Eurasian Eagle-Owl ( <i>Bubo bubo</i> ) in 2015. <i>Heliaca</i> <b>13</b> : S. 17
<b>796</b>	Petty, S. J. (1992): Ecology of the tawny owl <i>Strix aluco</i> in the spruce forests of Northumberland and Argyll. Thesis. The Open University (Großbritannien)
<b>797</b>	Pfennig, H. G. (1992): Extrem hohe Siedlungsdichte des Rauhfußkauzes ( <i>Aegolius funereus</i> ) 1991 im Ebbegebirge. <i>Charadrius</i> <b>28</b> : S. 149–150
<b>798</b>	Piechocki, R. & März, R. (1985): Der Uhu ( <i>Bubo bubo</i> ). 5. Auflage; Neue Brehm-Bücherei <b>108</b> : 128 S.
<b>799</b>	Piechocki, R. (1969): Über das Gewicht und die Großgefieder-Mauser der Zwergohreule ( <i>Otus scops</i> ). <i>Bonner Zool. Beitr.</i> <b>20</b> : S. 42-47
<b>800</b>	Pieper, H.(1977): Fledermäuse aus Schleiereulen-Gewölben von der Insel Kreta. <i>Zeitschr. Säugetierkunde</i> <b>42</b> : S. 7–12
<b>801</b>	Pieplow, N. (2019): Peterson Field Guide to bird sounds of Western North America: S. 2013; Houghton Mifflin Harcourt Publ. / New York
<b>802</b>	Pietiäinen, H. (1989): Seasonal and individual variation in the production of offspring in the Ural Owl <i>Strix uralensis</i> . <i>Journ. Animal Ecol.</i> <b>58</b> : S. 905–920

803	Pietiäinen, H., Saurola, P. & Kolunen, H. (1984): The reproductive constraints on moult in the Ural Owls <i>Strix uralensis</i> . Ann. Zool. Fennici <b>21</b> : S. 277-281
804	Pittaway, R. & Iron, J. (2005): Ageing and variation of Great Gray Owls. Ontario Birds <b>23</b> : S. 138-146
805	Plaz, J. (1914): Über den Herbstgesang des <i>Glaucidium passerinum</i> . Ornitholog. Jahrbuch <b>25</b> : S.47-50
806	Pocora V., Popovici M., Manci C. & Iorgu I. (2012): Feeding of the Little Owl during nesting season in the danube delta (Romania). Analele Științifice ale Universității „Alexandru Ioan Cuza” din Iași: S. 107-114
807	Pokorný, J., B. Kloubec & J. Obuch (2003): Vergleich der Nahrung des Rauhfußkauzes <i>Aegolius funereus</i> in verschiedenen Bergregionen in Tschechien. Vogelwelt <b>124</b> : S. 313-323
808	Polakowski M., Broniszewska M. & Skierczynski M. (2008): Sex and age composition during autumn migration of Pygmy Owl <i>Glaucidium passerinum</i> in Central Sweden in 2005. Ornis Svecica <b>18</b> : S. 82–86
809	Poprach, K. (2010): The Barn Owl. <i>TYTO</i> / Nenakonice, Czech Republic: 365 S.
810	Poprach, K. (2016): Der Schutz und die Entwicklung der Population der Schleiereule <i>Tyto alba</i> in der Tschechischen Republik. Eulen-Rundblick <b>66</b> : 27-31
811	Poprach, K., Opluštíl, L., Krause, F. & Machar, I. (2018): Land-use changes at nest sites of the Little Owl ( <i>Athene Noctua</i> ) in the South-Moravian Region of the Czech Republic. Journal of Landscape Ecology <b>11</b> (1): S. 19-34
812	Portenko, L. (1972): Die Schnee-Eule ( <i>Nyctea scandiaca</i> ). Neue Brehm Bücherei <b>454</b> : 232 S.
813	Potapov, E. & Sale, R. (2012): The Snowy Owl. T. & A. Poyser / London: 304 S.
814	Presern J. & Kohek K. (2001): Census of the Ural Owl <i>Strix uralensis macroura</i> at Javorniki in Central Slovenia. Acrocephalus <b>22</b> (108): S. 167 – 169
815	Priestley, L., Blom, M. & Terry, B. (2011): Recovery of a Northern Hawk Owl. The Willet <b>24</b> (1): S. 5-6
816	Pršin T., Kušar D., Obermajer T. & Vrezec A. (2017): Breeding density of the Tawny Owl <i>Strix aluco</i> in urban forests of Ljubljana City (Central Slovenia) Acrocephalus <b>37</b> (172/173): S. 31–35
817	Prum, R., Berv, J., Dornburg, A., Field, D., Townsend, J., Moriarty-Lemmon, E. & Lemmon, A. (2015): A comprehensive phylogeny of birds (Aves) using targeted next-generation DNA sequencing. Nature, Letter. 9 S. - DOI: 10.1038/nature15697
818	Pühringer, N. (2018): Aktuelles zum Uhu ( <i>Bubo bubo</i> ) in Oberösterreich. Bestandserhebung 2017. Vogelndl. Nachr. OÖ. <b>26</b> : S. 97-129
819	Pukinski, J. (1983): In der Ussuri-Taiga. Suche nach dem Riesenfischuhu. Brockhaus Verlag / Leipzig:128 S.
820	Pulliainen, E. & Loisa, K. (1977): Breeding biology and food of the Great Grey Owl, <i>Strix nebulosa</i> , in northeastern Finnish forest, Lapland. Aquilo, Ser. Zool. <b>17</b> : S. 23–33
821	Pulliainen, E. & Rajala, P. (1973): Observations on the nesting of birds in the snow. Orn. Fennica <b>50</b> : S. 89–91
822	Pulliainen, E. (1975): Choice of prey by a pair of Gyrfalcons <i>Falco rusticolus</i> during the nesting period in Forest-Lapland. Ornis Fenn. <b>52</b> : S.19-22
823	Quine, D. & Konishi, M. (1974): Absolute frequency discrimination in the Barn Owl. Journ. Comp. Physiology <b>93</b> : S. 347–360
824	Quinton, M. (1988): Ghost of the forest – the Great Grey owl. Northland Press / Flagstaff: 97 S.
825	Raczynski, J. & Ruprecht, A. (1974): The effect of digestion on the osteological composition of owl pellets. Acta Ornithologica/Warschau <b>14</b> : S. 25–38
826	Radley, C. (2012): Snowy Owls: dispelling the starvation myth. Holiday beach migration observatory. <a href="http://hbmo.ca/blog/snowy-owls-dispelling-the-starvation-myth/">http://hbmo.ca/blog/snowy-owls-dispelling-the-starvation-myth/</a>
827	Rajcovic, D.Z. (2018): Diet composition and prey diversity of Tengmalm's owl <i>Aegolius funereus</i> (Linnaeus, 1758, Aves: Strigidae) in central Serbia during breeding. Turkish Journal of Zoology <b>42</b> : S.346–351
828	Rajković, D. & Radišić, D. (2017): Boreal Owl <i>Aegolius funeris</i> in Serbia: distribution, population size and breeding site characteristics. Conference Paper. VII ogólnopolska konferencja sowy strigiformes polski: S. 10
829	Rajkovic, D., Grujic, D., Novcic, R. & Miric, R. (2013): Population of Tengmalm's Owl <i>Aegolius funereus</i> in Kopaonik National Park (Central Serbia). Acrocephalus <b>34</b> : S.27–32
830	Rajkovic, D. (2009): Breeding biology of Long-eared Owl <i>Asio otus</i> in Stanišić area (NW Bačka). Ciconia <b>18</b> : S. 81-90
831	Ramdsen, D. (2017): Juvenile Barn Owl <i>Tyto alba</i> dispersal: a radio tracking study. WOC/ Evora: Vortrag (abstract S. 72)
832	Ramsden, D. (2003): Barn Owls and major roads. Results and recommendations from a 15-year research project: 109 S. BOT/ Ashburton - UK

833	Ramella, E. (2017): Scops owls in valais: distribution modeling and habitat characteristics. Master Thesis. UNIL Université de Lausanne
834	Ranazzi L., Manganaro, A. & L. Salvati (2001): Notes on the diet of successfully and failed breeding Tawny Owls ( <i>Strix aluco</i> ) in urban Rome, Italy. Acta zoologica Cracoviensia <b>44</b> (1): S. 53–57
835	Ranazzi, L. & Salvati, L. (2002): Forest cover and breeding density of the Tawny Owl <i>Strix aluco</i> in different wood types of Central Italy. Orn. Anzeiger <b>41</b> : S. 57-62
836	Ranazzi, L., Manganaro, A. & Salvati, L. (2000): The breeding success of Tawny Owls ( <i>Strix aluco</i> ) in a mediterranean area: A long-term study in urban Rome. Journ. Raptor Research <b>34</b> (4): S. 322-326
837	Ranazzi, L., Manganaro, A. & Salvati, L. (2002): Densitiy fluctuations in an urban population of Tawny Owl <i>Strix aluco</i> : a long-term study in Rome, Italy. Ornis Svecica <b>12</b> : S. 63-67
838	Rassati, G. (2018): Summary of knowledge about the distribution of the Ural Owl <i>Strix uralensis</i> in Italy; density and conservation notes. G. Ucelli d. Italia <b>43</b> : S. 19-29
839	Rath, M. & Schmitt, M. (2017): Analyse des Beutespektrums der Schleiereule ( <i>Tyto alba</i> ) aus dem Gebiet Issum (Kreis Kleve). Eulen-Rundblick <b>67</b> : S. 73-77
840	Rau, F. (2018): Uhu-Monitoring in Baden-Württemberg 2017: Das neue Populationsmaximum und der obligate Ruf nach Regulierung. Eulen-Rundblick <b>68</b> : S. 11-14
841	Ravussin, P. A., D. Trolliet, L. Willenegger & Beguin, D. (1993): Observations sur les fluctuations d'une population de Chouette de Tengmalm ( <i>Aegolius funereus</i> ) dans le Jura vaudois (Suisse). Nos Oiseaux <b>42</b> : S. 127–142
842	Ravussin, P. A., Henrioux, P., Henrioux, F., Trolliet, D., Longchamp, L., Morel, J. & Beaud, M. (2016): Regime alimentaire de la Chouette de Tengmalm, <i>Aegolius funereus</i> , dans le massif du Jura. Nos Oiseaux <b>63</b> : S. 215-226
843	Ravussin, P. A., Trolliet, D., Béguin, D., Willenegger, L. & Matalon, G. (2001): Observations et remarques sur la biologie de la Chouette de Tengmalm <i>Aegolius funereus</i> dans le massif du Jura suite à l'invasion du printemps 2000. Nos Oiseaux <b>48</b> : S.235–246
844	Ravussin, P.-A., Trolliet, D., Daenzer, C., Longchamp, L., Romailler, K. & Metraux, V. (2015): Quel avenir pour la Chouette de Tengmalm <i>Aeogolius funereus</i> dans le massif du Jura? Bilan de trente années de suivi. Nos Oiseaux <b>62</b> : S.5-28
845	Reakoff, M. L., Reakoff, J. L. & Craig, T. (2003): A Northern Hawk Owl, <i>Surnia ulula</i> , nest on a man-made structure in Alaska. Canadian Field-Naturalist <b>117</b> (2): S. 306-307
846	Reden, S. von (1989): Die Megalith-Kulturen. Zeugnisse einer verschollenen Urreligion. Du Mont Buchverlag / Köln: 343 S.
847	Redpath, S. M. (1995): Habitat fragmentation and the individual: Tawny Owls <i>Strix aluco</i> in woodland patches. Journ. Animal Ecol. <b>64</b> : S. 652–661
848	Reed, C. & Reed, B. (1928): The mechanism of pellet formation in the Great Horned Owl ( <i>Bubo virginianus</i> ). Science, N. S. <b>68</b> : S. 359–360
849	Reese, R. & Balfour, E. (1973): Food piracy between Kestrels and Short-eared Owls. Brit. Birds <b>66</b> : S. 227–228
850	Reichholz, J. (1973): Fischende Waldohreulen. Anz. orn. Ges. Bayern <b>12</b> : S. 81–82
851	Reid, D.G., Doyle, F.I., Kenney, A.J. & Krebs, C.J. (2012): Some observations of Short-eared Owl, <i>Asio flammeus</i> e cology on arctic tundra, Yukon. Canadian Field Naturalist <b>125</b> .
852	Reiser, K-H. (2019): Jahresbericht 2018 Uhu. Eulen-Welt (Landesverband Eulen-Schutz in Schleswig-Holstein e. V.); S. 3-6
853	Remmert, H. (1985): Der vorindustrielle Mensch in den Ökosystemen der Erde. Naturwissensch. <b>72</b> : S. 627–632
854	Remmert, H. (1992): Ökologie – Ein Lehrbuch. 5. Auflage. Springer/Berlin-Heidelberg-New York-London: 363 S.
855	Reynolds, P. & Gorman, M.L. (1999): The timing of hunting in short-eared owls ( <i>Asio flammeus</i> ) in relation to the activity patterns of Orkney voles ( <i>Microtus arvalis orcadensis</i> ). Journal of Zoology <b>247</b> : S.371–379
856	Reznicek, J. (1991): (Contribution to sexing of Long-eared Owl ( <i>Asio otus</i> )). (Tschech. mit engl. summ.); Zpr. Ceské Spol. Ornitol. <b>33</b> : S. 12–16
857	Rich, P. & Bohaska, D. (1976): The world's oldest owl: A new <i>Strigiform</i> from the Paleocene of the southwestern Colorado. Smithson. Contribut. Paleobiol. <b>27</b> : S. 87–93
858	Rich, P. & Bohaska, D.J. (1981): The <i>Ogygoptyngidae</i> , a new family of owls from the Paleocene of North America. Alcheringa <b>5</b> (2): S.95–102
859	Riebl, V. (2011): Bestand und Habitatnutzung alpiner Eulen im Nationalparkgebiet Gesäuse. Diplomarbeit Univ. Graz

860	Riper, Ch. V., Fontaine, J. & Wagtendonk, J. v. (2013): Great Gray Owls ( <i>Strix nebulosa</i> ) in Yosemite National Park: On the importance of food, forest structure, and human disturbance. <i>Natural Areas Journal</i> <b>33</b> : S. 286-295
861	Risberg, L. (1990): Sveriges få'glar. Vå'r Få'gelvärld, suppl. 14
862	Robb, M. & The Sound Approach (2015): Undiscovered Owls. A sound Approach Guide. Poole / Dorset - UK: 308 S.
863	Roberts, J. & Bowman, N. (1986): Diet and ecology of Short-eared Owls <i>Asio flammeus</i> breeding on heather moor. <i>Bird Study</i> <b>33</b> : S. 12-17
864	Robillard, A., Therrien, J.-F., Gauthier, G., Clark, K.M. & Béty, J. (2016): Pulsed resources at tundra breeding sites affect winter irruptions at temperate latitudes of a top predator, the snowy owl. <i>Oecologia</i> <b>181</b> : S. 423–433. DOI: 10.1007/s00442-016-3588-3
865	Robiller, F. (1982): Revierverhalten eines Brutpaars Sperbereulen ( <i>Surnia ulula</i> ) in Torne Lapmark. <i>Beitr. Vogelkunde/Jena</i> <b>28</b> : S. 366-368
866	Robin, K. & Jöhl, B. (2019): Artenförderprojekt Waldohreule <i>Asio otus</i> in der St. Gallischen Linthebene. Schlussbericht für das Amt für Natur, Jagd und Fischerei des Kantons St. Gallen: 16 S. und Anhang.
867	Rockenbauch, D. (1968): Siedlungsdichte und Brutergebnis bei Turmfalken ( <i>Falco tinnunculus</i> ) und Waldohreulen ( <i>Asio otus</i> ) in den Extremjahren 1965-1967 auf der Schwäbischen Alb: <i>Vogelwelt</i> <b>89</b> : S. 168-174
868	Rockenbauch, D. (2018): Die ersten 50 Jahre nach der Heimkehr des Uhus ( <i>Bubo bubo</i> ) in Baden-Württemberg (1963-2012). <i>Ökol. Vögel</i> <b>33</b> : S. 1-90
869	Rockenbauch, D. (2018): Einige Ergänzungen zum Wissen über den Waldkauz. <i>Eulen-Rundblick</i> <b>68</b> : S. 87-90
870	Rodríguez A., García M., Cervera F. & Palacios V. (2006): Landscape and anti-predation determinants of nest-site selection, nest distribution and productivity in a Mediterranean population of Long-eared Owls <i>Asio otus</i> . <i>Ibis</i> <b>148</b> : S. 133-145
871	Rohner, Ch., J. Smith, J. Stroman & M. Joyce, F. Doyle & Boonstra, R. (1995): Northern Hawk Owls in the Nearctic boreal forest: prey selection and population consequences of multiple prey cycles. <i>Condor</i> <b>97</b> : S. 208–220
872	Romanowski, J., Altenburg, D. & Zmihorski, M. (2013): Seasonal variation in the diet of the little owl, <i>Athene noctua</i> in agricultural landscape of Central Poland. <i>North-Western Journal of Zoology</i> <b>9</b> (2): S.310–318
873	Rönn, J., Blew, J., Nehls, G., Potick, A., Reichenbach, M., Rönn, J. v. & Weitekamp, S. (2016): Prognosis and assessment of bird collision risks at wind turbines in Northern Germany (Progress). - Final Report; Bundesmin. Ökonomie u. Energie
874	Rönsch, H., Jentzsch, M. & Schulze, W. (1992): Zur Brutbiologie von Waldkäuzen ( <i>Strix aluco</i> L.) in Südharz und Kyffhäuser. <i>Acta ornithoecol.</i> <b>2</b> (4): S. 311-319
875	Roque, J., Marques, A., Lourenco, R., Godinko, C., Pereira, P. & Rabaca, J. (2017): Tyto Tagus: Barn Owl post-fledging dispersal in the Tagus Valley (Portugal). <i>WOC/ Evora: Vortrag (abstract S. 70)</i>
876	Roth, H. (1956): Knochenverdauung bei einem jungen Steinkauz. <i>Journ. Ornithol.</i> <b>97</b> : S. 90 ff
877	Rothgänger, A. & Wiesner, J. (2010): Heimlicher Waldbewohner - eine telemetrische Untersuchung am Sperlingskauz <i>Glaucidium passerinum</i> in Thüringen. <i>Eulen-Rundblick</i> <b>60</b> : S. 15-20
878	Rothgänger, A. & Wiesner, J. (2011): Hinweise auf eine Partnertrennung beim Sperlingskauz <i>Glaucidium passerinum</i> im Herbst. <i>Eulen-Rundblick</i> <b>61</b> : S. 3-9
879	Rothgänger, A. (2017): Raumnutzung und Streifgebietgrößen von Sperlingskäuzen ( <i>Glaucidium passerinum</i> ) in Wäldern Thüringens; Telemetrie-Studie (MS-Entwurf zur Dissertation): 97 S.
880	Roulin, A. & Altwegg, R. (2007): Breeding rate is associated with pheomelanism in male and with eumelanism in female barn owls. <i>Behavioral Ecology</i> <b>18</b> (3): S. 563–570. DOI:10.1093/beheco/arm015
881	Roulin, A. (1996): Balz und Paarbildungserfolg bei der Schleiereule <i>Tyto alba</i> . <i>Ornith. Beob.</i> <b>93</b> : S. 184–189
882	Roulin, A., Dijkstra, C., Riolst, C. & Ducrest, A-L. (2001): Female and male specific signals of quality in the Barn Owl. <i>Journ. Evol. Biol.</i> <b>14</b> : S. 255-266
883	Roulin, A., Ducret, B., Ravussin, P-A. & Altwegg, R. (2003): Female colour polymorphism covaries with reproductive strategies in the Tawny Owl <i>Strix aluco</i> . <i>Journ. Avian Biology</i> <b>34</b> : S. 393-401
884	Rubolini, D., Bassi, E., Bogliani, G., Galeotti, P. & Caravaglia, R. (2001): Eagle Owl <i>Bubo bubo</i> and powerline interactions in the Italian Alps. <i>Bird Conservation International</i> <b>11</b> : S. 319-324
885	Rudat, V., Wiesner, J. & Gödecke, M. (1987): Zur Brutbiologie und -phänologie des Sperlingskauzes <i>Glaucidium passerinum</i> L. in Thüringen. <i>Populationsökol. Greifvogel- u. Eulenarten</i> <b>1</b> : S. 371–383

886	Rueda, M., Hawkins, B.A., Morales-Castilla, I., Vidanes, R.M., Ferrero, M. & Rodríguez, M.Á. (2013): Does fragmentation increase extinction thresholds? An European-wide test with seven forest birds. <i>Global Ecology and Biogeography</i> <b>22</b> : S.1282–1292
887	Ruempler, G. (1967): Über einige Verhaltensweisen der Sumpfohreule ( <i>Asio flammeus</i> ). <i>Ornith. Mitt.</i> <b>19</b> : 225–227
888	Ruempler, G. (1969): Beobachtungen zur Systematik und Ethologie der Schnee-Eule ( <i>Nyctea scandiaca</i> ). <i>Z. Kölner Zoo</i> <b>12</b> : S. 68–69
889	Ruzek, P. & Schröpfer, L. (1997): Distribution of the Pygmy Owl ( <i>Glaucidium passerinum</i> ) in West Bohemia. <i>Sylvia</i> <b>33</b> : S. 44-53
890	Ruzic, M. (2011): International Conference on the Survey, Monitoring and Conservation of the Long-eared Owl <i>Asio otus</i> . Bird Protection and Study Society of Serbia.
891	Ružić, M., Radaković, M., Veselinović, D., Rudić, B., Kulić, S., Vučićević, I., Demajo, M., Nagulov, S., Golubović, A. & Miljković, N. (2010): Zimska jata utina <i>Asio otus</i> u središnjoj Srbiji 2006–2011: prostorni raspored, brojnost i odabir boravišta. <i>Ciconia</i> <b>19</b> : S. 97-109.
892	Ružić, M., Radišić, D., Šćiban, M., Tucakov, M., Nagulov, S., Simović, A., Budinski, I., Zuljević, A., Đapic, D., Janković, M., Gruijić, D., Medved, A., Spremo, N., Kulić, S., Rudić, B., Marćeta, A., Vučićević, I. & Skiković, S. (2011): Changes in numbers of wintering Long-eared Owls on roost sites in Serbia. International Conference on the Survey, Monitoring and Conservation of the Long-Eared Owl: S. 44
893	Sacchi, R., Perani, E. & Galeotti, P. (1999): Distribution and demographic trend of Scops owl ( <i>Otus scops</i> ) in the Northern Apennine (Oltrepo Pavese, Northern Italy). <i>Avocetta</i> <b>23</b> : 19-23
894	Sacchi, R., Perani, E. & Galeotti, P. (1999): Population density and demographic trend of the Scops Owl <i>Otus scops</i> in the Northern Apennine (Oltrepó Pavese, Nothern Italy). <i>Avocetta</i> <b>23</b> : S. 58-64
895	Sálek M., Chrenkova M. & Kipson M. (2013): High population density of little owl ( <i>Athene noctua</i> ) in Hortobagy National Park, Hungary, Central Europe. <i>Polish Journal of Ecology</i> <b>61</b> (1): S. 165-169
896	Šálek, M. & Lövy, M. (2012): Spatial ecology and habitat selection of Little Owl <i>Athene noctua</i> during the breeding season in Central European farmland. <i>Bird Conservation International</i> <b>22</b> : S. 328-338. DOI: 10.1017/S0959270911000268
897	Šálek, M. (2014): Long-term population decline of the Little Owl ( <i>Athene noctua</i> ) in a core area of its distribution in Bohemia. <i>Sylvia</i> <b>50</b> : S. 2-11
898	Šálek, M., Chrenková, M., Dobrý, M., Kipson, M., Grill, S. & Václav, R. (2016): Scale-dependent habitat associations of a rapidly declining farmland predator, the Little Owl <i>Athene noctua</i> , in contrasting agricultural landscapes. <i>Agriculture, Ecosystems and Environment</i> <b>224</b> : S. 56–66
899	Salvati, L. & Ranazzi, L. (2002): Changes in density and territory size of the Tawny Owl <i>Strix aluco</i> along an altitude gradient: the effect of forest types and wood cover. <i>Acta Zoologica Cracoviensia</i> <b>45</b> (2): S. 237-243
900	Salvo, G. (2003): Densità dell'assiolo <i>Otus scops</i> in Sicilia meridionale. <i>Avocetta</i> <b>27</b> : S. 122
901	Samwald, O. & Samwald, F. (1992): Brutverbreitung und Bestandsentwicklung der Zwergohreule ( <i>Otus scops</i> ) in der Steiermark. <i>Egretta</i> <b>35</b> : S. 37–48
902	Sandor, A. & Kiss, B. (2004): The diet of wintering Long-eared Owls ( <i>Asio otus</i> ) in Tulcea, Romania. (Conference Paper) <i>Anal. St. I. D. D.</i> <b>10</b> : S. 1-4
903	Santangeli, A., Hakkilainen, H., Laaksonen, T. & Korpimäki, E. (2012): Home range size is determined by habitat composition but feeding rate by food availability in male Tengmalm's owls. <i>Animal Behaviour</i> <b>83</b> : S. 1115-1123
904	Santonja, P., Mestre, I., Weidensaul, S., Brinker, D., Huy, S., Smith, N., McDonald, T., Blom, M., Zazelenchuck, D., Weber, A., Gauthier, G., Lecomte, N. & Therrien, J-F. (2018). Age composition of winter irruptive Snowy Owls in North America. <i>Ibis</i> <b>161</b> : S. 211–215. DOI: 10.1111/ibi.12647.
905	Sarradj, E., Fritzsche, C. & Geyer, T. (2011): Silent Owl Flight: Bird Flyover Noise Measurements. <i>AIAA Journal</i> <b>49</b> (4): S. 1-17. DOI: 10.2514/1.J050703
906	Sasvári, L., Péczely, P. & Hegyi, Z. (2009): Plasma testosterone profile of male Tawny Owls <i>Strix aluco</i> in relation to breeding dDensity, breeding experience, and offspring provision. <i>Acta Ornithologica</i> <b>44</b> (1): S. 59-68. DOI: <a href="https://doi.org/10.3161/000164509X464894">https://doi.org/10.3161/000164509X464894</a>
907	Sauer, J. & Friedrich, B. (1985): Zum Fütterungsverhalten eines Sperlingskauzmännchens. <i>Falke</i> <b>32</b> : S. 278–279
908	Saunders, D., Smith, G. & Campbell, N. (1984): The relationship between body weight, egg weight, incubation period, nestling period and nest site in <i>Psittaciformes</i> , <i>Falconiformes</i> , <i>Strigiformes</i> and <i>Columbiformes</i> . <i>Austr. J. Zool.</i> <b>32</b> : S. 57–65
909	Saurola P. & Francis C. M. (2004): Estimating population dynamics and dispersal distances of owls from nationally coordinated ringing data in Finland. <i>Animal Biodiversity and Conservation</i> <b>27.1</b> : S. 403-415

910	Saurola, P. & Francis, Ch. (2018): Towards integrated population monitoring based on the fieldwork of volunteer ringers: productivity, survival and population change of Tawny Owls <i>Strix aluco</i> and Ural Owls <i>Strix uralensis</i> in Finland. <i>Bird Study</i> <b>65</b> : S. 563–576 - DOI: 10.1080/00063657
911	Saurola, P. (1987): Mate and nest-site fidelity in Ural and Tawny Owls. In: Biology and Conservation of Northern Forest Owls/USDA Forest Service, Gen. Techn. Report RM- <b>142</b> : S. 81–86
912	Saurola, P. (1989): Breeding strategy of the Ural Owl <i>Strix uralensis</i> , in: Meyburg, B. U., Chancellor, R. D. (Hrsg.): <i>Raptors in the Modern World</i> . WWGBP, Berlin, London and Paris, S. 235–242
913	Saurola, P. (1992): Population studies of the Ural Owl <i>Strix uralensis</i> in Finland. In: Galbraith, Taylor & Percival (Hrsg.): <i>The Ecology and Conservation of European Owls</i> . UK Nature Conservation/Peterborough <b>5</b> : S. 28–31
914	Saurola, P. (2002): Natal dispersal distances of Finnish owls: results from ringing. WOC/ Canberra. In: Newton, Kavanagh, Olsen & Taylor: <i>Ecology and Conservation of Owls</i> : S. 42–55. CSIRO publ./ Collingwood - AUS
915	Saurola, P. (2003): Life of the Ural Owl <i>Strix uralensis</i> in a cyclic environment: some results of a 36-year study. <i>Avocetta</i> <b>27</b> : S. 76–79
916	Saurola, P. (2009): Bad and good news: population changes of Finnish owls during 1982–2007. 4 <sup>th</sup> World Owl Conference / Groningen; <i>Ardea</i> <b>97</b> : S. 469–482
917	Shaar, B. (2009): Die Zwergohreule <i>Otus scops</i> im Elsass - gestern und heute. <i>Eulen-Rundblick</i> <b>59</b> : S. 9–10
918	Scales of Anubis (2018): Cuban Giant Owl – <i>Ornimegalonyx spp.</i> Carnivora. <a href="https://carnivora.net/cuban-giant-owl-ornimegalonyx-spp-t265.html">https://carnivora.net/cuban-giant-owl-ornimegalonyx-spp-t265.html</a>
919	Schaden, G. (1992): Der Einfluß von Früherfahrung auf die Nistplatzwahl bei Schleiereulen ( <i>Tyto alba guttata</i> ). <i>Egretta</i> <b>35</b> : S. 58–68
920	Schaefer, R., Rudolph, D. & Fagan, J. (2007): Winter prey caching by Northern Hawk Owls in Minnesota. <i>The Wilson Journal of Ornithology</i> <b>119</b> (4): S. 755–758
921	Schaub, M., Aebscher, A., Gimenez, O., Berger, S. & Arlettaz, R. (2010): Massive immigration balances high anthropogenic mortality in a stable eagle owl population: Lessons for conservation. <i>Biological Conversation</i> <b>143</b> (8): S. 1911–1918
922	Schaub, M., Ullrich, B., Knötzsch, G., Albrecht, P. & Meisser, C. (2006): Local population dynamics and the impact of scale and isolation: a study on different little owl populations. <i>Oikos</i> <b>115</b> : S. 389–400
923	Schelpner, W. (1989): Zur Brutbiologie, Ernährung und Populationsdynamik des Rauhfußkauzes <i>Aegolius funereus</i> im Kaufunger Wald (Südniedersachsen). <i>VogelkdI. Ber. Niedersachsen</i> <b>21</b> : S. 33–53
924	Scherzler, P. (2014): Predicting habitat suitability for Little Owls in Switzerland on different spatial scales. Master Thesis. Universität Zürich, Schweiz
925	Scherzinger W. (1986): Kontrastzeichnungen im Kopfgefieder der Eulen ( <i>Strigidae</i> ) - als visuelle Kommunikationsmittel. <i>Ann. Naturhist. Mus. Wien</i> <b>88/89</b> : S. 37–56
926	Scherzinger W. (2010): Sperbereule <i>Surnia ulula</i> und Raufußkauz <i>Aegolius funereus</i> – ein Artenpaar wie Tag und Nacht?. <i>Charadrius</i> <b>46</b> , Heft 1–2: S. 79–88
927	Scherzinger, W. (1970): Zum Aktionssystem des Sperlingskauzes ( <i>Glaucidium passerinum</i> , L.). <i>Zoologica</i> <b>118</b> : 120 S., 10 Tafeln
928	Scherzinger, W. (1971): Beobachtungen zur Jugendentwicklung einiger Eulen ( <i>Strigidae</i> ). <i>Zeitschr. Tierpsychol.</i> <b>28</b> : S. 494–504
929	Scherzinger, W. (1971): Zum Feindverhalten einiger Eulen ( <i>Strigidae</i> ). <i>Z. Tierpsychol.</i> <b>29</b> : S. 165–174
930	Scherzinger, W. (1974): Die Jugendentwicklung des Uhus ( <i>Bubo bubo</i> ) mit Vergleichen zu der von Schneeeule ( <i>Nyctea scandiaca</i> ) und Sumpfohreule ( <i>Asio flammeus</i> ). <i>Bonn. zool. Beitr.</i> <b>25</b> : S. 123–147
931	Scherzinger, W. (1974): Zur Ethologie und Jugendentwicklung der Schneee-Eule ( <i>Nyctea scandiaca</i> ) nach Beobachtungen in Gefangenschaft. <i>Journ. Ornithol.</i> <b>115</b> : S. 8–49
932	Scherzinger, W. (1974): Zur Ökologie des Sperlingskauzes <i>Glaucidium passerinum</i> im Nationalpark Bayerischer Wald. <i>Anz. orn. Ges. Bayern</i> <b>13</b> : S. 121–156
933	Scherzinger, W. (1979): Brutverlust beim Sperlingskauz <i>Glaucidium passerinum</i> durch Roßameisen <i>Camponotus herculeanus</i> . <i>Ökologie Vögel</i> <b>1</b> : 95–97
934	Scherzinger, W. (1979): Thermospeicherung beim Rauhfußkauz <i>Aegolius f. funereus</i> . <i>Anz. orn. Ges. Bayern</i> <b>18</b> : S. 184–185
935	Scherzinger, W. (1980): Zur Ethologie der Fortpflanzung und Jugendentwicklung des Habichtskauzes ( <i>Strix uralensis</i> ) mit Vergleichen zum Waldkauz ( <i>Strix aluco</i> ). <i>Bonner Zool. Monogr.</i> <b>15</b> : 66 S.
936	Scherzinger, W. (1983): Beobachtungen an Waldkauz-Habichtskauz-Hybriden ( <i>Strix aluco</i> x <i>Strix uralensis</i> ). <i>Zool. Garten</i> <b>2</b> : S. 133–148
937	Scherzinger, W. (1984): Die Eulenbrut im Brotkorb – Zur Zucht der Waldohreule. <i>Voliere</i> <b>7</b> : S. 26–28

938	Scherzinger, W. (1986): Lebensgeschichte eines Perlkauzes ( <i>Glaucidium perlatum</i> ). Gefiederte Welt <b>110</b> : S. 305-306
939	Scherzinger, W. (1987): Der Uhu <i>Bubo bubo</i> im Inneren Bayerischen Wald. Anz. orn. Ges. Bayern <b>26</b> : S. 1-51
940	Scherzinger, W. (1989): „Zungenschnalzen“ bei Eulen ? Journ. -Ornithol. <b>130</b> : S. 377-381
941	Scherzinger, W. (1991): Allgemeine Aspekte zur Eignung von Tieren aus der Gefangenschaftsnachzucht für Wiederansiedlungsprojekte. Wiesenfeldener Reihe (Seminarber. BNB) <b>8</b> : S. 16-27
942	Scherzinger, W. (1994): Programmentwurf zur Wiederansiedlung von Eulen: wann – wo – wie ? Eulen Rundblick <b>40/41</b> : S. 14-23
943	Scherzinger, W. (1996): Naturschutz im Wald – Qualitätsziele einer dynamischen Waldentwicklung. -Ulmer/Stuttgart: 447 S.
944	Scherzinger, W. (1996): Waldodynamik und Biotopansprüche des Habichtskauzes ( <i>Strix uralensis</i> ). In: Gamauf & Berger (Hrsg.): Greifvögel und Eulen Österreichs. Abh. Zool.-Bot. Ges. Öster-reich/Wien <b>29</b> : S. 5-16
945	Scherzinger, W. (1997): Ein Wald voller Eulen – die „Owl Foundation“ in Ontario/Kanada. Gef. Welt <b>121</b> : S. 351-353
946	Scherzinger, W. (1999): Zur Verwendbarkeit phänotypischer Artmerkmale in der feinsystematischen Gliederung der Eulen ( <i>Strigiformes</i> ). Egretta <b>42</b> : S. 144-155
947	Scherzinger, W. (2003): Wieweit entsprechen die Habitatansprüche waldbewohnender Eulen dem Lebensraumangebot europäischer Wälder? Vogelwelt <b>124</b> : S. 213-221
948	Scherzinger, W. (2006): Die Wiederbegründung des Habichtskauz-Vorkommens <i>Strix uralensis</i> im Böhmerwald. Ornithol. Anz. <b>45</b> : S. 97-156
949	Scherzinger, W. (2008): Das Kletterverhalten heimischer Jungeulen -- besondere Spezialisierung oder archaisches Erbe? Vogelkundl. Ber. Niedersachs. <b>40</b> : S. 117-125
950	Scherzinger, W. (2014): Revision einer Unterartenabgrenzung mitteleuropäischer Habichtskäuze ( <i>Strix uralensis</i> ). Abh. Naturwis, ver. Bremen <b>47</b> : S. 257-268
951	Scherzinger, W. (2017): Eulen-Hybride ( <i>Strigiformes</i> ), unerwünscht im Artenschutz - doch aufschlußreich für taxonomische Vergleiche. Ornitholog. Anzeiger <b>99</b> : S. 108-121
952	Scherzinger, W. (2017): Tierschutzrelevante Aspekte der Eulenhaltung. Eulen-Rundblick <b>67</b> : S. 31-36
953	Scherzinger, W. (2017): Zur Variationsbreite der Gefiederzeichnung beim Rauhfußkauz, <i>Aegolius funereus</i> . Eulen-Rundblick <b>67</b> : S. 57-58
954	Scherzinger, W. (2019): Von blauen Eulen und kauzigen Pflanzen. Kauzbrief <b>31</b> : S. 21-28
955	Schifter, H. (2001): Eulen – Symbole der Langlebigkeit? Zoofreund/Hannover <b>122</b> : S. 3-4
956	Schipper A., Wijnhoven S., Baveco H. & Brink N. (2012): Contaminant exposure in relation to spatio-temporal variation in diet composition: A case study of the little owl ( <i>Athene noctua</i> ). Environmental Pollution <b>163</b> : S. 1009-116
957	Schmutz, S.M. & Moker, J.S. (1991): A cytogenetic comparison of some North American owl species. Genome <b>34</b> : S.714-717
958	Schneider, R. (2015): Bruthabitate des Steinkauzes in der Schweiz: Veränderungen zwischen 1950 und 2004. Bachelorarbeit. Hochschule für Angewandte Wissenschaften ZHAW, Deutschland
959	Schneider, W. (1964): Die Schleiereule ( <i>Tyto alba</i> ). Neue Brehm Bücherei <b>340</b> : 103 S.
960	Schön, M. & Gallmayer, A. (2006): Der Schleier der Schleiereule <i>Tyto alb a</i> : Beobachtungen an Jungvögeln zur morphologischen Struktur des äußeren Ohres. Ökol. Vögel <b>25</b> : S. 287-310
961	Schönfeld, M. & Girbig, G. (1975): Beiträge zur Brutbiologie der Schleiereule <i>Tyto alba</i> , unter besonderer Berücksichtigung der Abhängigkeit von der Feldmausdichte. Hercynia NF/Leipzig <b>12</b> : S. 257-319
962	Schönn, S. & Scherzinger, W. (1980): Der Sperlingskauz. 2. Auflg., Neue Brehm- Bücherei <b>513</b> : 123 S.
963	Schönn, S., Scherzinger, W., Exo, K-M. & Ille, R. (1991): Der Steinkauz. Neue Brehm-Bücherei <b>606</b> : 237 S.
964	Schulenburg, J. & Wiesner, J. (1986): Zur Winternahrung des Sperlingskauzes ( <i>Glaucidium passerinum</i> ) in zwei unterschiedlichen Gebieten der DDR. Acta ornithoecologica <b>1</b> : S. 167-183
965	Schuster, S. (1971): Der Bestand des Waldkauzes ( <i>Strix aluco</i> ) auf dem Bodanrück/Bodensee. Anz. ornith. Ges. Bayern <b>10</b> : S. 156-161
966	Schüz, E. (1957): Das "Occipital-Gesicht" bei Sperlingskäuzen ( <i>Glaucidium</i> ). Vogelwarte <b>19</b> : S.138-140
967	Schwarzenberg, L. (1984): Kritisches zur Steinkauzröhre: Modell 1983 – ein Ausweg! Eulen-AG Saar: 8 S.

968	Schwerdtfeger O. (2012): Welche Informationen ergeben sich aus dem Gesang des Raufußkauzes <i>Aegolius funereus</i> ? . Vogelwarte <b>50</b> : S. 264-265
969	Schwerdtfeger, O. & Wink, M. (2014): Lack of correlation between sex ratio and food supply or other biotic variables in nestlings of Tengmalm's Owl <i>Aegolius funereus</i> . Journ. Ornithol. <b>155</b> : S. 497-505
970	Schwerdtfeger, O. (1984): Verhalten und Populationsdynamik des Rauhfußkauzes ( <i>Aegolius funereus</i> ). Vogelwarte <b>32</b> : S. 183-200
971	Schwerdtfeger, O. (1991): Altersstruktur und Populationsdynamik beim Rauhfußkauz ( <i>Aegolius funereus</i> ). Populationsökol. Greifvogel- u. Eulenarten <b>2</b> : S. 493–506
972	Schwerdtfeger, O. (1993): Ein Invasionsjahr des Rauhfußkauzes ( <i>Aegolius funereus</i> ) im Harz – eine populationsökologische Analyse und ihre Konsequenzen für den Artenschutz. Ökol. Vögel <b>15</b> : S. 121–136
973	Schwerdtfeger, O. (1997): Höhlennutzung und lokale Dispersionsdynamik beim Rauhfußkauz ( <i>Aegolius funereus</i> ). In: Rauhfußkauz und Sperlingskauz in Deutschland; Naturschutz-Report/Jena <b>13</b> : S. 50–60
974	Schwerdtfeger, O. (2014): Populationsökologische Zusammenhänge als Grundlage für den Artenschutz beim Raufußkauz <i>Aegolius funereus</i> . Vogelwarte <b>52</b> : S.244–245
975	Schwerdtfeger, O. (2018): Zusammensetzung und Reproduktion einer Population des Raufußkauzes <i>Aegolius funereus</i> . 151. Jahrestagung der DO-G / Heidelberg; Referat
976	Seidensticker, M.T., Flockhart, D.T.T., Holt, D.W. & Gray, K. (2006): Growth and plumage development of nestling long-eared owls. The Condor <b>108</b> : S. 981–985
977	Seidensticker, M.T., Holt, D.W., Detienne, J., Talbot, S. & Gray, K. (2011): Sexing young snowy owls. Journ. Raptor Research <b>45</b> (4): S. 281–289
978	Seipel, W. (Hrsg.; 1998): Land der Bibel. Schätze aus dem Israel Museum Jerusalem. Ausstellungskatalog, Kunsthistor. Museum/Wien: 150 S.
979	Senzaki, M., Yamaura, Y., Francis, C. D. & Nakamura, F. (2016): Traffic noise reduces foraging efficiency in wild owls. Scientific Reports <b>6</b> : 30602. DOI: 10.1038/srep30602
980	Sergio F. & Hiraldo F. (2008): Intraguild predation in raptor assemblages: a review. Ibis <b>150</b> (Suppl. 1): S. 132–145
981	Sergio F., Marchesi L. & Pedrini P. (2009): Conservation of Scops Owl <i>Otus scops</i> in the Alps: relationships with grassland management, predation risk and wider biodiversity. Ibis <b>151</b> : S. 40-50
982	Sergio, F., Marchesi, L. & Pedrini, P. (2008): Density, diet and productivity of Long-eared Owls <i>Asio otus</i> in the Italian Alps: the importance of Microtus voles. Bird Study <b>55</b> : S. 321–328
983	Ševčík R., Riegert J., Šindelář J. & Zárybnická M. (2019): Vocal activity of the Central European Boreal Owl population in relation to varying environmental conditions. Ornis Fennica <b>96</b> : S. 1-12
984	Sharikov, A., Kovinka, T. & Bragin, M. (2018): A comparative laboratory study of the preservation of different rodent bones in pellets of Strigiformes. Ornis Fennica <b>95</b> : S. 82–88
985	Shaw G. (1995): Habitat selection by Short-eared Owls <i>Asio flammeus</i> in young coniferous forests. Bird Study <b>42</b> : S. 158–164, DOI: 10.1080/00063659509477161
986	Shawyer, C. (1998): The Barn Owl. Arlequin Press/Chelmsford: 213 S.
987	Shook J. (2002): Breeding biology, nesting habitat, dietary analysis and breeding behaviors of northern Hawk Owls ( <i>Surnia ulula</i> ) in interior Alaska. Boise State University URL: <a href="https://raptorresearchcenter.boisestate.edu/breeding-biology-nesting-habitat-dietary-analysis-and-breedingbehaviors-northern-hawk-owls-interior-alaska/">https://raptorresearchcenter.boisestate.edu/breeding-biology-nesting-habitat-dietary-analysis-and-breedingbehaviors-northern-hawk-owls-interior-alaska/</a>
988	Shurulinkov P., Ralev A., Daskalova G. & Chakarov N. (2007): Distribution, numbers and habitat of Pigmy Owl <i>Glaucidium passerinum</i> in Rhodopes Mts (S Bulgaria). Acrocephalus <b>28</b> (135): S. 159–163
989	Shurulinkov, P. & Avtanski, D. (2018): Records of Tengmalm's Owl ( <i>Aegolius funereus</i> ) from the Sar Mts, Republic of Macedonia. Historica Naturalis Bulgarica <b>28</b> : S.1–4
990	Shurulinkov, P.S. & Stoyanov, G. (2006): Some new findings of Pigmy Owl <i>Glaucidium passerinum</i> and Tengmalm's Owl <i>Aegolius funereus</i> in western and southern Bulgaria. Acrocephalus <b>27</b> (128–129): S. 65–68
991	Sibley, CH. & Ahlquist, J. (1990): Phylogeny and classification of birds – a study in molecular evolution. Yale Univ. Press/New Haven-London:976 S.
992	Sidorovich, V., Ivanovsky, V. & Adamovich, S. (2003): Food niche and dietary overlap in owls of northern Belarus. Vogelwelt <b>124</b> : S. 271-279
993	Sidorovich, V.E., Shamovich, D.I., Solovey, I.A. & Lauzhel, G. O. (2003): Dietary variations of the Ural Owl <i>Strix uralensis</i> in the transitional mixed forest of northern Belarus with implications for the distribution differences. Ornis Fennica <b>80</b> : S. 145–158
994	Sierro A. & Arlettaz R. (2010): Die Zwergohreule. Ein Vogel aus dem Süden. Ornis <b>6/10</b> : S. 40-43

995	Sierro, A. & Arlettaz, R. (2013): Utilisation de l'habitat et stratégie de chasse chez les derniers Petits-ducs <i>Otus scops</i> de l'adret valaisan: Mesures de conservation ciblées. <i>Nos Oiseaux</i> <b>60</b> : S. 79–90
996	Sikarskie, J. (2003): Clinical and pathologic features of West Nile virus infection in native North American owls (family <i>Strigidae</i> ). <i>Avian Diseases</i> <b>47</b> : S. 602–610
997	Sill, K. & Ullrich, B. (2005): Reproduction of a Little Owl <i>Athene noctua</i> female controlled breeding over 12 years. <i>Vogelwarte</i> <b>43</b> : S. 43–45
998	Silva, C. C., Lourenco, R., Godinho, S., Gomes, E., Sabino-Marques, H., Medinas, D., Neves, V., Silva, C., Rabaca, J. E. & Mira, A. (2012): Major roads have a negative impact on the Tawny Owl <i>Strix aluco</i> and the Little Owl <i>Athene noctua</i> populations. <i>Acta Ornithologica</i> <b>47</b> (1): S. 47–54
999	Simic, D. (2018): 701 long-eared owl of Kikinda. <a href="HTTP://WWW.10000BIRDS.COM/THE-701-LONG-EARED-OWL-OF-KIKINDA.HTM">HTTP://WWW.10000BIRDS.COM/THE-701-LONG-EARED-OWL-OF-KIKINDA.HTM</a>
1.000	Šindelář, J., Kubizňák, P. & Zárybnická, M. (2015): Sequential polyandry in female Tengmalm's owl ( <i>Aegolius funereus</i> ) during a poor rodent year. <i>Folia Zool.</i> <b>64</b> (2): S. 123–128
1.001	Sitkewitz, M. (2004): Telemetrische Untersuchung zur Raum- und Habitatnutzung des Uhus <i>Bubo bubo</i> im Landkreis Weißenburg-Gunzenhausen. <i>Ornithol Anz.</i> <b>44</b> : S.163–170
1.002	Sittler, B. & Lang, J. (2011): Schnee-Eulen <i>Nyctea scandiaca</i> und Lemminge <i>Dicrostonyx groenlandicus</i> - Einblicke aus einer Langzeitstudie in Grönland. <i>Eulen-Rundblick</i> <b>61</b> : S. 9-12
1.003	Smallwood, K. S. & Thelander, C. (2010): Bird mortality in the Altamont Pass wind resource area, California. <i>Journ. Wildlife Management</i> <b>72</b> : S. 215-223
1.004	Smiddy, P. (2013): The characteristics of Irish Short-eared Owl ( <i>Asio flammeus</i> ) pellets. <i>Irish Naturalist's Journal</i> <b>33</b> : S. 8-13
1.005	Smith K., Campbell G., Pearl D., Jardine C., Salgado-Bierman F. & Nemeth N. (2018): A retrospective summary of raptor mortality in Ontario, Canada (1991–2014), including the effects of West Nile Virus. <i>Journ. of Wildlife Diseases</i> <b>54</b> (2). URL: <a href="https://doi.org/10.7589/2017-07-157">https://doi.org/10.7589/2017-07-157</a>
1.006	Smith, N. (1997): Observations of wintering Snowy Owls ( <i>Nyctea scandiaca</i> ) at Logan Airport, East Boston, Massachusetts from 1981–1997. 2 <sup>nd</sup> WOC/ Winnipeg. USDA Forest Service Gen. Tech. Report NC-190: S. 591-596
1.007	Solheim R. & Stefansson O. (2016): Life span, dispersal and age of nesting Great Grey Owls <i>Strix nebulosa lapponica</i> in Sweden. <i>Ornis Svecica</i> <b>26</b> : S. 125–134
1.008	Solheim, R. (1983): Bigyny and biandry in the Tengmalm's Owl <i>Aegolius funereus</i> . <i>Ornis Scandinavica</i> <b>14</b> : S. 51-57
1.009	Solheim, R. (1984): Breeding biology of the Pygmy Owl <i>Glaucidium passerinum</i> in south-eastern Norway. <i>Annales Zoologici Fennici</i> <b>21</b> : S.295-300
1.010	Solheim, R. (1984): Caching behaviour, prey choice and surplus killing by Pygmy Owl <i>Glaucidium passerinum</i> during winter, a functional response of a generalist predator. <i>Annales Zoologici Fennici</i> <b>21</b> : S. 301-308
1.011	Solheim, R. (2009): Age, sex and size of dead Tawny Owls <i>Strix aluco</i> found during winter famine 2006. 4 <sup>th</sup> WOC/ Groningen. <i>Ardea</i> <b>97</b> : S. 597-601
1.012	Solheim, R. (2011): Moult pattern of primaries and secondaries during first and second flight feather molt in Great Grey Owls <i>Strix nebulosa</i> . <i>Ornis Svecica</i> <b>21</b> : S. 11-19
1.013	Solheim, R. (2011): Moult pattern of primaries and secondaries in Eagle Owls <i>Bubo bubo</i> . <i>Ornis Norvegica</i> <b>34</b> : S.1–9
1.014	Solheim, R. (2014): Age of Great Grey Owls <i>Strix nebulosa</i> observed in Scandinavia in 2012 as revealed by digital photos in the national species report archives. <i>Ornis Svecica</i> <b>24</b> : S.3–11.
1.015	Solheim, R. (2017): Snowy Owl hunting behaviour and prey spotting distance revealed by vole lures. WOC/ Evora: Vortrag (abstract S. 50)
1.016	Solheim, R., Jacobsen, K.-O., Øien, I., Aarvak, T. & Polojärvi, P. (2013): Snowy Owl nest failures caused by blackfly attacks on incubating females. <i>Ornis Norvegica</i> <b>36</b> : S.1–5. DOI: 10.15845/on.v36i0.394.
1.017	Solheim, R., Jacobsen, K-O. & Oien, I-J. (2008): Snouglens vandringer: Ett ar, tre uglas og ny kunnskap. <i>Var Fuglefaua</i> <b>31</b> : S. 102-110 (norwegisch)
1.018	Solheim, R., Jacobsen, K-O., Oien, J. & Aarvak, T. (2017): Snowy Owls sit on high-selection of vantage points revealed by number of owl pellets. WOC/ Evora: Vortrag (abstract S. 48)
1.019	Solheim, R., Sonerud, G. & Strom, H. (2017): Home range perch heights and reactions to approaching humans by three radio-tagged Ural Owls. WOC/ Evora: Vortrag (abstract S. 76)
1.020	Solonen, T. (2011): Effects of variable food supply on the body condition of breeding Tawny Owls <i>Strix aluco</i> in Southern Finland. <i>ISRN Zoology</i> : S. 1-8. DOI: 10.5402/2011/929460
1.021	Solonen, T., Ahola, K. & Karstinen, T. (2015): Clutch size of a vole-eating bird of prey as an indicator of vole abundance. <i>Environ Monit Assess</i> <b>187</b> : S. 588. DOI 10.1007/s10661-015-4783-0

<b>1.022</b>	Sonerud G. (1986): Effect of snow cover on seasonal changes in diet, habitat, and regional distribution of raptors that prey on small mammals in boreal zones of Fennoscandia. <i>Ecography</i> Vol. <b>9</b> : S 33-47. doi.org/10.1111/j.1600-0587.1986.tb01189.x
<b>1.023</b>	Sonerud, G. (1985): Nest hole shift in Tengmalm's Owl <i>Aegolius funereus</i> as defence against nest predation involving long-term memory in the predator. <i>Journal of Animal Ecology</i> <b>54</b> (1): S.179–192
<b>1.024</b>	Sonerud, G. (1989): Reduced predation by Pine Martens on nests of Tengmalm's Owl in relocated boxes. <i>Animal Behaviour</i> <b>37</b> : S.332–342
<b>1.025</b>	Sonerud, G. (1992): Search tactics of a pause-travel predator: adaptive adjustments of perching and movements by Hawk Owls <i>Surnia ulula</i> . <i>Behav. Ecol. a. Sociobiol.</i> <b>30</b> : S. 207–217
<b>1.026</b>	Sonerud, G. A. (1985): Risk of nest predation in three species of hole-nesting owls: influence on choice of nesting habitat and incubation behaviour. <i>Ornis Scandinavica</i> <b>16</b> : S. 261-269
<b>1.027</b>	Sonerud, G. A. (1997): Hawk Owls in Fennoscandia: population fluctuations, effects of modern forestry, and recommendations on improving foraging habitats. <i>Journ. Raptor Res.</i> <b>31</b> (2): S. 167-174
<b>1.028</b>	Sonerud, G., Nybo, J., Fjeld, P. & Knopf, C. (1987): A case of bigyny in the Hawk Owl <i>Surnia ulula</i> : spacing of nests and allocation of male feeding-effort. <i>Ornis Fennica</i> <b>64</b> : S. 144–148
<b>1.029</b>	Sonerud, G., Solheim, R. & Prestrud, K. (1988): Dispersal of Tengmalm's Owl <i>Aegolius funereus</i> in relation to prey availability and nesting success. <i>Ornis Scandinavica</i> <b>19</b> : S.175. DOI: 10.2307/3676555.
<b>1.030</b>	Sørås, R. (2014): Where to go to take what prey? Range use, habitat selection and prey capture in Tengmalm's owl ( <i>Aegolius funereus</i> ) males as revealed by simultaneous radio tracking and video surveillance at the nest. Master-Thesis. Norwegian University of Life Sciences
<b>1.031</b>	Sørås, R., Gundersen, O.A., Stehen, R. & Sonerud, G.A. (2019): Returning for more prey? Foraging in provisioning male Boreal Owls ( <i>Aegolius funereus</i> ). <i>Journ. Ornithology</i> <b>161</b> : S.171–181
<b>1.032</b>	Šotnár, K., Pacenovský, S. & Obuch, J. (2015): On the food of the Eurasian pygmy owl ( <i>Glaucidium passerinum</i> ) in Slovakia. <i>Slovak Raptor Journal</i> <b>9</b> : S. 115-126. DOI: 10.1515/srj-2015-000X.
<b>1.033</b>	Southern, H. (1970): The natural control of a population of Tawny Owls ( <i>Strix aluco</i> ). <i>Journ. Zool.</i> <b>162</b> : S. 197–285
<b>1.034</b>	Speer, G. (2012): Uhubrut im Braunkohlenflöz. <i>Eulen-Rundblick</i> <b>62</b> : S. 117
<b>1.035</b>	Sperl S. (2015): Untersuchungen zur Brutbiologie dess Steinkauzes ( <i>Athene noctua</i> ): Nahrungsversorgung von und Konkurrenz zwischen Nestlingen. Masterarbeit Universität für Bodenkultur Wien: S. 1-62
<b>1.036</b>	Spitzenberger, F., Engelberger, S. & Kugelschafter, K. (2014): Real time observations of <i>Strix aluco</i> preying upon a maternity colony of <i>Myotis emarginatus</i> . <i>Vespertilio</i> <b>17</b> : S. 185–196
<b>1.037</b>	Sprunck, A. (1967): Übersprungsschlafen beim Habichtskauz ( <i>Strix uralensis</i> ). <i>Ornis Fennica</i> <b>44</b> : S. 78
<b>1.038</b>	Stadler, H. (1945): Die Stimmen der mitteleuropäischen Eulen. <i>Vögel der Heimat</i> <b>16</b> : S. 1–32
<b>1.039</b>	Stapel, J. & Hofmann, A. (1991): Beobachtungen am Waldkauz ( <i>Strix aluco</i> ) in den Kreisen Strasburg und Neubrandenburg in Mecklenburg-Vorpommern. In: <i>Populationsökologie Greifvogel- u. Eulenarten</i> <b>2</b> : S. 461–471
<b>1.040</b>	Stefansson, O. (1997): Nordanskogens vagabond - Lappugglan ( <i>Strix nebulosa laponica</i> ). Ord & Visor Förlag / Skelleftea: 243 S.
<b>1.041</b>	Stefanzl, G. (1984): Einige Beobachtungen zum Nahrungserwerb der Schleiereule ( <i>Tyto alba</i> ). <i>Journ. Ornithol.</i> <b>125</b> : S. 334–336
<b>1.042</b>	Steinbach, M.J. & Money, K.E. (1973): Eye movement of the owl. <i>Vision research</i> <b>13</b> (4): S.889–891
<b>1.043</b>	Steinmetz, H. W., Bakonyi, T., Weissenböck, H., Hatt, J.M., Eulenberger, U., Robert, N., Hoop, R.K. & Nowotny, N. (2011): Emergence and establishment of Usutu virus infection in wild and captive avian species in and around Zurich, Switzerland-Genomic and pathologic comparison to other central European outbreaks. <i>Veterinary Microbiology</i> <b>148</b> (2-4): S. 207–212
<b>1.044</b>	Stenkewitz, U. & Nielsen, O-K. (2019): The summer diet of the Snowy Owl ( <i>Bubo scandiacus</i> ) in Iceland. <i>Journ. Raptor Research</i> <b>53</b> : S. 98
<b>1.045</b>	Steverding, M. (2006): Bedeutung der Gebäudebrutplätze des Steinkauzes <i>Athene noctua</i> im Westmünsterland. <i>Charadrius</i> <b>42</b> (4): S. 208-211
<b>1.046</b>	Stiefel, A. (1987): Herkunft und Ernährungsweise von Waldohreulen <i>Asio otus</i> (L.) an Tagesschlafplätzen in unterschiedlicher Umwelt. <i>Populationsökologie von Greifvogel- und Eulenarten</i> <b>1</b> : S. 415–428
<b>1.047</b>	Stork, H. (1976): Pneumatisierung der Schädeldecke und Reduktion der Hirnschädelkapazität bei Eulen ( <i>Striges</i> ). <i>Sitzungsber. Ges. Naturforsch. Freunde Berlin (N. F.)</i> <b>16</b> : S. 119–124
<b>1.048</b>	Streit, B. & Kalotás, Z. (1991): The reproductive performance of the Scops Owl ( <i>Otus scops</i> L., 1758). <i>Aquila</i> <b>98</b> : S. 97–105

<b>1.049</b>	Stroeken, P., Harxen, R., v., Turnhout, C. v. & Nienhuis, J. (2009): Reproductie van de Steenuil in Nederland in de periode 1977-2007. <i>Athene</i> <b>14</b> : S. 5-59 (STONE Steenuilenoverleg Nederland) - <a href="https://www.steenuil.nl/pdf/Athene/A14_Reproductie_SU_1977-2007.pdf">https://www.steenuil.nl/pdf/Athene/A14_Reproductie_SU_1977-2007.pdf</a> .
<b>1.050</b>	Strøm, H. & Sonerud, G.A. (2001): Home range and habitat selection in the Pygmy Owl <i>Glaucidium passerinum</i> . <i>Ornis Fennica</i> <b>78</b> : S.145–158
<b>1.051</b>	Studler D. (2009): Populationsstudie des Waldkauzes im südlichen Zürcher Weinland, Zürich. - URL: <a href="http://www.strixaluco.ch/studie.php">http://www.strixaluco.ch/studie.php</a>
<b>1.052</b>	Studler D. (2017): Dispersion des Waldkauzes: Distanzen und Richtungen dispergierender Waldkäuze ( <i>Strix aluco</i> ) in Europa von 1910 bis 2015. Masterarbeit. Pädagogische Hochschule St. Gallen
<b>1.053</b>	Studler, D. (2019): Waldkauz-Website: <a href="https://www.strixaluco.ch/">https://www.strixaluco.ch/</a>
<b>1.054</b>	Stürzer, S. (1998): Bestandsentwicklung und Nahrungsökologie von Habichtskauz <i>Strix uralensis</i> und Waldkauz <i>Strix aluco</i> im Nationalpark Bayerischer Wald. <i>Ornith. Anz.</i> <b>37</b> : S. 109–119
<b>1.055</b>	Stürzer, S. (1998): Habitatwahl des Habichtskauzes <i>Strix uralensis</i> im Nationalpark Bayerischer Wald. <i>Ornith. Anz.</i> <b>37</b> : S. 193–202
<b>1.056</b>	Suchy, O. (1986): (Raubvögel und Eulen als Nahrung des Uhus ( <i>Bubo bubo</i> )). (Tschech.). <i>Sbornik z ornitol. konf./Prerov</i> : S. 147–152
<b>1.057</b>	Südbeck, P., Andretzke, H., Fischer, St., Gedeon, K., Schikore, T., Schröder, K. & Sudfeldt, Ch. (2005; Hrsg.): Methodenstandards zur Erfassung der Brutvögel Deutschlands. Radolfzell: 777 S.
<b>1.058</b>	Suhonen, J., Halonen, M., Mappes, T. & Korpimäki, E. (2007): Interspecific competition limits larders of Pygmy Owls <i>Glaucidium passerinum</i> . <i>Journ. Avian Biology</i> <b>38</b> : S.630 - 634. DOI: 10.1111/j.2007.0908-8857.03960.x.
<b>1.059</b>	Sulkava, S. & Huhtala, K. (1997): The Great Gray Owl ( <i>Strix nebulosa</i> ) in the changing forest environment of Northern Europe. <i>Journ. Raptor Res.</i> <b>21</b> (2): S. 151-159
<b>1.060</b>	Sulkava, S., Korpimäki, E. & Huhtala, K. (1991): Kleinsäugerzyklen und die Nahrungsökologie der Eulen in Finnland. <i>Populationsökol. Greifvogel- u. Eulenarten</i> <b>2</b> : S. 423–433
<b>1.061</b>	Sun, Y., Ma, F., Xiao ,B., Zheng, J., Yuan, X., Tang, M., Wang, L., Yu, Y. & Li, Q. (2004): The complete mitochondrial genomes sequences of <i>Asio flammeus</i> and <i>Asio otus</i> and comparative analysis. <i>Sci China C Life Sci</i> <b>47</b> : S.510–520. <a href="https://www.ncbi.nlm.nih.gov/pubmed/15620107">https://www.ncbi.nlm.nih.gov/pubmed/15620107</a>
<b>1.062</b>	Sun, Y-H., Bi, Z-L., & Scherzinger, W. (2003): Belly mottled Little Owl ( <i>Athene brama poicila</i> ) should be Boreal Owl ( <i>Aegolius funereus beickianus</i> ). <i>Current Zoology (Acta Zool. Sinica)</i> <b>49</b> : S. 389-392
<b>1.063</b>	Sunde P., Thorup K., Jacobsen L., Holsegard-Rasmussen M., Ottessen N., Svenné S. & Rahbek C. (2009): Spatial behaviour of little owls ( <i>Athene noctua</i> ) in a declining low-density population in Denmark. <i>Journ. Ornithology</i> <b>150</b> : S. 537-548
<b>1.064</b>	Sunde, P. & Bølstad, M. S. (2006): A telemetry study of the social organization of a tawny owl ( <i>Strix aluco</i> ) population. <i>Journ. Zoology</i> <b>263</b> (1): S. 65 – 76. DOI: 10.1017/S0952836904004881
<b>1.065</b>	Sunde, P. (2005): Predators control post-fledging mortality in tawny owls, <i>Strix aluco</i> . <i>Oikos</i> <b>110</b> : S. 461 /472
<b>1.066</b>	Sunde, P. (2008): Parent-offspring conflict over duration of parental care and its consequences in tawny owls <i>Strix aluco</i> . <i>Journ. Avian Biology</i> <b>39</b> (2): S. 242-246.
<b>1.067</b>	Sunde, P., Bolstad, M. S. & Desfor, K. B. (2003): Diurnal exposure as a risk sensitive behaviour in tawny owls <i>Strix aluco</i> ? <i>Journ. Avian Biology</i> <b>34</b> (4): S. 409-418. DOI: 10.1111/j.0908-8857.2003.03105.x
<b>1.068</b>	<i>Surnia ulula</i> (Kat. A) ; in: Checklist of the birds of Romania.
<b>1.069</b>	Susmelj, T. (2011): The impact of environmental factors on distribution of Scops Owl <i>Otus scops</i> in the wider area of Kras (SW Slovenia). <i>Acrocephalus</i> <b>32</b> : 148-149
<b>1.070</b>	Svensson, L., Grant, P., Mularney, K. & Zetterström, D. (1999): Der neue Kosmos-Vogelführer. Alle Arten Europas, Nordafrikas und Vorderasiens. Kosmos / Stuttgart: 400 S.
<b>1.071</b>	Svetlicic J. & Kladnik T. (2001): Distribution and density of the Ural Owl <i>Strix uralensis</i> on Mt. Krasica in the Savinja Alps (N Slovenia). <i>Acrocephalus</i> <b>22</b> (108): S. 155 – 158
<b>1.072</b>	Synek, P., Popelkova, A., Koubínová, D., Šťastný, K., Langrová, I., Votypka, J. & Munclinger, P. (2016): Haemosporidian infections in the Tengmalm's Owl ( <i>Aegolius funereus</i> ) and potential insect vectors of their transmission. <i>Parasitology Research</i> <b>115</b> (1): S.291–298
<b>1.073</b>	Târnoveanu, E. (2016): Ethological aspects regarding the breeding of the Long-Eared Owl ( <i>Asio otus</i> L.). <i>Analele Științifice ale Universității „Alexandru Ioan Cuza“ din Iași, s. Biologie animală</i> <b>62</b> : S. 131-135
<b>1.074</b>	Taylor, I. (1994): Barn Owls. Cambridge Univ. Press GB: 304 S.
<b>1.075</b>	Taylor, I. (2002): Occupancy in relation to site quality in Barn Owls ( <i>Tyto alba</i> ) in Scotland. WOC/ Canberra. In: Newton, Kavanagh, Olsen & Taylor: Ecology and Conservation of Owls: S. 30-41. CSIRO publ./ Collingwood - AUS

<b>1.076</b>	Taylor, I. (2009): How owls select their prey: a study of Barn Owls <i>Tyto alba</i> and their small mammal prey. 4 <sup>th</sup> World Owl Conference / Groningen; Ardea <b>97</b> : S. 635-644
<b>1.077</b>	Taylor, Ph. (1974): Breeding behavior of the Snowy Owl. Living Bird <b>12</b> : S. 137–154
<b>1.078</b>	Teiro, H. (1959): Observations on the behaviour and food habits of the Ural Owl during the nesting period. Suomen Riista <b>13</b> : S. 93–105
<b>1.079</b>	Terraube, J., Villiers, A., Poudré, L., Varjonen, R. & Korpimäki, E. (2017): Increased autumn rainfall disrupts predator–prey interactions in fragmented boreal forests. Global Change Biology <b>23</b> : S. 1361–1373. DOI: 10.1111/gcb.13408
<b>1.080</b>	The Owl Research Institute: Northern Hawk Owl – <i>Surnia ulula caparoch</i> - Facts. <a href="https://www.owlresearchinstitute.org/northern-hawk-owl">https://www.owlresearchinstitute.org/northern-hawk-owl</a>
<b>1.081</b>	The Owl Research Institute: Research focus - Snowy Owls. Ninepipe -Montana. <a href="https://www.owlresearchinstitute.org/snowy-owl-research">https://www.owlresearchinstitute.org/snowy-owl-research</a>
<b>1.082</b>	Therrien, J., Gauthier, G., McDonald, T., Smith, N., Weidensaul, S., Joel, B. & Lecomte, N. (2017): The irruptive nature of Snowy Owls: Going full cycle. WOC/ Evora: Vortrag (abstract S. 85)
<b>1.083</b>	Therrien, J.-F., Gauthier, G., Béty, J. & Mouland, G. (2008): Long-distance migratory movements and habitat selection of Snowy Owls in Nunavut. Final report submitted to the Nunavut Wildlife Management Board Project no: <b>5-07-01</b>
<b>1.084</b>	Therrien, J.-F., Gauthier, G., Pinaud, D. & Béty, J. (2014): Irruptive movements and breeding dispersal of snowy owls: a specialized predator exploiting a pulsed resource. Journal of Avian Biology <b>45</b> (6): S. 536–544. DOI: 10.1111/jav.00426
<b>1.085</b>	Therrien, J.-F., Pinaud, D., Gauthier, G., Lecomte, N., Bildstein, K.L. & Bety, J. (2015): Is pre-breeding prospecting behaviour affected by snow cover in the irruptive snowy owl? A test using state-space modelling and environmental data annotated via Movebank. Movement Ecology <b>3</b> (1): S.1–8. DOI 10.1186/s40462-015-0028-7
<b>1.086</b>	Thönen, W. (1988): Sperlingskauz <i>Glaucidium passerinum</i> taut gefrorene Beutetiere auf. Ornith. Beob. <b>85</b> : S. 301–307
<b>1.087</b>	Thorup K., Paedersen D., Sunde P., Jacobsen L. & Rahbeck C. (2013): Seasonal survival rates and causes of mortality of Little Owls in Denmark. J Omithol <b>154</b> : S. 183-190. DOI: 10.1007/s10336-012-0885-4
<b>1.088</b>	Thorup, K., Sunde, P., Jacobsen, L. B. & Rahbek, C. (2010): Breeding season food limitation drives population decline of the Little Owl <i>Athene noctua</i> in Denmark. Ibis <b>152</b> : S. 803–814
<b>1.089</b>	Thoss, M. (2013): Sperlingskauz <i>Glaucidium passerinum</i> und Raufußkauz <i>Aegolius funereus</i> als unmittelbare Brutnachbarn im selben Baume. Mitt. Ver. Sächs. Ornithol. <b>11</b> : S. 112-117
<b>1.090</b>	Thüringer Landesanstalt für Umwelt (Hrsg.; 1997): Rauhfußkauz und Sperlingskauz in Deutschland – Vorkommen, Reproduktionsbiologie und Schutz. Naturschutzreport/Jena <b>13</b> : 140 S.
<b>1.091</b>	Tishechkin, A. & Ivanovsky, V. (2003): Breeding performance of the Ural Owl <i>Strix uralensis</i> in norhern Belarus from 1986-1999. Vogelwelt <b>124</b> : S. 265-269
<b>1.092</b>	Tishechkin, A. V. & Ivanovsky, W. V. (2000): Die Brutleistung des Uralkauzes im nördlichen Weißrußland. Ornithol. Mitt. <b>52</b> : S. 76–88
<b>1.093</b>	Tishechkin, A., Gritschik, W., Vorobiov, V. & Mindlin, G. (1997): Breeding population of the Great Gray Owl ( <i>Strix nebulosa</i> ) in Belarus: Summary of recent knowledge. 2 <sup>nd</sup> WOC/ Winnipeg. USDA Forest Service Gen. Tech. Report NC-190: S. 449-455
<b>1.094</b>	Tomé R., Dias M., Chumbinho A. & Bloise C. (2011): Influence of perch height and vegetation structure on the foraging behaviour of Little Owls <i>Athene noctua</i> : how to achieve the same success in two distinct habitats. Ardea <b>99</b> : S.17–26
<b>1.095</b>	Tome, D. (1997): Breeding biology of the long-eared owl ( <i>Asio otus</i> ) in central Slovenia. Folia Zoologica <b>46</b> (1): S. 43-48
<b>1.096</b>	Tome, D. (2003): Nest site selection and predation driven despotic distribution of breeding long-eared owls <i>Asio otus</i> . Journ. Avian Biology <b>34</b> : S. 150–154
<b>1.097</b>	Tome, D. (2011): Post-fledging survival and dynamics of dispersal in Long-eared Owls <i>Asio otus</i> . Bird Study <b>58</b> (2): S. 193–199. DOI: 10.1080/00063657.2011.559531
<b>1.098</b>	Tomé, R. (2011): Effects of habitat quality on the abundance, behaviour and breeding performance of owls: Barn and Little Owls in agro-pastoral landscapes of Southern Europe. Thesis. University of Turku, Finnland
<b>1.099</b>	Tomé, R., Catry, P., Bloise, C. & Korpimäki, E. (2008): Breeding density and success, and diet composition of Little Owls <i>Athene noctua</i> in steppe-like habitats in Portugal. Ornis Fennica <b>85</b> : S. 22-32
<b>1.100</b>	Tomé, R., Santos, N., Ferran, N. & Korpimäki, E. (2005): Factors affecting the prevalence of blood parasites of Little Owls <i>Athene noctua</i> in southern Portugal. Ornis Fennica <b>82</b> : S.63–72

<b>1.101</b>	Tomialojc', L. (1995): The birds of the Bialowieza Forest – additional data and summary. <i>Acta Zool. Cracov.</i> <b>38</b> : S. 363–397
<b>1.102</b>	Tornberg, R., Rytkönen, S. & Mikkola, H. (2016): Morphometric sex determination of Great Grey Owls. <i>Ornis Norvegica</i> <b>39</b> : S. 6–10. DOI: 10.15845/on.v39i0.991
<b>1.103</b>	Townsend, Ch. (1938): <i>Asio flammeus flammeus (Pontoppidan)</i> Short-eared Owl. <i>US Nat. Museum Bull.</i> <b>170</b> : S. 169–179
<b>1.104</b>	Treggiari, A. A., Gagliardone, M., Pellegrino, I. & Cucco, M. (2013): Habitat selection in a changing environment: the relationship between habitat alteration and Scops Owl (Aves: <i>Strigidae</i> ) territory occupancy. <i>Italian Journ. Zoology</i> <b>80</b> (4): S. 574–585. DOI: 10.1080/11250003.2013.853843
<b>1.105</b>	Tulis F., Imrich J., Slobodník R. & Hudec M. (2015): Land units composition of home ranges and changing of winter roosts of Long-eared owl <i>Asio otus</i> . <i>Ekológia / Bratislava</i> <b>34</b> : S. 147–154
<b>1.106</b>	Tutis, V., D. Radovic, D. Cikovic & Barisic, S. (2009): Distribution, density and habitat relationship of the Ural Owl <i>Strix uralensis macroura</i> in Croatia. 4th World Owl Conference / Groningen; <i>Ardea</i> <b>79</b> : S563–570
<b>1.107</b>	Ulbricht, J. & Sperling, D. (2010): Die Besiedlung des Tieflandes der Oberlausitz durch den Sperlingskauz <i>Glaucidium passerinum</i> . <i>Eulen-Rundblick</i> <b>60</b> : S. 29–32
<b>1.108</b>	Ulbricht, J. (1984): Dismigration mitteleuropäischer Waldohreulen ( <i>Asio otus</i> ) nach Ringfunden. <i>Ber. Vogelwarte Hiddensee</i> <b>5</b> : S. 67–75
<b>1.109</b>	Ulbricht, J. (2013): Bestandsentwicklung ausgewählter Vogelarten im Tiefland der Oberlausitz: Rothalstaucher ( <i>Podiceps grisegena</i> ), Weißstorch ( <i>Ciconia ciconia</i> ), Kleines Sumpfhuhn ( <i>Porzana parva</i> ), Sperlingskauz ( <i>Glaucidium passerinum</i> ) und Brachpieper ( <i>Anthus campestris</i> ). Berichte der Naturforschenden Gesellschaft der Oberlausitz Bd. <b>21</b> : S. 49–62
<b>1.110</b>	Ullrich, B. (1973): Beobachtungen zur Biologie des Steinkauzes ( <i>Athene noctua</i> ). <i>Anz. orn. Ges. Bayern</i> <b>12</b> : S.163–175
<b>1.111</b>	Ullrich, B. (1975): Zu Legeabstand, Brutbeginn, Schlupffolge und Brutdauer beim Steinkauz ( <i>Athene noctua</i> ). <i>Journ. Ornithol.</i> <b>116</b> : S. 324–325
<b>1.112</b>	Ullrich, B. (1980): Zur Populationsdynamik des Steinkauzes ( <i>Athene noctua</i> ). <i>Vogelwarte</i> <b>30</b> : S. 179–198
<b>1.113</b>	Ullrich, B. (2014): Zur Überlappung der Jahreszyklen von Fortpflanzung und Vollmauser beim Stenkauz <i>Athene noctua</i> in einer Population im Vorland der Schwäbischen Alb, Südwestdeutschland. <i>Ornithol. Mitt.</i> <b>66</b> : S. 3–12
<b>1.114</b>	Urner, Ch-W. (1923): Notes on the Short-eared Owl. <i>Auk</i> <b>40</b> : S. 30–36
<b>1.115</b>	Uspenskij, S. M. & Priklonskij, S. G. (1961): Zur Biologie der Schnee-Eule in Nordostsibirien. <i>Falke</i> <b>8</b> : S. 403–407
<b>1.116</b>	Valkama, J. & Saurola, P. (2005): Mortality factors and population trends of the Eagle Owl <i>Bubo bubo</i> in Finland. <i>Anzeiger Ornitholog. Ges. Bayern</i> <b>44</b> : S.81–90
<b>1.117</b>	Valkama, J., Korpimäki, E., Holm, A. & Hakkarainen, H. (2002): Hatching asynchrony and brood reduction in Tengmalm's owl <i>Aegolius funereus</i> : the role of temporal and spatial variation in food abundance. <i>Oecologia</i> <b>133</b> : S. 334–341. DOI 10.1007/s00442-002-1033-2
<b>1.118</b>	Valkama, J., Saurola, P., Lehikoinen, E., Piha, M-V., Sola, P. & Velmela, W. (2014): The Finnish bird ringing atlas. <i>Luon. Keskus-museo/ Helsinki</i>
<b>1.119</b>	Van der Wall, S.B. (1990): Food hoarding in animals: Owls. <i>The University of Chicago Press / Chicago - USA</i> : S. 445
<b>1.120</b>	van Veen, J. (2003): Dietary shifts and brood reduction in video-observed breeding Tawny Owls <i>Strix aluco</i> . <i>Vogelwelt</i> <b>124</b> : S. 295–308
<b>1.121</b>	Vaurie C. (1960): Systematic notes on Palearctic birds. No. <b>43</b> <i>Strigidae</i> : The Genera <i>Otus</i> , <i>Aegolius</i> , <i>Ninox</i> , and <i>Tyto</i> . <i>American Museum Novitates</i> <b>2021</b> : S. 1–20
<b>1.122</b>	Village, A. (1981): The diet and breeding of Long-eared Owls in relation to vole numbers. <i>Bird Study</i> <b>28</b> : S.215–224
<b>1.123</b>	Village, A. (1987): Numbers, territory-size and turnover of Short-eared Owls <i>Asio flammeus</i> in relation to vole abundance. <i>Ornis Scand.</i> <b>18</b> : S. 198–204
<b>1.124</b>	Village, A. (1992): <i>Asio</i> owls and kestrels in recently-planted and thicket plantations. In: <i>The Ecology and Conservation of European Owls/UK Nature Conservation</i> <b>5</b> : S. 11–15
<b>1.125</b>	Volkov, S., Morozov, V. & Sharikov, A. (2005; eds.): <i>Owls of the northern Eurasia</i> . Moskow: 471 S.
<b>1.126</b>	Volpers, M. (1981): Der Einflug der Sumpfohreule ( <i>Asio flammeus</i> ) im Winter 1978/79 in Nordrhein-Wesfalen. <i>Charadrius</i> <b>17</b> : S. 103-111
<b>1.127</b>	Von Lossow, G. (2010): Der Uhu <i>Bubo bubo</i> am Mittleren Lech 2003 bis 2009. Entdeckung der erfolgreichsten Bayerischen Uhu-Population. <i>Ornitholog. Anzeiger</i> <b>49</b> : S. 1–24

<b>1.128</b>	Voous, K.H. (1962): Die Vogelwelt Europas und ihre Verbreitung- Verlag Paul Parey / Hamburg - Berlin: S. 175-179
<b>1.129</b>	Vorstandslechner, T-M. (2017): Effects of landscape structure on the prey composition of the Long-eared Owl ( <i>Asio otus</i> ). Dipl. Arbeit; Univ. Wien: 41 S.
<b>1.130</b>	Vrezec A. & Mihelič T. (2013): The Ural owl, <i>Strix uralensis macroura</i> , in Slovenia: an overview of current knowledge on species ecology. Riv. ital. Orn. / Milano, <b>82</b> (1-2): S. 30-37
<b>1.131</b>	Vrezec A. (2001): The breeding density of Eurasian Scops Owl <i>Otus scops</i> in urban areas of Pelješac Peninsula in southern Dalmatia. <i>Acrocephalus</i> <b>22</b> (108): S. 149 - 154
<b>1.132</b>	Vrezec A. (2016): The ecology of the Ural Owl at south-western border of its distribution (Slovenia). <i>Raptors Conservation</i> <b>32</b> : S. 8-20. DOI: 10.19074/1814-8654-2016-32-8-20 )
<b>1.133</b>	Vrezec, A. & Tome, D. (2004): Altitudinal segregation between Ural Owl <i>Strix uralensis</i> and Tawny Owl <i>S. aluco</i> . <i>Bird Study</i> <b>51</b> : S. 264–269
<b>1.134</b>	Vrezec, A. & Tome, D. (2004): Habitat selection and patterns of distribution in a hierachic forest owl guild. <i>Ornis Fennica</i> <b>81</b> : S. 109-118
<b>1.135</b>	Vrezec, A. (2003): Breeding density and altitudinal distribution of the ural, tawny, and boreal owls in north dinaric Alps (Central Slovenia). <i>Journ. Raptor Research</i> <b>37</b> (1): S.55–62
<b>1.136</b>	Vrezec, A. (2009): Melanism and plumage variation in <i>macroura</i> Ural Owl. <i>Dutch Birding</i> <b>31</b> : S. 159-170
<b>1.137</b>	Vrezec, A. (2017): The breeding density of the Eurasian Scops Owl <i>Otus scops</i> along the eastern Adriatic coast: Slovenia, Croatia and Montenegro. WOC/ Evora: Vortrag (abstract S. 13)
<b>1.138</b>	Vrezec, A., Saurola, P., Avotins, A., Kocijančič, S. & Sulkava, S. (2018): A comparative study of Ural Owl <i>Strix uralensis</i> breeding season diet within its European breeding range, derived from nest box monitoring schemes, <i>Bird Study</i> . DOI: 10.1080/00063657.2018.1553026
<b>1.139</b>	Wadewitz, M. & Nicolai, B. (1993): Nahrungswahl des Uhus ( <i>Bubo bubo</i> ) im nordöstlichen Harzvorland. <i>Orn. Jber. Mus. Heineanum</i> <b>11</b> : S. 91–106
<b>1.140</b>	Wagner, H., Weger, M., Klaas, M. & Schröder, W. (2017): Features of owl wings that promote silent flight. <i>Interface Focus</i> <b>7</b> : 20160078. <a href="http://dx.doi.org/10.1098/rsfs.2016.0078">http://dx.doi.org/10.1098/rsfs.2016.0078</a>
<b>1.141</b>	Wagner, M. & Jentzsch, M. (2000): Zur Verbreitung, Populationsdynamik und Nahrungsökologie des Rauhfußkauzes ( <i>Aegolius funereus L.</i> ) im Südharz. <i>Orn. Jber. Mus. Heineanum</i> <b>18</b> : S. 51-70
<b>1.142</b>	Wahlstedt, J. (1969): Jakt, matning och läten hos lappugglan <i>Strix nebulosa</i> . <i>Vår Fågelvärld</i> <b>27</b> : S. 89–101
<b>1.143</b>	Wassink, G. (2003): [First breeding of Eurasian Eagle Owl <i>Bubo bubo</i> in the Achterhoek, eastern Netherlands.] <i>Limosa</i> <b>76</b> : S. 1–19 (holländisch)
<b>1.144</b>	Watson, A. (1957): The behaviour, breeding, and food-ecology of the Snowy Owl, <i>Nyctea scandiaca</i> . <i>Ibis</i> <b>99</b> : S. 419–462
<b>1.145</b>	Watson, J-E. (1998): A natural history of the Short-eared Owl <i>Asio flammeus</i> in North America. The Owl Pages - <a href="http://www.owlpages.com/owl/articles.phs">www.owlpages.com/owl/articles.phs</a>
<b>1.146</b>	Weick, F. (2006): Owls ( <i>Strigiformes</i> ). Annotated and illustrated check list. Springer/Heidelberg-New York: 350 S.
<b>1.147</b>	Weidensaul, S. (2015): Snowy Owl snowstorm. <a href="https://www.nwf.org/Home/Magazines/National-Wildlife/2015/FebMarch/Animals/Snowy-Owls">https://www.nwf.org/Home/Magazines/National-Wildlife/2015/FebMarch/Animals/Snowy-Owls</a>
<b>1.148</b>	Weiss, J. (1984): Ein Netz von Buchen-Althozinseln als Beispiel eines Biotop-Verbundsystems. <i>Mitt. LÖLF, Nordrhein-Westfalen</i> <b>9</b> : S. 38-43
<b>1.149</b>	Weissgerber, R. (1993): Zur Dynamik von Waldohreulenschlafplätzen. <i>Apus</i> <b>8</b> : S. 236–237
<b>1.150</b>	Wendland, V. (1957): Aufzeichnungen über Brutbiologie und Verhalten der Waldohreule ( <i>Asio otus</i> ). <i>Journ. Ornithol.</i> <b>98</b> : S. 241–261
<b>1.151</b>	Wendland, V. (1963): Fünfjährige Beobachtungen an einer Population des Waldkauzes ( <i>Strix aluco</i> ) im Berliner Grunewald. <i>Journ. Ornithol.</i> <b>104</b> : S. 23–57
<b>1.152</b>	Wendland, V. (1972): 14jährige Beobachtungen zur Vermehrung des Waldkauzes ( <i>Strix aluco</i> L.). <i>Journ. Ornith.</i> <b>113</b> : S. 276–286
<b>1.153</b>	Wendland, V. (1975): Dreijähriger Rhythmus im Bestandswechsel der Gelbhalsmaus ( <i>Apodemus flavicollis Melchior</i> ). <i>Oecologia</i> <b>20</b> : S. 301–310
<b>1.154</b>	Wendland, V. (1980): Der Waldkauz ( <i>Strix aluco</i> ) im bebauten Stadtgebiet von Berlin (West). <i>Beitr. Vogelkd.</i> <b>26</b> : S. 157–171
<b>1.155</b>	Wendland, V. (1984): The influence of prey fluctuations on the breeding success of the Tawny Owl <i>Strix aluco</i> . <i>Ibis</i> <b>126</b> : S. 284–295
<b>1.156</b>	Wicklund, Ch. & Stich, J. (1986): Breeding density of Snowy Owls <i>Nyctea scandiaca</i> in relation to food, nest sites and weather. <i>Ornis Scandinavica</i> <b>17</b> : 268-274

<b>1.157</b>	Wicklund, Ch. & Stigh, J. (1983): Nest defence and evolution of reversed sexual size dimorphism in Snowy Owls <i>Nyctea scandiaca</i> . <i>Ornis Scand.</i> <b>14</b> : S. 58–62
<b>1.158</b>	Wiebe, K. & Chang, A-M. (2017): Habitat selection and movement patterns of wintering male and female Snowy Owls in the Canadian prairies. WOC/ Evora: Vortrag
<b>1.159</b>	Wiesner, J. & Rudat, V. (1983): Aktionsgebiet und Verhalten von Sperlingskauzfamilien ( <i>Glaucidium passerinum</i> L.) in der Führungszeit. <i>Zool. Jahrb. Syst.</i> <b>110</b> : S. 455–471
<b>1.160</b>	Wiesner, J. & Rudat, V. (1986): Reguliert der Baumarder den Sperlingskauzbestand ? Falke <b>33</b> : S. 252–254
<b>1.161</b>	Wiesner, J. (1997): Die Körpermasse adulter Sperlingskäuze – geschlechtsabhängige Veränderungen im Verlaufe der Inkubations- und Jungenaufzuchtphase. <i>Naturschutzreport/Jena</i> <b>13</b> : S. 102–109
<b>1.162</b>	Wiesner, J. (2010): Helferweibchen beim Sperlingskauz <i>Glaucidium passerinum</i> . <i>Charadrius</i> <b>46</b> : S. 65–68
<b>1.163</b>	Wiesner, J. (2013): Lassen sich beim Sperlingskauz Männchen und Weibchen anhand von Federfunden sicher bestimmen? <i>Eulen-Rundblick</i> <b>63</b> : S. 55–57
<b>1.164</b>	Wiesner, J. (2014): Periodische Schwankungen der Brutgröße beim Sperlingskauz - eine 35-jährige Langzeitstudie in Thüringen. <i>Eulen-Rundblick</i> <b>64</b> : S. 25–27
<b>1.165</b>	Wiesner, J. (2018): Zum Sozialsystem des Sperlingskauzes ( <i>Glaucidium passerinum</i> ) - Erkenntnisse aus 35-jähriger Beringungsarbeit an einer kurzlebigen Eulenart. Jahrestagung AG-Eulen/ Halberstadt: Vortrag (abstract S. 36)
<b>1.166</b>	Wiesner, J., Meyer, W. & Hillerich, K. (2015): Zur Unterscheidung der Eier von Sperlingskauz, Rauhfußkauz und Hohltaube. <i>Eulen-Rundblick</i> <b>65</b> : S. 20–23
<b>1.167</b>	Wiggins, D-A. (2004): Short-eared Owl ( <i>Asio flammeus</i> ): technical conservation assessment. USDA Forest Service, Rocky Mountain Rep., Species Conservation Project: 37 S.
<b>1.168</b>	Wijnandts, H. (1984): Ecological energetics of the Long-eared Owl ( <i>Asio otus</i> ). <i>Ardea</i> <b>72</b> : S. 1–92
<b>1.169</b>	Wikipedia (2019): <i>Sophiornithidae</i> . <a href="https://en.wikipedia.org/wiki/Sophiornithidae">https://en.wikipedia.org/wiki/Sophiornithidae</a>
<b>1.170</b>	Wikipedia (2018): <i>Grallistrix</i> , Stilt owls – Stelzeneulen. <a href="https://de.wikipedia.org/wiki/Grallistrix">https://de.wikipedia.org/wiki/Grallistrix</a>
<b>1.171</b>	Wikipedia (2019): <i>Ornimegalonyx</i> . <a href="https://en.wikipedia.org/wiki/Ornimegalonyx">https://en.wikipedia.org/wiki/Ornimegalonyx</a>
<b>1.172</b>	Willemse, F., Harxen, R. v., Stroeken, P. & Majoor, F. (2004): Reproductie van de Steenuil in Nederland in de periode 1977–2003. SOVON-onderzoeksrapport <b>4</b> : S. 1–37
<b>1.173</b>	Wink, M. & Heidrich, P. (2000): Molecular systematics of owls ( <i>Strigiformes</i> ) based on DNA-sequences of the mitochondrial cytochrome b gene. – In: Chancellor, R. & B.-U. Meyburg (eds.): <i>Raptors at Risk</i> . -Hancock House: S. 819–828
<b>1.174</b>	Wink, M. (2016): Evolution und Systematik der Eulen ( <i>Strigiformes</i> ). <i>Eulen-Rundblick</i> <b>66</b> : S. 9–17
<b>1.175</b>	Wink, M. (2016): Molekulare Taxonomie und Systematik der Eulen ( <i>Strigiformes</i> ). <i>Kauzbrief</i> <b>24</b> (28): S. 36–43
<b>1.176</b>	Wink, M. (2018): Aktuelle Ergebnisse aus Genomanalysen: Ein neuer Stammbaum der Vögel. <i>Der Falke</i> <b>9/2018</b> : S. 8–15
<b>1.177</b>	Wink, M., El-Sayed, A-A., Sauer-Gürtler, H. & Gonzales, J. (2009): Molecular phylogeny of owls ( <i>Strigiformes</i> ) inferred from DNA sequences of the mitochondrial cytochrome b and the nuclear RAG-1 gene. <i>Ardea</i> <b>97</b> : S. 581–591
<b>1.178</b>	Wink, M., Sauer-Gürth, H., Fuchs, M. (2004): Phylogenetic relationships in owls based on nucleotide sequences of mitochondrial and nuclear marker genes, In: Chancellor, R.D., Meyburg, B.-U., Ferrero, J.J. (Hrsg.): <i>Raptors Worldwide</i> . S. 517–526
<b>1.179</b>	Winter, R.E. (2016): Hunting behaviors and foraging success of winter irruptive Snowy Owls in New York. Honors Theses; Paper <b>79</b> : 33 S.
<b>1.180</b>	Wolters, H. (1975): Die Vogelarten der Erde. Eine systematische Liste mit Verbreitungssangaben sowie deutschen und englischen Namen. <b>1</b> . Lieferung / Bogen 1–5; Paul Parey / Hamburg u. Berlin: S. 70–76
<b>1.181</b>	Wu, J. X., Siegel, R. B., Loffland, H. L., Tingley, M. W., Stock, S. L., Roberts, K. N., Keane, J. J., Medley, J. R., Bridgman, R. & Stermer, C. (2015): Diversity of Great Gray Owl nest sites and nesting habitats in California. <i>The Jour. Wildlife Management</i> <b>79</b> (6): S. 937–947. DOI: 10.1002/jwmg.910
<b>1.182</b>	Wu, Y., Hadly, E., Teng, W., Hao, Y., Liang, W., Lin, Y. & Wang, H. (2016): Retinal transcriptome sequencing sheds light on the adaption to nocturnal and diurnal lifestyles in raptors. <i>Scientific Report</i> 6 - DOI: 10.1038/srep 33578
<b>1.183</b>	Wüst, W. (1986): Avifauna Bavariae. Die Vogelwelt Bayerns im Wandel der Zeit. <b>Band II</b> . – München: S. 774–820
<b>1.184</b>	WWF-Stiftung Polen (2019): Monitoring sóweczki <i>Glaucidium passerinum</i> na wybranych powierzchniach w lasach gospodarczych Puszczy Białowieskiej. Raport z prac ornitologicznych prowadzonych w 2018 r. Wersja bez danych wrażliwych: S. 4–28

<b>1.185</b>	Wyllie, I., Dale, L. & Newton, I. (1996): Unequal sex-ratio, mortality causes and pollutant residues in Long-eared Owls in Britain. <i>British Birds</i> , <b>89</b> : S.429–436
<b>1.186</b>	Zabala, J., Zuberogoitia, I., Martínez-Climent, J. A., Martínez, J. E., Azkona, A., Hidalgo S. & Iraeta, A. (2006): Occupancy and abundance of Little Owl <i>Athene noctua</i> in an intensively managed forest area in Biscay. <i>Ornis Fennica</i> <b>83</b> : S. 97-107
<b>1.187</b>	Zaccaroni A., Amorena M., Naso B., Castellani G., Lucisano A. & Stracciari G. (2003): Cadmium, chromium and lead contamination of <i>Athene noctua</i> , the little owl, of Bologna and Parma, Italy. <i>Chemosphere</i> <b>52</b> (7): S. 1252-1258
<b>1.188</b>	Zachos, F. E. & Glubowski, M. (2003): Das Vorkommen des Bartkauzes <i>Strix nebulosa</i> in Mitteleuropa und ein aktueller Nachweis aus dem Białowieża-Nationalpark in Polen. <i>Ornithol. Mitt.</i> <b>55</b> : S. 380–382
<b>1.189</b>	Zagorsek T., Vrezec A. & Glasnovic, P. (2015): The breeding density and habitat selection of Eurasian Scops Owl ( <i>Otus scops</i> ) along the Adriatic coast. 2 <sup>nd</sup> Intern. Workshop on Conservation Biology / Koper, SLO: Referat
<b>1.190</b>	Zagorsek, T. & Vrezec, A. (2017): The breeding density of Eurasian Scops Owl <i>Otus scops</i> along the eastern Adriatic coast: Slovenia, Croatia and Montenegro. WOC/ Evora: Vorrag (abstract S. 13)
<b>1.191</b>	Zang H. (2002): Verbreitung und Bestand des Sperlingskauzes <i>Glaucidium passerinum</i> in Niedersachsen, Ergebnisse einer landesweiten Kartierung 2001/2002 – mit einigen grundsätzlichen Bemerkungen zur Populationsdynamik, DDT-Kontamination, Herkunft und Bestandsentwicklung in Deutschland. <i>Vogelkdl. Ber. Niedersachs.</i> <b>34</b> : S. 173-192
<b>1.192</b>	Zang, H. & Ristig, U. (1992): Zwei neue Fälle von Bigynie beim Rauhfußkauz <i>Aegolius funereus</i> im Harz. <i>Vogelkdl. Ber. Niedersachs.</i> <b>24</b> : S.57–60
<b>1.193</b>	Zárybnická M. (2009): Activity patterns of male Tengmalm's owls, <i>Aegolius funereus</i> under varying food conditions. <i>Folia Zool.</i> <b>58</b> (1): S. 104–112
<b>1.194</b>	Zárybnická M., Riegert J., Brejšková L., Šindelář J., Kouba M. & Hanel J. (2015): Factors affecting growth of Tengmalm's Owl ( <i>Aegolius funereus</i> ) nestlings: prey abundance, sex and hatching order. <i>PLoS ONE</i> <b>10</b> (10): e0138177. doi:10.1371/journal.pone.0138177
<b>1.195</b>	Zárybnická, M. & Vojar, J. (2013): Effect of male provisioning on the parental behavior of female Boreal Owls <i>Aegolius funereus</i> . <i>Zoological Studies</i> <b>52</b> (36): S. 1-8
<b>1.196</b>	Zárybnická, M. (2003): Breeding biology of the Tengmalm's Owl ( <i>Aegolius funereus</i> ) in air-pollution damaged areas of the Ore Mts. <i>Sylvia</i> <b>39</b> : S.35-51
<b>1.197</b>	Zárybnická, M., Korpimäki, E. & Griesser, M. (2012): Dark or short nights: Differential latitudinal constraints in nestling provisioning patterns of a nocturnally hunting bird species. <i>PLoS ONE</i> <b>7</b> (5): e36932. DOI: 10.1371/journal.pone.0036932
<b>1.198</b>	Zárybnická, M., Riegert, J. & Kouba, M. (2015): Indirect food web interactions affect predation of Tengmalm's Owls <i>Aegolius funereus</i> nests by Pine Martens <i>Martes martes</i> according to the alternative prey hypothesis. <i>Ibis</i> <b>157</b> : doi: 10.1111/ibi.12265
<b>1.199</b>	Zárybnická, M., Riegert, J. & Stastny, K. (2011): Diet composition in the Tengmalm's Owl <i>Aegolius funereus</i> : a comparison of camera surveillance and pellet analysis. <i>Ornis Fennica</i> <b>88</b> : S.147–153
<b>1.200</b>	Zárybnická, M., Riegert, J. & Šťastný, K. (2015): Non-native spruce plantations represent a suitable habitat for Tengmalm's Owl ( <i>Aegolius funereus</i> ) in the Czech Republic, Central Europe. <i>Journ. Ornithology</i> <b>156</b> : S. 457–468
<b>1.201</b>	Zárybnická, M., Riegert, J. & Šťastný, K. (2017): Seasonal habitat-dependent change in nest box occupation by Tengmalm's owl associated with a corresponding change in nest predation. <i>Population Ecology</i> <b>59</b> : S. 65–70. 10.1007/s10144-016-0565-y.
<b>1.202</b>	Zárybnická, M., Sedláček, O., Salo, P., Stastny, K. & Korpimäki, E. (2015): Reproductive responses of temperate and boreal Tengmalm's Owl <i>Aegolius funereus</i> populations to spatial and temporal variation in prey availability. <i>Ibis</i> <b>157</b> : S.369–383
<b>1.203</b>	Zawadzki, G., Sołtys, A. & D. Zawadzka (2018): Diet composition of the Pygmy Owl <i>Glaucidium passerinum</i> in the Augustów Forest (NE Poland). <i>Ornis Polonica</i> <b>59</b> : S. 291–296
<b>1.204</b>	Zens, K.-W. (2005): Langzeitstudie (1987 – 1997) zur Biologie, Ökologie und Dynamik einer Steinkauzpopulation ( <i>Athene noctua</i> SCOP. 1769) im Lebensraum der Mechernicher Voreifel. Dissertation. Rheinische Friedrich-Wilhelm-Universität Bonn, Deutschland
<b>1.205</b>	Zerunian S., Franzini G. & Sciscione L. (1982): Little Owls and their prey in a Mediterranean habitat. <i>Italian Journal of Zoology</i> , <b>49</b> :3-4: S.195-206. DOI: 10.1080/11250008209439390
<b>1.206</b>	Zettl, H. (2004): Von Eulen und Käuzen - bisher Unveröffentlichtes über die Eulen des NSG "Kühkopf-Knoblochsaue" und seiner Umgebung. <i>Collurio</i> <b>22</b> : S. 53-60
<b>1.207</b>	Ziegler, G. (1974): Zur Brutbiologie der Sumpfohreule. <i>Alcedo</i> <b>1</b> : S. 15–26

<b>1.208</b>	Ziesemer, F. (1973): Siedlungsdichte und Brutbiologie von Waldohreule, <i>Asio otus</i> , und Turmfalk, <i>Falco tinnunculus</i> , nach Probeflächenuntersuchungen. <i>Cora X</i> <b>4</b> (2/3): S. 79-92
<b>1.209</b>	Ziesemer, F. (1979): Zur Methodik von Bestandsaufnahmen am Waldkauz ( <i>Strix aluco</i> ) mit Hilfe von Klangattrappen. <i>Corax</i> <b>7</b> : S. 106–108
<b>1.210</b>	Ziesemer, F. (1984): Siedlungsdichte und bestandsbeeinflussende Faktoren bei Waldkauz ( <i>Strix aluco</i> ) und Waldohreule ( <i>Asio otus</i> ) in Schleswig-Holstein – ein Vergleich. <i>Beitr. Vogelkd.</i> <b>30</b> : S. 349–360
<b>1.211</b>	Zink, R. (2013): Wiederansiedlung von Habichtskäuzen ( <i>Strix uralensis</i> ) am östlichen Alpenrand. <i>Silva Fera (Wildnisgebiet Dürrenstein/Scheibbs)</i> <b>2</b> : S. 66-27
<b>1.212</b>	Zink, R., Winter, J., Kaula, C., Sonvilla, C., Aberle, S. & Walter, T. (2019): Habichtskauz Wiederansiedlung in Österreich - Ein Urwaldbewohner kehrt zurück. APG; Wien: 288 S.
<b>1.213</b>	Zmihorski, M., Romanowski, J. & Chylarecki, P. (2012): Environmental factors affecting the densities of owls in Polish farmland during 1980-2005. <i>Biologia</i> <b>67</b> : S.1204-1210
<b>1.214</b>	Zuberogoitia I., Zabala J., Martínez J., Hidalgo A., Martínez J., Azkona A. & Castillo I. (2007): Seasonal dynamics in social behaviour and spacing patterns of the Little Owl <i>Athene noctua</i> . <i>Ornis Fennica</i> <b>84</b> : S. 173-180
<b>1.215</b>	Zupanc, G.K.H. (2010): Behavioral neurobiology: An integrative approach. Oxford University Press. S.156–175