

## Literaturliste

PD Dr. Udo Gansloßer / Yvonne Adler / Gudrun Braun

### HUNDERASSEN

Zoologie, Zucht und Verhalten neu betrachtet

ISBN: 978-3-440-16008-4

## A

- Ahlgren, J., Uimari, P. (2015): Heritability of hypothyroidism in the Finnish Hovawart population. *Acta Vet Scand* 58, 39.
- Abadie, J., Heden, B., Cadieu, E., De Brito, C., Devauchelle, P., Bourgoin, C., Andre, C. (2009): Epidemiology, Pathology, and Genetics of Histiocytic Sarcoma in the Bernese Mountain Dog Breed. *Journal of Heredity*, 100(Supplement 1), S19–S27.
- Ackerman, L. (1999): The genetic connection: a guide to health problems in purebred dogs. Lakewood, AAHA Press.
- ACVO (2009): Ocular disorders presumed to be inherited in purebred dogs. 5Th ed. 2009.
- Adams, V.J., Evans, K.M., Sampson, J. and Wood, J.L.N. (2010): Methods and mortality results of a health survey of purebred dogs in the UK. *Journal of Small Animal Practice*, 51: 512-524.
- Adeola, A.C., Ommeh, S.C., Song, J.J., Charles, O.S., Sanke, O.J., Yin, T.T., Wang, G.D., Wu, S.F., Zhou, Z.Y., Lichoti, J.K., Agwanda, B.R., (2016): A cryptic mitochondrial DNA link between North European and West African dogs. *J. Genet. Genomics*.
- Aguirre, G. D., & Rubin, L. F. (1971): An electrophysiologic approach for early diagnosis of progressive retinal atrophy in the Norwegian Elkhound. *Journal of the American Animal Hospital Association*, 7, 136.  
[https://repository.upenn.edu/cgi/viewcontent.cgi?article=1043&context=vet\\_papers](https://repository.upenn.edu/cgi/viewcontent.cgi?article=1043&context=vet_papers)
- Ahonen, S. J., Kaukonen, M., Nussdorfer, F. D., Harman, C. D., Komáromy, A. M., & Lohi, H. (2014): A novel missense mutation in ADAMTS10 in Norwegian elkhound primary glaucoma. *PLoS One*, 9(11), e111941.  
<https://doi.org/10.1371/journal.pone.0118256>
- Aksu, F., Dietz, B. (2007): Fehlbildungen des Rückenmarkes und ihre Differenzialdiagnose. *Monatsschr. Kinderheilkd* 2007 · 155:79–88 © Springer Medizin Verlag.
- Akyazi, I., Ograk, Y. Z., Erasian, E., Arsian, M., Matur, E. (2018): Livestock guarding behaviour of Kangal dogs in their native habitat. *Applied Animal Behaviour Science*, 201, 61-66.
- Alroy, J., Rush, J. E., Freeman, L., Amarendhra Kumar, M. S., Karuri, A., Chase, K., & Sarkar, S. (2000): Inherited infantile dilated cardiomyopathy in dogs: genetic, clinical, biochemical, and morphologic findings. *American journal of medical genetics*, 95(1), 57-66.
- Alroy, J., Rush, J. E., & Sarkar, S. (2005): Infantile dilated cardiomyopathy in Portuguese water dogs: Correlation of the autosomal recessive trait with low plasmataurine at infancy. *Amino Acids*, 28(1), 51-56.
- Alves, L., Hülsmeyer, V., Jaggy, A., Fischer, A., Leeb, T. and Drögemüller, M. (2011): Polymorphisms in the ABCB1 Gene in Phenobarbital Responsive and Resistant Idiopathic Epileptic Border Collies. *Journal of Veterinary Internal Medicine*, 25: 484-489.
- Amat, M., Le Brech, S., Camps, T., Torrente, C., Mariotti, V. M., Ruiz, J. L., Manteca, X. (2013): Differences in serotonin serum concentration between aggressive English cocker spaniels and aggressive dogs of other breeds, Amsterdam [u.a.], Elsevier. ISBN: 1558/7878

- American Kennel Club Dog Breeds - Types Of Dogs - American Kennel Club (akc.org).
- Andelt, W. F. (1995): Livestock guard dogs, llamas, and donkeys for reducing livestock losses to predators. *Service in action*; no. 1.218.
- Andelt, W. F. (1999): Relative effectiveness of guarding-dog breeds to deter predation on domestic sheep in Colorado. *Wildlife Society Bulletin*, 706-714.
- Andelt, W. F. (2004): Use of livestock guarding animals to reduce predation on livestock. *Sheep & Goat Research Journal*, 3.
- Angleby, H., Savolainen, P. (2005): Forensic informativity of domestic dog mtDNA control region sequences. , 154(2-3), 99–110.
- Andersson, M., & Sevelius, E. (1991): Breed, sex and age distribution in dogs with chronic liver disease: a demographic study. *Journal of Small Animal Practice*, 32(1), 1-5.
- Anfinsen, K.P., Grotmol, T., Bruland, O.S. & Jonasdottir, T.J. (2011): Breed-specific incidence rates of canine primary bone tumors: a population based survey of dogs in Norway. *Canadian Journal of Veterinary Research*, 75 (3), 209–215.
- Applied Animal Behaviour: Science Trainability and boldness traits differ between dog breed clusters based on conventional breed categories and genetic relatedness, 132(1-2), 61-70.
- Ardalan, A., Kluetsch, C.F.C., Zhang, A.-B., Erdogan, M., Uhlén, M., Houshmand, M., Tepeli, C., Ashtiani, S.R.M. and Savolainen, P. (2011): Comprehensive study of mtDNA among Southwest Asian dogs contradicts independent domestication of wolf, but implies dog–wolf hybridization. *Ecology and Evolution*, 1: 373-385.
- Arnott, E. R., Early, J. B., Wade, C. M., & McGreevy, P. D. (2014): Environmental factors associated with success rates of Australian stock herding dogs. *PloS one*, 9(8).
- Arnott, E.R., Peek, L., Early, J.B., Pan, A. Y.H., Haase, B., Chew, T., McGreevy, P. D., and Wade, C. M. (2015): Strong selection for behavioural resilience in Australian stock working dogs identified by selective sweep analysis. *Canine Genetics and Epidemiology* 2, 6.
- Arrol, L., Penderis, J., Garosi, L., Cripps, P., Gutierrez-Quintana, R. and Gonçalves, R. (2012): Aetiology and long-term outcome of juvenile epilepsy in 136 dogs. *Veterinary Record* 170, 335.
- Awano, T., Johnson, G. S., Wade, C. M., Katz, M. L., Johnson, G. C., Taylor, J. F., Perloski, M., Biagi, T., Baranowska, I., Long, S., March, P. A., Olby, N. J., Shelton, G. D., Khan, S., O'Brien, D. P., Lindblad-Toh, K., Coatesk J. R. (2009): Genome-wide association analysis reveals a SOD1 mutation in canine degenerative myelopathy that resembles amyotrophic lateral sclerosis. In: *Proceedings of the National Academy of Sciences*. Bd. 106, Nr. 8, 2009, S. 2794–2799.
- Axenovich, T. I., Kulikova, A. V., Knyazev, S. P., Zorkoltseva, I. V., & Borodin, P. M. (2006): Polymorphism of dental formula and segregation of its variants in a pedigree of Kerry Blue Terrier dogs. *Russian Journal of Genetics*, 42(3), 327-332.

**B**

- Baker-Gabby, M., Hunt, G., & France, M. (2003): Soft tissue sarcomas and mast cell tumours in dogs; clinical behaviour and response to surgery. *Australian Veterinary Journal*, 81(12), 732–738. doi:10.1111/j.1751.
- Bannasch, D., Safra, N., Young, A., Karmi, N., Schaible, R. S., & Ling, G. V. (2008): Mutations in the SLC2A9 gene cause hyperuricosuria and hyperuricemia in the dog. *PLoS genetics*, 4(11), e1000246.
- Barja, I., Silván, G., Illera, J. C. (2008): Relationships between sex and stress hormone levels in feces and marking behavior in a wild population of Iberian wolves (*Canis lupus signatus*). *J Chem Ecol*, Band 34, pp. 697-701.
- Barwick, M. (2006): Aspects of Bloodhound History.

- Baumann, C. (2005): Überprüfung der gesteigerten Aggressivität und Gefährlichkeit von Rottweilern und Rottweiler Mischlingen im Rahmen der Auswertung von Wesenstests in Bayern (Doctoral dissertation, Imu).
- Baumworcel, N., Soares, A. M., Helms, G., Rei, P. R., & Castro, M. C. N. (2009): Three hundred and three dogs with cataracts seen in Rio de Janeiro, Brazil. Veterinary ophthalmology, 12(5), 299-301.
- Baumworcel, N., Soares, A. M., Helms, G., Rei, P. R., & Castro, M. C. N. (2009): Three hundred and three dogs with cataracts seen in Rio de Janeiro, Brazil. Veterinary ophthalmology, 12(5), 299-301.
- Baumgartner, C., & Glaus, T. M. (2004): Erworbene Herzerkrankungen beim Hund: Eine retrospektive Analyse. Schweizer Archiv für Tierheilkunde, 146(9), 423-430.
- Baumgartner, C. (2004): Angeborene und erworbene Herzerkrankungen beim Hund: eine retrospektive Analyse (Doctoral dissertation, University of Zurich).
- Barnett, K. C., Featherstone, H. J.; Heinrich, C. L., Lakhani, K. H. (2006): "Cataract in the UK Leonberger population". Veterinary Ophthalmology. 9 (5): 350–356.
- Barnett, K.C. and Stades, F.C. (1979): Collie eye anomaly in the Shetland Sheepdog in The Netherlands. Journal of Small Animal Practice, 20: 321-329.
- Barnett, K.C. (1979): Collie eye anomaly (CEA). J Small Anim Pract 20(9):537-42.
- Bech-Nielsen; S.; Haskins; M. E.; et al. (1978): "Frequency of osteosarcoma among first-degree relatives of St. Bernard dogs". J Natl Cancer Inst. 60 (2): 349–53.
- Beckers, E., Van Poucke, M., Ronsyn, L., & Peelman, L. (2016): Frequency estimation of disease-causing mutations in the Belgian population of some dog breeds, part 1: shepherds. VLAAMS DIERGENEESKUNDIG TIJDSCHRIFT, 85(4), 175–184.
- Bedford, P.G. (1982): Collie eye anomaly in the United Kingdom. The Veterinary Record, 111(12):263-270.
- Bedford, P.G. (1982): Collie eye anomaly in the Border Collie. Veterinary Record, 111 (2), 34–35.
- Bedford, P. G. (2017): Open-angle glaucoma in the Petit Basset Griffon Vendeen. Veterinary ophthalmology, 20(2), 98-102.
- Beerda, B., Schilder, M. B. H., van Hooff, J. A. R. A. M & de Vries, H. (1997): Manifestations of chronic and acute stress in dogs. Appl Anim Behav Sci, Band 52, pp. 307-319.
- Belanger, L., Boehm, J.M., Lybarger, D., Oberbauer, A. M. (2013): Differences in behavior and activity associated with a poly(a) expansion in the dopamine transporter in Belgian Malinois. PloS one, 8(12), e82948.
- Bell, Jerold S. (2007): "American Breed Clubs and Health Initiatives". In Ostrander, Elaine A.; Giger, Urs; Lindblad-Toh, Kerstin (eds.). The Dog and Its Genome. CSHL Press. pp. 40–44. ISBN 978-0-87969-781-5
- Bell, J. S.; Cavanagh, K.; Tilley, L; Smith, F., W., K (2012): Veterinary Medical Guide to Dog and Cat Breeds. Teton NewMedia; 1. Edition. ISBN-13 : 978-1591610021, 56-57.
- Bell, J. W. (2014): Inherited and Predisposing Factors in the development of Gastric Dilatation Volvulus in Dogs. Topics in Companion Animal Medicine, 29, 60-63.
- Bell, J. (2012): "Veterinary Medical Guide to Dog and Cat Breeds", Teton NewMedia, pp.151-152, ISBN-10: 1591610028
- Bellamy, K. K., Storengen, L. M., Handegård, K. W., Arnet, E. F., Prestrud, K. W., Overall, K. L., & Lingaas, F. (2018): DRD2 is associated with fear in some dog breeds. Journal of Veterinary Behavior, 27, 67-73.
- Bende, B., & Nemeth, T. (2004): High prevalence of urate urolithiasis in the Russian black terrier.
- Bennett; Abraham; Anderson; Holloway; Parry (2006): Reference limits for urinary fractional excretion of electrolytes in adult non-racing Greyhound dogs., 84(11), 393–397.
- Bennett, A., Hayssen, V. (2010): Measuring cortisol in hair and saliva from dogs: coat color and pigment differences. Domest Anim Endocrin, Band 39, pp. 171-180.

- Berendt, M., Gulløv, C., Christensen, S., Guðmundsdóttir, H., Gredal, H., Fredholm, M., Alban, L. (2008): Prevalence and characteristics of epilepsy in the Belgian shepherd variants Groenendael and Tervueren born in Denmark 1995–2004. In: *Acta Veterinaria Scandinavica*. 50, 2008, S. 51.
- Berendt, M., Gulløv, C. H., Fredholm, M. (2009): Focal epilepsy in the Belgian shepherd: evidence for simple Mendelian inheritance. In: *Journal of Small Animal Practice*. 50, S. 655–661.
- Berkey, J. (2009): Dog breed specific legislation: the cost to people, pets and veterinarians and the damage to the human-animal bond. In *Proceedings* (pp. 1-5).
- Bernauer-Münz, H., Quandt, C. (1995): Problemverhalten beim Hund. Jena, Stuttgart.
- Bettany, S. (2007): The material semiotics of consumption or where (and what) are the objects in consumer culture theory? *Research in consumer behavior*, 11, 41.
- Bhatti, S. F., Vanhaesebrouck, A. E., Van Soens, I., Martlé, V. A., Polis, I. E., Rusbridge, C., & Van Ham, L. M. (2011): Myokymia and neuromyotonia in 37 Jack Russell terriers. *The Veterinary Journal*, 189(3), 284-288.
- Bianchi, M., Dahlgren, S., Massey, J., Dietschi, E., Kierczak, M., Lund-Ziener, M., Rosengren Pielberg, G. (2015): A Multi-Breed Genome-Wide Association Analysis for Canine Hypothyroidism Identifies a Shared Major Risk Locus on CFA12. *PLOS ONE*, 10(8), e0134720. British Small Animal Veterinary Association Scientific Committee (2004): Summary results of the Purebred Dog Health Survey for Great Danes.
- Bichsel, P., Vandevelde, M., Lang, J. & Kull-Hächler, S. (1983): Degenerative myelopathy in a family of Siberian Husky dogs. *Journal of the American Veterinary Medical Association*, 183 (9), 998–1000, 965.
- Bingel, S. A., & Sande, R. D. (1982): Chondrodysplasia in the Norwegian Elkhound. *The American journal of pathology*, 107(2), 219.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1916011/>.
- Bixler, A. (2006): Caucasian Ovcharka. *Dog World*; Nov. 2006, Vol. 91 Issue 11, pp. 50-51, 2p Datenquele Supplemental Index.
- Björnerfeldt, S., Hailer, F., Nord, M., & Vilà, C. (2008): Assortative mating and fragmentation within dog breeds. *BMC Evolutionary Biology*, 8(1), 28.
- Black, V., Garosi, L., Lowrie, M., Harvey, R. J., & Gale, J. (2014): Phenotypic characterisation of canine epileptoid cramping syndrome in the Border terrier. *Journal of Small Animal Practice*, 55(2), 102-107.
- Blythe, L., Gannon, J., Craig, A., Fegan, D. (2007): Care of the Racing and Retired Greyhound, S. 416. American Greyhound Council, Inc. (Kansas). ISBN 0-9641456-3-4.)
- Blackshaw, J. K. (1991): An overview of types of aggressive behaviour in dogs and methods of treatment. *Applied Animal Behaviour Science*, 30(3-4), 351-361.
- Blackshaw, J. K. (1991): An overview of types of aggressive behaviour in dogs and methods of treatment. *Applied Animal Behaviour Science*, 30(3-4), 351–361.
- Blackwell, E. J., Bradshaw, J. W., & Casey, R. A. (2013): Fear responses to noises in domestic dogs: Prevalence, risk factors and co-occurrence with other fear related behaviour. *Applied Animal Behaviour Science*, 145(1-2), 15-25.
- Bloch, G.: Die Welt der Herdenschutzhunde. Einige Ratschläge zu ihrer Haltung und Erziehung. [welt\\_der\\_herdenschutzhunde.pdf](#) (obhv.net)
- Boge, G.S., Moldal, E.R., Dimopoulos, M. et al. Breed susceptibility for common surgically treated orthopaedic diseases in 12 dog breeds. *Acta Vet Scand* 61, 19 (2019) doi:10.1186/s13028-019-0454-4.
- Borchelt, P. L. (1983). Aggressive behavior of dogs kept as companion animals: classification and influence of sex, reproductive status and breed. *Applied Animal Ethology*, 10(1-2), 45-61.
- Borchelt, P. L. (1983). Aggressive behavior of dogs kept as companion animals: classification and influence of sex, reproductive status and breed. *Applied Animal Ethology*, 10(1-2), 45-61.

- Borchelt, P. L. (1983): Aggressive behavior of dogs kept as companion animals: Classification and influence of sex, reproductive status and breed. *Applied Animal Ethology*, 10(1-2), 45–61. doi:10.1016/0304-3762(83)90111-6
- Botigué, L., Song, S., Scheu, A., Gopalan, S., Pendleton, A., Oetjens, M., Taravalla, A., Sesegély, T., Zeeb-Lanz, A., Arbogast, R-M., Bobo, D., Daly, K., Unterländer, M., Burger, J., Kidd, J., Veeramah, K. (2017): Ancient European dog genomes reveal continuity since the Early Neolithic. *Nat Commun* 8, 16082.
- Böttjer, A. (2003): Untersuchung des Verhaltens von fünf Hunderassen und einem Hundetypus im innerartlichen Kontakt des Wesenstestes nach den Richtlinien der Niedersächsischen Gefahrtier-Verordnung vom 05.07. 2000. *Vet. med. Diss.*, Hannover.
- Bouw, J. (1982): Hip dysplasia and dog breeding. *Veterinary Quarterly*, 4(4), 173-181.
- Boyko, A.R., Boyko, R.H., Boyko, C.M., Parker, H.G., Castelhano, M., Corey, L., Degenhardt, J.D., Auton, A., Hedimbi, M., Kityo, R., Ostrander, E.A., (2009): Complex population structure in African village dogs and its implications for inferring dog domestication history. *Proc. Natl. Acad. Sci.* 106 (33), 13903–13908.
- Boyko, A. R., Boyko, R. H., Boyko, C. M., Parker, H. G., Castelhano, M., Corey, L., Degenhardt, J. D., Auton, A., Hedimbi, M., Kityo, R., Ostrander, E. A., Choebebeck, J., Todhunter, R. J., Jones, P., Bustamante, C. D. (2009): Complex population structure in African village dogs and its implications for inferring dog domestication history. *Proceedings of the National Academy of Sciences*, 106(33), 13903-13908.
- Boyko, A. R. (2011): The domestic dog: man's best friend in the genomic era. *Genome biology*, 12(2), 216.
- Brey, C F., Reed, L. F. (1978): The complete bloodhound, Howell Book House.
- Buchanan, J. W. (1993): Changing breed predispositions in canine heart disease. *Canine Practice*, 18(6), 12.
- Buksch, Dr. M. (2011): Erbkrankheiten bei Hunden und Katzen: Sie sind genetisch bedingt und werden von den Vorfahren und deren Nachkommen übertragen. "Leben mit Tieren" Ausgabe 2/2011.
- Busch, B. (2016): Leipziger Tierärztekongress 14.01. - 16.01.2016, Tierärztliche Vereinigung für Tierschutz e.V.
- Bussadori, C., Pradelli, D., Borgarelli, M., Chiavegato, D., D'Agnolo, G., Menegazzo, L., Migliorini, F., Santilli, R., Zani, S., Quintavalla, C. (2009): Congenital heart disease in boxer dogs: Results of 6 years of breed screening. *The Veterinary Journal*, 181(2), 187-192.
- Bradshaw, J. W. S., Goodwin, D., Lea, A. M., & Whitehead, S. L. (1996): A survey of the behavioural characteristics of pure-bred dogs in the United Kingdom. *Veterinary Record*, 138(19), 465-468.
- Bray, E. E., Sammel, M. D., Cheney, D. L., Serpell, J. A., & Seyfarth, R. M. (2017): Effects of maternal investment, temperament, and cognition on guide dog success. *Proceedings of the National Academy of Sciences*, 114(34), 9128-9133.
- Braund, K., & Vallat, J. (1994): Distal Sensorimotor Polyneuropathy in Mature Rottweiler Dogs. *Vet Pathol*, 31, 316-326.
- Braund, K. (2003): Degenerative disorders of the central nervous system. Braund's Clinical Neurology in Small Animals. International Veterinary Information Service, Ithaca.
- Brenner, O., de Lahunta, A., Summers, B.A., Cummings, J.F., Cooper, B.J., Valentine, B. A. and Bell, J. S. (1997): Hereditary polioencephalomyopathy of the Australian Cattle Dog. *Acta Neuropathologica*, 94, 54–66.
- Breuer, U. (2000): Somatische Ursachen als Auslöser für Verhaltensprobleme und Verhaltensstörungen bei Hund und Katze. *Tierärztl. Umschau*. 55, 69-72.
- Broschk, C.C. (2004): Analyse der Populationsstruktur und populationsgenetische Untersuchung zur Vererbung der dilatativen Kardiomyopathie beim Irischen Wolfshund. Dissertation. Tierärztliche Hochschule, Hannover, 2004.

- Brown R.G., Hoag G.N., Smart M.E., Mitchell L.H. (1978): Alaskan Malamute chondrodysplasia. V. Decreased gut zinc absorption. *Growth*, 42(1), 1-6
- Brown, S.K., Pedersen, N.C., Jafarishorijeh, S., Bannasch, D.L., Ahrens, K.D., Wu, J.T., Okon, M., Sacks, B.N., (2011): Phylogenetic distinctiveness of Middle Eastern and Southeast Asian village dog Y chromosomes illuminates dog origins. *PLoS ONE* 6(12), e28496.
- Brandt Bjerknæs, M. (2019): Genetic variation in candidate genes of behaviour and associations with behaviour phenotypes in dogs. Veterinary Student Research Thesis 2019 90 ECTS. Norges miljø- og biovitenskapelige universitet (NMBU).
- Braund, K. G. (2003): Degenerative disorders of the central nervous system. Braund's Clinical Neurology in Small Animals. International Veterinary Information Service, Ithaca.
- Bradshaw, J. W. S., Goodwin, D., Lea, A. M., & Whitehead, S. L. (1996): A survey of the behavioural characteristics of pure-bred dogs in the United Kingdom. *Veterinary Record*, 138(19), 465-468.
- Brilhante, R. S. N., Cavalcante, C. S. P., Soares-Junior, F. A., Cordeiro, R. A., Sidrim, J. J. C., & Rocha, M. F. G. (2003): High rate of *Microsporum canis* feline and canine dermatophytoses in Northeast Brazil: epidemiological and diagnostic features. *Mycopathologia*, 156(4), 303-308.
- Brooks, G (2012): The Complete Guide to Cane Corso - All About Cane Corsi, For Dogs Sake!® (July 15, 2012).

**C**

- Cafarchia, C., Romito, D., Sasanelli, M., Lia, R., Capelli, G., & Otranto, D. (2004): The epidemiology of canine and feline dermatophytoses in southern Italy. *Mycoses*, 47(11-12), 508-513.
- Cameron, D. B. (1997): Cainine dominace- associated aggression: concepts, incidence and treatment in a private behaviour practice. *Appl. Animal Behaviour Science*, 52, 265-274.
- Cao, X., Irwin, D. M., Liu, Y.-H., Cheng, L.-G., Wang, L., Wang, G.-D., & Zhang, Y.-P. (2014): Balancing Selection on CDH2 May Be Related to the Behavioral Features of the Belgian Malinois. *PLoS ONE*, 9(10), e110075.
- Caron-Lormier, G., Harvey, N. D., England, G. C. W., Asher, L. (2016): Using the incidence and impact of behavioral conditions in guide dogs to investigate patterns in undesirable behavior in dogs. *Scient. Rep.* 6
- Case, L. (2013): Der Hund: sein Verhalten, Ernährung und Gesundheit. John Wiley & Sons. ISBN 978-118-70120-1
- Cavalcanti, J. N., Amstalden, E. M. I., Guerra, J. L., & Magna, L. C. (2004): Osteosarcoma in dogs: clinical-morphological study and prognostic correlation. *Brazilian Journal of Veterinary Research and Animal Science*, 41(5), 299-305.
- Ceh, E., Dovc, P. (2014): Population structure and genetic differentiation of livestock guard dog breeds from Western Balkans. *Journal of Animal Breeding and Genetics*. 131(4), 313-325.
- Chakirou, O., Vlaic, A., Carșai, T. C., Bâlteanu, V. A., Coșier, V. (2012): Aspects regarding the molecular characterisation of the Romanian shepherd dog breeds. *Animal Biology & Animal Husbandry*, 4 (1), 28-31.
- Chapagain, D., Virányi, Z., Wallis, L. J., Huber, L., Serra, J., & Range, F. (2017): Aging of attentiveness in border collies and other pet dog breeds: the protective benefits of lifelong training. *Frontiers in aging neuroscience*, 9, 100.
- Chase, K., Sargan, D., Miller, K., Ostrander, E. A., & Lark, K. G. (2006): Understanding the genetics of autoimmune disease: two loci that regulate late onset Addison's disease in Portuguese Water Dogs. *International journal of immunogenetics*, 33(3), 179-184.

- Chaudieu, G. (1995): Study of inherited focal degeneration (retinopathy) in the Borzoi: a report on 160 dogs. *Pratique Médicale & Chirurgicale de l'Animal de Compagnie*, 30, 461–472.
- Cheng LG, Li LG, Peng JG, Li J, Wan JS, Xu H. (2009): Research on conservation of genetic resource in Kunming dog. *Chinese Agriculture Science Bulletin* 25, 32–34.
- China Science Communication Forum Baidu (2020): "Xiasi Quan". Online Article.
- Cho, D.-., Leipold, H.W. and Rudolph, R. (1986): Neuronal ceroidosis (Ceroid-lipofuscinosis) in a Blue Heeler dog. *Acta Neuropathologica* 69, 161–164.
- Choi, B. H., Wijayananda, H. I., Lee, S. H., Lee, D. H., Kim, J. S., Oh, S. I., Lee, S. H. (2017): Genome-wide analysis of the diversity and ancestry of Korean dogs. *PloS one*, 12(11), e0188676.
- Choron, Sandra; Choron, Harry (2005): *Planet Dog: A Doglopedia*. Boston: Houghton Mifflin Co. ISBN 0-618-51752-9
- Clark, R, Brace, A. eds. (1995): *Kynos großer Hundeführer*, Mürlenbach, Kynos.
- Clark, L.A., Credille, K.M., Murphy, K.E. & Rees, C.A. (2005): Linkage of dermatomyositis in the Shetland Sheepdog to chromosome 35. *Veterinary Dermatology*, 16 (6), 392–394.
- Clark, L. A., Wahl, J. M., Rees, C. A., & Murphy, K. E. (2006): Retrotransposon insertion in SILV is responsible for merle patterning of the domestic dog. *Proceedings of the National Academy of Sciences*, 103(5), 1376-1381.
- Clark, R. (2014): Medical, Genetic & Behavioral Risk Factors of Cane Corsos, Dr. Ross Clark, DVM 2014.
- Clark, R.D. (2017): Medical, Genetic and Behavioral Risk Factors of the Herding Breeds. Xlibris US. ASIN B07GYN28VM.
- Clark, R.D. (2017): Medical, Genetic and Behavioral Risk Factors of the Herding Breeds. Xlibris US. ASIN B07GYN28VM.
- Club für Molosser, Hrsg. Informationsbroschüre.
- Coates JR, Wininger FA. (2010): Canine degenerative myelopathy. *Vet Clin North Am Small Anim Pract*. 2010 Sep; 40(5):929-50.
- Coates, J. R., O'Brien, D. P., Kline, K. L., Starts, R. W., Johnson, G. C., Shelton, G. D., Patterson, E. E. & Abbott, L. C. (2002): Neonatal cerebellar ataxia in Coton de Tulear dogs. *Journal of veterinary internal medicine*, 16(6), 680-689.
- Cogan, D. G., & Kuwabara, T. (1965): Photoreceptive abiotrophy of the retina in the elkhound. *Pathologia veterinaria*, 2(2), 101-128.  
<https://doi.org/10.1177%2F030098586500200202>.
- Comito, B., Knowles, K. E., & Strain, G. M. (2012): Congenital deafness in Jack Russell terriers: prevalence and association with phenotype. *The Veterinary Journal*, 193(2), 404-407.
- Cooper, A. E., Ahonen, S., Rowlan, J. S., Duncan, A., Seppälä, E. H., Vanhapelto, P., Komáromy, A. M. (2014): A novel form of progressive retinal atrophy in Swedish vallhund dogs. *PloS one*, 9(9), e106610.  
<https://doi.org/10.1371/journal.pone.0118128>.
- Coopman, F., Verhoeven, G., Saunders, J., Duchateau, L., & Van Bree, H. (2008): Prevalence of hip dysplasia, elbow dysplasia and humeral head osteochondrosis in dog breeds in Belgium. *Veterinary record*, 163(22), 654-658.
- Coopman, F., Verhoeven, G., Saunders, J., Duchateau, L., & Van Bree, H. (2008): Prevalence of hip dysplasia, elbow dysplasia and humeral head osteochondrosis in dog breeds in Belgium. *Veterinary record*, 163(22), 654-658.
- Coppinger, L., Lorenz, J. R. (1996): Raising and training a livestock-guarding dog. [Corvallis, O.]: Oregon State University, Extension Service.
- Coppinger, R. & Coppinger, L. (2001): Dogs. Chicago UP.
- Coppinger, R. & Coppinger, L. (2014): Dogs for Herding and Guarding Livestock. Livestock Handling and Transport: Theories and Applications, 245.
- Corbett, L.K, Newsome, A.E (1985): The Identity of the Dingo III.\* The Incidence of Dingoes, Dogs and Hybrids and their Coat Colours in Remote and Settled Regions of Australia, *Australian Journal of Zoology* 33(3) 363 - 375

- Cordier, H. (1903): Travels of Marco Polo, Volume 1, 534-535.
- Coren, S. (2006): The Intelligence of dogs: a guide to the thoughts, emotions, and inner lives of our canine companions, New York, Free Press A Division of Simon & Schuster, Inc.
- Cornelissen, J. M., Hopster, H. (2010): Dog bites in the Netherlands: a study of victims, injuries, circumstances and aggressors to support evaluation of breed specific legislation. *The Veterinary Journal*, 186(3), 292-298.
- Cummings, J. F., & De Lahunta, A. (1978): Hereditary myelopathy of Afghan hounds, a myelinolytic disease. *Acta neuropathologica*, 42(3), 173-181.
- Cummings, J.F., Cooper, B.J., de Lahunta, A. & van Winkle, T.J. (1981): Canine inherited hypertrophic neuropathy. *Acta neuropathologica*, 53 (2), 137–143.
- Creel, S., Creel, N. M., Mills, M. G. L., Monfort, S. L. (1997): Rank and reproduction in cooperatively breeding African wild dogs: behavioural and endocrine correlates. *Behav Ecol*, Band 8, pp. 298-306.
- Croft, A. (1937): West Greenland Sledge Dogs. *Polar Record*, 2(13), 68-81.
- Crowther, M. S., Fillios, M., Colman, N., & Letnic, M. (2014): An updated description of the Australian dingo (*Canis dingo* Meyer, 1793). *Journal of Zoology*, 293(3), 192–203.

**D**

- Daskiran, I. (2007): Body weight and some morphological characteristics of Kangal dogs. *Journal of Animal and Vet. Advances*, br, 6(3), 368-370.
- Dekomien, G., & Epplen, J. T. (2003): Analysis of PDE6D and PDE6G genes for generalised progressive retinal atrophy (gPRA) mutations in dogs. *Genetics Selection Evolution*, 35(5), 445
- Deldalle, S., & Gaunet, F. (2014): Effects of 2 training methods on stress-related behaviors of the dog (*Canis familiaris*) and on the dog-owner relationship. *Journal of veterinary behavior*, 9(2), 58-65.
- Deldalle, S., & Gaunet, F. (2014): Effects of 2 training methods on stress-related behaviors of the dog (*Canis familiaris*) and on the dog-owner relationship. *Journal of veterinary behavior*, 9(2), 58-65.
- De Meester, R. H., Pluijmaker, J., Vermeire, S. Laevens. (2011): The use of the socially acceptable behavior test in the study of temperament of dogs. *Journal of Veterinary Behaviour: Clinical Applications and Research*, 6(4), 211-224.
- De Risio, L., Forman, O. P., Mellersh, C. S., & Freeman, J. (2016): Paroxysmal Dyskinesia in Norwich Terrier Dogs. *Movement disorders clinical practice*, 3(6), 573-579.
- De Risio, L., & Freeman, J. (2015, September): Epileptoid cramping syndrome in the Norwich terrier: clinical characterisation and prevalence in the UK. In Proceedings 28th ESVN-ECVN congress (pp. 18-19).
- De Wailly, Philippe; Dupont, Alain (1998): *Les Berger Francais* (in French). Solar. ISBN 2-263-02658-4.
- DiBartola SP, Tarr MJ, Webb DM, Giger U. (1990): Familial renal amyloidosis in Chinese Shar Pei dogs. *Journal of the American Veterinary Medical Association*, 197(4), 483- 487.
- Dillberger, J.E. & McAtee, S.A. (2017): Osteosarcoma inheritance in two families of Scottish Deerhounds. *Canine Genetics and Epidemiology*, 4 (1), 3.
- Ding, Z. L., Oskarsson, M., Ardalán, A., Angleby, H., Dahlgren, L. G., Tepeli, C., Kirkness, E., Savolainen, P. & Zhang, Y. P. (2012): Origins of domestic dog in southern East Asia is supported by analysis of Y-chromosome DNA. *Heredity*, 108(5), 507-514.
- Docampo, M.J., Zanna, G., Fondevila, D., Cabrera, J., López-Iglesias, C., Carvalho, A., Cerrato, S., Ferrer, L. and Bassols, A. (2011), Increased HAS2-driven hyaluronic acid synthesis in shar-pei dogs with hereditary cutaneous hyaluronosis (mucinosis). *Veterinary Dermatology*, 22, 535-545.

- Dodds, J. W. (2011): Guide to congenital and heritable disorders in dogs. Davis: The Humane Society Veterinary Medical Association.
- Dong, X. (2018): A preliminary research on the burials of the Mongol Khanate period and Yuan Dynasty in northern area. *Chinese Archaeology*, 18(1), 164–171.
- Donner, Jonas; Kaukonen, Maria; Anderson, Heidi; Möller, Fredrik; Kyöstilä, Kaisa; Sankari, Satu; Hytönen, Marjo; Giger, Urs; Lohi, Hannes; Wade, Claire (2016): Genetic Panel Screening of Nearly 100 Mutations Reveals New Insights into the Breed Distribution of Risk Variants for Canine Hereditary Disorders. *PLOS ONE*, 11(8), e0161005–.
- Donner, Jonas; Anderson, Heidi; Davison, Stephen; Hughes, Angela M.; Bouirmane, Julia; Lindqvist, Johan; Lytle, Katherine M.; Ganesan, Balasubramanian; Ottka, Claudia; Ruotanen, Päivi; Kaukonen, Maria; Forman, Oliver P.; Fretwell, Neale; Cole, Cynthia A.; Lohi, Hannes; Leeb, Tosso (2018): Frequency and distribution of 152 genetic disease variants in over 100,000 mixed breed and purebred dogs. *PLOS Genetics*, 14(4), e1007361–.
- Donzel, E., Arti, L., & Chahory, S. (2017): Epidemiology and clinical presentation of canine cataracts in France: a retrospective study of 404 cases. *Veterinary ophthalmology*, 20(2), 131-139.
- Dorn, C. R. (2002): Canine breed-specific risks of frequently diagnosed diseases at veterinary teaching hospitals. Monograph. AKC Canine Health Foundation, 1-27.
- Dostal, J., Hrdlicova, A., & Horak, P. (2011): Progressive rod-cone degeneration (PRCD) in selected dog breeds and variability in its phenotypic expression. *Vet. Med*, 56, 243-247.
- Draper, T. W. (1995). Canine analogs of human personality factors. *The Journal of general psychology*, 122(3), 241-252.
- Dreger, D. L., & Schmutz, S. M. (2010): A new mutation in MC1R explains a coat color phenotype in "Old" breeds: Saluki and Afghan hound. *Journal of heredity*, 101(5), 644-649.
- Dreger, D. L., Davis, B. W., Cocco, R., Sechi, S., Di Cerbo, A., Parker, H. G., Polly, M., Marelli, S. P., Crepali, P. & Ostrander, E. A. (2016): Commonalities in development of pure breeds and population isolates revealed in the genome of the Sardinian Fonn's Dog. *Genetics*, 204(2), 737-755.
- Drescher, D. (2000): Tierverhaltenstherapie- Praxis für Verhaltensprobleme und Verhaltensstörungen, Kleintiermedizin; 4, 186-188.
- Dronca, D., Psacala, N., Bencsik, I., Oroian, T., Cighi, V., Popa, R., ...& Dronca, A. (2015): Researches regarding the existence of phenotypic correlations between different body measurements in females from romanian mioritic shepherd dog. *Bulletin USAMVCN, Animal Sciences and Biotechnologies*, 72 (1), 89-90.
- Drögemüller, M., Jagannathan, V., Becker, D., Drögemüller, C., Schelling, C., Plassais, J., Kaerle, C., Dufaure de Citres, C., Thomas, A., Müller, E.J., Welle, M. M., Roosje, P. & Leeb, T. (2014): A mutation in the FAM83G gene in dogs with hereditary footpad hyperkeratosis (HFH). *PLoS genetics*, 10(5).
- Drögemüller, C., Karlsson, E. K., Hytönen, M. K., Perloski, M., Dolf, G., Sainio, K., Lohi, H., Lindblad-Toh, K. & Leeb, T. (2008): A Mutation in Hairless Dogs Implicates FOXI3 in Ectodermal Development. *Science*, 321(5895), 1462–1462.
- Drögemüller C, Karlsson EK, Hytönen MK, Perloski M, Dolf G, Sainio K, Lohi H, Lindblad-Toh K, Leeb T. (2008): A mutation in hairless dogs implicates FOXI3 in ectodermal development. *Science* 321, 1462.
- Dube, R: (2019-11-17): "'My Hot Water Bottle': Peru Loves Its Hairless Dog, Especially on Cold Nights". *The Wall Street Journal*. p. A1
- Duffy, D. L., Hsu, Y., & Serpell, J. A. (2008): Breed differences in canine aggression. *Applied Animal Behaviour Science*, 114(3-4), 441–460. doi:10.1016/j.applanim.2008.04.006
- Dupré, G., Heidenreich, D. (2016): Brachycephalic Syndrome. *Veterinary Clinics Small Animal Practice*, 46, 691-707.

**E**

- Egenvall, A., Bonnet, B. N., Hedhammar, Å., Olson, P (2005): Mortality in over 350,000 insured Swedish dogs from 1995-2000: II. Breed-specific age and survival patterns and relative risk for causes of death. In: *Acta Veterinaria Scandinavica*. Bd. 46, Nr. 3.
- Egenvall, A., Nødtvedt, A., & von Euler, H. (2007): Bone tumors in a population of 400 000 insured Swedish dogs up to 10 y of age: incidence and survival. *Canadian journal of veterinary research = Revue canadienne de recherche veterinaire*, 71(4), 292–299.
- Egenvall, A., Bonnett, B.N. & Häggström, J. (2006): Heart Disease as a Cause of Death in Insured Swedish Dogs Younger Than 10 Years of Age. *Journal of Veterinary Internal Medicine*, 20: 894-903.
- Egenvall, A., Nødtvedt, A., & von Euler, H. (2007): Bone tumors in a population of 400 000 insured Swedish dogs up to 10 y of age: incidence and survival. *Canadian journal of veterinary research = Revue canadienne de recherche veterinaire*, 71(4), 292–299.
- Eichelberg, H. (1997) Gutachten In: Kampfhunde? Gefährliche Hunde? Dortmund. Verband für das deutsche Hundewesen (VDH) e. V. Hrsg.
- Eichelberg, H. (2000): Kampfhunde—Gefährliche Hunde. Deutsche tierärztliche Wochenschrift, 107, 91-93.
- Eisank, M. (2015): Herdenschutzhunde im Dienst: Aufzucht, Haltung, Einsatz sowie damit verbundene Herausforderungen. Veterinärmedizinische Universität Wien.
- Elliott, R.; Toribio, J. L.M.L.; Wigley, D. (2010): The Greyhound Adoption Program (GAP) in Australia and New Zealand: A survey of owners' experiences with their greyhounds one month after adoption. , 124(3-4), 121–135.
- Elsing, N., Spitzley, I. (2015): Der Maulkorb beim Hund. In: Gansloßer, Hrsg. Kommunikation und Konfliktmanagement: Expertenwissen für Hundeprofis 3. Erlangen: Filander Verlag, pp. 87-111.
- Eken Asp, H, Finse W.F., Nilsson K, Strandberg E (2015): Breed differences in everyday behavior of dogs. *Appl. Anim. Behav. Sci.* 169 – 69-77. FCI-St. Nr. 166/23.12.2010
- Eken Asp, H., Fikse, W. F., Nilsson, K., & Strandberg, E. (2015): Breed differences in everyday behaviour of dogs. *Applied Animal Behaviour Science*, 169, 69–77.
- Eken Asp, H., Fikse, W. F., Nilsson, K., & Strandberg, E. (2015): Breed differences in everyday behaviour of dogs. *Applied Animal Behaviour Science*, 169, 69–77.
- Ekenstedt, Kari J.; Becker, Doreen; Minor, Katie M.; Shelton, G. Diane; Patterson, Edward E.; Bley, Tim; Oevermann, Anna; Bilzer, Thomas; Leeb, Tosso; Drögemüller, Cord; Mickelson, James R. (2014). "An ARHGEF10 Deletion Is Highly Associated with a Juvenile-Onset Inherited Polyneuropathy in Leonberger and Saint Bernard Dogs". *PLOS Genetics*. PLOS. 10 (10): e1004635.
- Ekenstedt, K. J., Becker, D., Minor, K. M., Shelton, G. D., Patterson, E. E.; Bley, T., Oevermann, A., Bilzer, T., Leeb, T., Drögemüller, C., Mickelson, J. R. (2014): "An ARHGEF10 Deletion Is Highly Associated with a Juvenile-Onset Inherited Polyneuropathy in Leonberger and Saint Bernard Dogs". *PLOS Genetics*. PLOS. 10 (10): e1004635.
- Endo T, Ozoe R, Yoshino S, Shimooka S. (2006): Hypodontia patterns and variations in craniofacial morphology in Japanese orthodontic patients. *The Angle Orthodontist*.76(6):996-1003.
- Engel, J. (2002): Methodenkritischer Vergleich verschiedener Verfahren zur Beschreibung von Dominanzbeziehungen. In: Gansloßer, Hrsg. Gruppenmechanismen. Fürth: Filander Verlag, pp. 59-66.
- Engelhardt, A. (2007): Population and molecular genetic analysis of primary cataracts in English Cocker Spaniels and wire-haired Kromfohrlanders. Dissertation, Tierärztliche Hochschule Hannover.

- Epstein, H. (1971): "Pariah Dog of the Congo"- The Origin of the Domestic Animals of Africa, Volume 1, Holmes & Meier Publishers, S. 41-44.
- Erdoğan, M., Tepeli, C., Brenig, B., Akbulut, M., Uğuz, C., Savolainen, P., & Özbeyaz, C. (2013): Genetic variability among native dog breeds in Turkey. *Turkish Journal of Biology*, 37(2), 176-183.
- Etscheidt, J. (2000): Tierschutzproblem: Aggressive Hunde. Treff der Heimtierbranche. 9-18.
- Etscheidt, J. (2001): Kampfhunde und gefährliche Hunde – ein kritischer Beitrag zur Diskussion der aktuellen Länderverordnungen. *Tierärztliche Umschau*, 29, 152-163.
- Evans, K.M. and Adams, V. J. (2010): Mortality and morbidity due to gastric dilatation-volvulus syndrome in pedigree dogs in the UK. *Journal of Small Animal Practice*, 51: 376-381.
- Evans, J.M., Noorai, R.E., Tsai, K.L., Starr-Moss, A.N., Hill C.M., Anderson, K.J., Famula, T.R., Clark, L.A. (2017): Beyond the MHC: A canine model of dermatomyositis shows a complex pattern of genetic risk involving novel loci. *PLOS Genetics* 13(2): e1006604.
- Everson, R., Pettitt, L., Forman, O. P., Dower-Tylee, O., McLaughlin, B., Ahonen, S., Kaukonen, M., Komáromy, A. M., Lohi H., Melleresh, C. S., Sansom, J., Ricketts, S. L. (2017): An intronic LINE-1 insertion in MERTK is strongly associated with retinopathy in Swedish Vallhund dogs. *PloS one*, 12(8), e0183021. <https://doi.org/10.1371/journal.pone.0183021>

**F**

- Fall, T., Hedhammar, Å., Wallberg, A., Fall, N., Ahlgren, K. M., Hamlin, H. H., Lindblad-Toh, K., Andersson, G., & Kämpe, O. (2010). Diabetes mellitus in elkhounds is associated with diestrus and pregnancy. *Journal of veterinary internal medicine*, 24(6), 1322-1328. <https://doi.org/10.1111/j.1939-1676.2010.0630.x>.
- Famula, T. R., Belanger, J. M., & Oberbauer, A. M. (2003): Heritability and complex segregation analysis of hypoadrenocorticism in the standard poodle. *Journal of small animal practice*, 44(1), 8-12.
- Fan, Z., Silva, P., Gronau, I., Wang, S., Armero, A.S., Schweizer, R.M., Ramirez, O., Pollinger, J., Galaverni, M., Del-Vecchio, D.O., Du, L., (2016): Worldwide patterns of genomic variation and admixture in gray wolves. *Genome Res.* 26, 163–173.
- Farhoody, P., Zink, M. C. (2010): Behavioral and physical effects of spaying and neutering domestic dogs (*Canis familiaris*). Unpublished summary of a Masters thesis, Hunter College, New York, NY.
- Farias, F.H.G., Johnson, G.S., Taylor, J.F., Giuliano, E., Katz, M.L., Sanders, D.N., Schnabel, R.D., McKay, S.D., Khan, S., Gharahkhani, P., et al. (2010): An ADAMTS17 Splice Donor Site Mutation in Dogs with Primary Lens Luxation. *IOVS* 51, 4716–4721.
- Farrel, L. L., Schoenebeck, J. J., Wiener, P., Clements, D. N., Summers, K. M. (2015): The challenges of pedigree dog health: approaches to combating inherited disease. *Canine genetics and epidemiology*, 2(1), 3.
- Farrow, B.R.H. and Malik, R. (1981): Hereditary myotonia in the Chow Chow. *Journal of Small Animal Practice*, 22, 451-465.
- FCI = Fédération Cynologique Internationale (2001): Rassennomenklatur der FCI.
- FCI = Fédération Cynologique Internationale (2009): Englischer Foxhound. Belgien: Secretariat general: 13 Place Albert 1 er B-6530 Thuin (Belgique).
- FCI = Fédération Cynologique Internationale (2015): CIOBĂNESC ROMÂNESC CARPATIN. Belgien: Secretariat general: 13 Place Albert 1 er B-6530 Thuin (Belgique).
- FCI = Fédération Cynologique Internationale (2015): CIOBĂNESC ROMÂNESC MIORITIC. Belgien: Secretariat general: 13 Place Albert 1 er B-6530 Thuin (Belgique).

- Fechler, C. (2001): Entlebucher Sennenhund. Kosmos, ISBN 3-440-08031-5.
- Fecht, S. (2007): Analysis of the canine MDR1 gene in the dog breed Elo.  
[https://elib.tiho-hannover.de/receive/etd\\_mods\\_00001817](https://elib.tiho-hannover.de/receive/etd_mods_00001817)
- Feddersen-Petersen, D. (1990): Verhalten der Hunde. Dtsch. Tierärztl. Wschr. 97: 231-236.
- Feddersen-Petersen, D (1991): Verhaltensstörungen bei Hunden, Versuch ihrer Klassifizierung. Dtsch. Tierärztl. Wschr. 98, 15-19.
- Feddersen-Petersen, D. (1991): Aggressive Hunde- ein Tierschutz Problem. Tierärztliche Umschau, 46: 749-754.
- Feddersen-Petersen, D. (1992): Hunde und ihre Menschen. Stuttgart, Franckh-Kosmos.
- Feddersen-Petersen, D. (1996): Verhaltensindikatoren zur graduellen Kennzeichnung von Leiden im Rahmen der Hundezucht, -aufzucht und -haltung. Tierärztliche Umschau 3, 171-179.
- Feddersen-Petersen, D. (1997): Gutachten. In: Kampfhunde? Gefährliche Hunde? Dortmund: Verband für das deutsche Hundewesen (VDH) e. V. Hrsg.
- Feddersen-Petersen, D. (1997): Hund. In: Das Buch vom Tierschutz, Sambraus HH. Steiger, A. (Hrsg.), Stuttgart, Enke.
- Feddersen-Petersen, D. (2000): Gutachten zur Haltung von Herdenschutzhunden. ([maulkorbwang.de](http://maulkorbwang.de))
- Fédération Cynologique Internationale (2018): Gruppe 2: Pinscher und Schnauzer – Molosser – Schweizer Sennenhunde – Cane Corso Italiano
- Fels, L., Distl., O (2014): Identifizierung und Validierung von quantitativen Trait-Loci (QTL) für Hüftdysplasie (CHD) bei Deutschen Schäferhunden. PloS ONE, 9 (5): 1-8
- Fernandes, J. G., Olsson, I. A. S., & de Castro, A. C. V. (2017): Do aversive-based training methods actually compromise dog welfare?: A literature review. Applied Animal Behaviour Science, 196, 1-12.
- Fernandez A. (2013): Hairless dog origins, 30. Sydney, Australia: Puppy Care Education.
- Finco, D. R., Kurtz, H. J., Low, P. G., & Perman, V. (1970): Familial renal disease in Norwegian Elkhound dogs. Journal of the American Veterinary Medical Association, 156, 747-760.  
<https://www.cabdirect.org/cabdirect/abstract/19702204557>.
- Finco, D. R. (1976): Familial renal disease in Norwegian Elkhound dogs: physiologic and biochemical examinations. American journal of veterinary research, 37(1), 87-91. <https://europepmc.org/abstract/med/942838>.
- Finco, D. R., Duncan, J. D., Crowell, W. A., & Hulsey, M. L. (1977): Familial renal disease in Norwegian Elkhound dogs: morphologic examinations. American journal of veterinary research, 38(7), 941-947.  
<https://europepmc.org/abstract/med/883721>.
- Fischer, A., Konrad, J., Rentmeister, K., Tipold, A., Klopmann, T. v. (2013): Die idiopathische Epilepsie des Hundes. Georg Thieme, ISBN 3830412665, S. 18-20.
- Fitzinger, L. J. (1867): Die Raçen des zahmen Hundes I. Abteilung. In: Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften. Mathematisch-naturwissenschaftliche Classe. Abtheilung 1: Biologie, Mineralogie, Erdkunde. Bd. 56, ISSN 0371-4810, 429.
- Fleig, D. (1999): Kampfhunde- Wie sie wirklich sind! Mürlenbach, Kynos.
- Fleig, D. (Hrsg.) (2000): Bull Terrier. Gazette 3/00. Mürlenbach, Kynos
- Fleig, D. (2000): Quo vadis canis? Mürlenbach, Kynos.
- Florey, J., Ewen, V., & Syme, H. (2017): Association between cystine urolithiasis and neuter status of dogs within the UK. Journal of Small Animal Practice, 58(9), 531-535.
- Fogle, B., (1999): Die BLV Enzyklopädie der Hunde. München: BLV.

- Forman, O. P., Boursnell, M. E. G., Dunmore, B. J., Stendall, N., Van De Sluis, B., Fretwell, N., Jones, C., Wijmenga, C., Rothuizen, J., van Oost, B. A., Holmes, N. G., Binns, M. M. & Jones, P. (2005): Characterization of the COMMD1 (MURR1) mutation causing copper toxicosis in Bedlington terriers. *Animal genetics*, 36(6), 497-501.
- Foster, S.J., Curtis, R. and Barnett, K.C. (1986): Primary lens luxation in the Border Collie. *Journal of Small Animal Practice*, 27: 1-6.
- Foyer, P., Wilsson, E., & Jensen, P. (2016): Levels of maternal care in dogs affect adult offspring temperament. *Scientific reports*, 6, 19253.
- Fox, Sue (2003): Rhodesian Ridgebacks. Hauppauge, N.Y.: Barron's. ISBN 978-0-7641-2376-4., S. 86
- Fratkin, J. L., Sinn, D. L., Patall, E. A., Gosling, S. D. (2013): Personality consistency in dogs: a meta-analysis. *PloS one* 8, e54907-e54907.
- Frazer, M. M., Schick, A. E., Lewis, T. P., & Jazic, E. (2011): Sebaceous adenitis in Havanese dogs: a retrospective study of the clinical presentation and incidence. *Veterinary dermatology*, 22(3), 267-274.
- Friedenberg, S. G., Lunn, K. F., & Meurs, K. M. (2017): Evaluation of the genetic basis of primary hypoadrenocorticism in Standard Poodles using SNP array genotyping and whole-genome sequencing. *Mammalian Genome*, 28(1-2), 56-65.
- Fritzsche, R.; Dolf, G.; Schelling, C.; Hungerbuehler, S. O.; Hagen, R.; Reichler, I. M. (2014): Inheritance of ectopic ureters in Entlebucher Mountain Dogs. *Journal of Animal Breeding and Genetics*, 131(2), 146–152.

**G**

- Galis, F., Van der Sluus, I., Van Dooren, T. J. M., Metz, J. A. J, Nussbaumer, M. (2007): Do large dogs die young? *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution*, 308B, 119-126.
- Gálvez de Tavera, C., Reyna Ramos, I., César Lombardi P. (M.V.; Mg.Cs.Vet.) Decano (2006): Facultad de Ciencias Veterinarias, Universidad Nacional de Cajamarca, Perú.
- Gandhi M. 2010. Breeds of Dog in India. The Bihar Times, dated 11.12.2010.
- Garncarz, M., Parzeniecka-Jaworska, M., & Szalus-Jordanow, O. (2017). Congenital heart defects in dogs: A retrospective study of 301 dogs. *Medycyna Weterynaryjna*, 73(10).
- Gansloßer, U., Kitchenham, K. (2019): Hunde-Forschung aktuell: Anatomie, Ökologie, Verhalten, Stuttgart, Franck-Kosmos Verlags-GmbH Co. KG.
- Gaşpar , C. V. (1999): The Romanian and the Carpathian Romanian shepherd dog. Monitoring Institut for rare breed and seeds in Europe. Swiss Agency for Environment Forest and Landscape, the Margase and Rudolf Gsell Foundation Basel, Elvetja, 63-64.
- Gast, A. C., Metzger, J., Tipold, A., & Distl, O. (2016): Genome-wide association study for hereditary ataxia in the Parson Russell Terrier and DNA-testing for ataxia-associated mutations in the Parson and Jack Russell Terrier. *BMC veterinary research*, 12(1), 225.
- Gazzano, A., Mariti, C., Notari, L., Sighieri, C., & McBride, E. A. (2008): Effects of early gentling and early environment on emotional development of puppies. *Applied Animal Behaviour Science*, 110(3-4), 294-304.
- Gelatt, K. N., Wallace, M. R., Andrew, S. E., MacKay, E. O., & Samuelson, D. A. (2003): Cataracts in the bichon frise. *Veterinary Ophthalmology*, 6(1), 3-9.
- Gelatt, K. N., & MacKay, E. O. (2004): Prevalence of the breed-related glaucomas in pure-bred dogs in North America. *Veterinary ophthalmology*, 7(2), 1492-1499.
- Gelatt, K. N., & MacKay, E. O. (2005): Prevalence of primary breed-related cataracts in the dog in North America. *Veterinary Ophthalmology*, 8(2), 101-111.

- Geldhorn, W. (1991): Zum Thema: Kampfhunde. Prakt. Tierarzt; 8, 698-699.
- Genders, Roy (1990): NGRC book of Greyhound Racing. Pelham Books Ltd. ISBN 0-7207-1804-X.
- Geyer, J., Döring, B., Godoy, J.R., Moritz, A. and Petzinger, E. (2005): Development of a PCR-based diagnostic test detecting a nt230(del4) MDR1 mutation in dogs: verification in a moxidectin-sensitive Australian Shepherd. Journal of Veterinary Pharmacology and Therapeutics, 28: 95-99.
- Geyer, J., Döring, B., Godoy, J.R., Leidolf, R., Moritz, A. and Petzinger, E. (2005): Frequency of the nt230 (del4) MDR1 mutation in Collies and related dog breeds in Germany. Journal of Veterinary Pharmacology and Therapeutics, 28: 545-551.
- Gharahkhani, P., O'Leary, C., Duffy, D., Bernays, M., & Kyaw-Tanner, M. (2012): Primary Lens Luxation in Australian Tenterfield and Miniature Bull Terriers is due to an old ADAMTS17 mutation and is an additive trait. The open genomics journal, 5(1).
- Gibbons, S. E., Macias, C., Tonzing, M. A., Pinchbeck, G. L., & McKee, W. M. (2006): Patellar luxation in 70 large breed dogs. Journal of small animal practice, 47(1), 3-9.
- Ginsburg, D., & Bowie, E. J. (1992): Molecular genetics of von Willebrand disease. Blood, 79(10), 2507-2519.
- Giuliotti, L.; Novella Benvenuti, M; Faoro, A; Nespolino, D; Macchioni, F; Cecchi, F. (2020): The Hovawart breed: analysis of various characteristics of dogs in a home environment in Italy, Dog Behavior, 6 (2), 13-21.
- Glenk, L. M. Kothgassner, O. D., Stetina, B. U., Palme, R., Kepplinger, B., Baran, H. (2014): Salivary cortisol and behavior in therapy dogs during animal-assisted interventions: A pilot study. J Vet Behav. Band 9, pp. 98-106.
- Glickman, L. T., Glickman, N. W., Schellenberg, D. B., Raghavan, M. (2000a): Non-dietary risk factors for gastric dilation-volvulus in large and giant breed dogs. Journal of the American Veterinary Medical Association, 217.
- Glickman, L. T., Glickman, N. W., Schellenberg, D. B., Raghavan, M., & Lee, T. L. (2000b): Incidence of and breed-related risk factors for gastric dilatation-volvulus in dogs. Journal of the American Veterinary Medical Association, 216(1), 40-45.
- González, A., Luque, M., Rodero, E., González, C., Aguilera, R., Jiménez, J., Sepúlveda, N., Bravo, S. & Herrera, M. (2011): Use of morphometric variables for differentiating Spanish hound breeds. International Journal of Morphology, 29(4), 1248-1255.
- Gough, A., Thomas, A. (2010): Breed predispositions to disease in dogs and cats, 2nd ed., Ames, Blackwell Publishing.
- Gough, A.; Thomas, A.; O'Neill, D. (2018): Breed Predispositions to Disease in Dogs and Cats, Third Edition. John Wiley & Sons Ltd. ISBN:9781119225584, 79
- Gould, D., Pettitt, L., McLaughlin, B., Holmes, N., Forman, O., Thomas, A., Ahonen, S., Lohi, H., O'Leary, C., Sargan, D., et al. (2011): ADAMTS17 mutation associated with primary lens luxation is widespread among breeds. Veterinary Ophthalmology 14, 378-384.
- Gracia, M. C. (2012): Perro De Presa Canario: Special Rare-Breed Edition: A Comprehensive Owner's Guide Manuel.
- Gramer, I., Leidolf, R., Döring, B., Klintzsch, S., Krämer, E. M., Yalcin, E., Petzinger, E. and Geyer, J. (2011): Breed distribution of the nt230 (del4) MDR1 mutation in dogs. The Veterinary Journal, 189(1), 67-71.
- Graya, M. J., Kirbergera, R. M., & Spotswooda, T. C. (2003): Cervical spondylomyelopathy (wobbler syndrome) in the Boerboel.
- Green, J. S., & Woodruff, R. A. (1980): Is predator control going to the dogs?. Rangelands Archives, 2(5), 187-189.
- Green, J. S., & Woodruff, R. A. (1988): Breed comparisons and characteristics of use of livestock guarding dogs. Journal of Range Management, 249-251.

- Green, J. S. (1993): Livestock guarding dogs: protecting sheep from predators (No. 588). US Department of Agriculture, Animal and Plant Health Inspection Service.
- Green, J. S., & Woodruff, R. A. (1980): Is predator control going to the dogs?. *Rangelands Archives*, 2(5), 187-189.
- Greenwell, C. M. & Brain, P.H. (2014): Aspiration pneumonia in the Irish wolfhound: a possible breed predisposition. *Journal of Small Animal Practice*, 55: 515-520.
- Gresky, C. (2014): Genetische Analysen zur Vererbung der Katarakt und Progressiven Retina Atrophie beim Dackel (Doctoral dissertation).
- Gründerzwinger der Romaner Antikdogge "vom römischen Reich", RAZG e.V., <http://www.romaner-antikdogge.de>.
- Gulløv, C. H., Toft, N., Baadsager, M. M. N., Berendt, M. (2011): Epilepsy in the Petit Basset Griffon Vendeen: prevalence, semiology and clinical phenotype. *Journal of veterinary internal medicine*. 25(6), 1372-1378.
- Gulløv, C. H., Toft, N., Berendt, M. (2012): A Longitudinal Study of Survival in Belgian Shepherds with Genetic Epilepsy. In: *Journal of Veterinary Internal Medicine*. 26, 2012, S. 1115–1120.
- Gunn, H. M. (1989): Heart weight and running ability. *Journal of anatomy*, 167, 225.
- Guptill, L., Glickman, L., & Glickman, N. (2003): Time trends and risk factors for diabetes mellitus in dogs: analysis of veterinary medical data base records (1970–1999). *The Veterinary Journal*, 165(3), 240-247.
- Günzel-Apel, A. (1998): Frühkastration von Hunden und Katzen unter Tierschutzgesichtspunkten. *Dtsch Tierärztl Wschr*.105: 95- 98.

**H**

- Hall, S. J. G., & Wallace, M. E. (1996): Canine epilepsy: a genetic counselling programme for keeshonds. *Veterinary Record*, 138(15), 358-360. DOI: 10.1136/vr.138.15.358.
- Hamed, M. (1982): Anatolian shepherd dog: an ancient breed. *Rangelands Archives*. 4(2), 63-65.
- Hampson, B., & McGowan, C. (2007): Physiological responses of the Australian cattle dog to mustering exercise. *Equine and Comparative Exercise Physiology*, 4(1), 37-41. doi:10.1017/S1478061507772006.
- Hansen, I., & Bakken, M. (1999): Livestock-guarding dogs in Norway. 1. Interactions. *Rangeland Ecology & Management/Journal of Range Management Archives*, 52(1), 2-6.
- Hansen, T. I. B. (2017): How performance testing of working dogs can be adapted to evaluate working ability in Komondor dogs (Doctoral dissertation).
- Hansen Wheat, C., Fitzpatrick, J. L., Rogell, B., Temrin, H. (2019): Behavioural correlations of the domestican syndrome are decoupled in modern dog breeds, *Nature communications* 10, Article number 2422.
- Hanson, J. M., Tengvall, K., Bonnett, B. N., & Hedhammar, Å. (2016): Naturally occurring adrenocortical insufficiency—an epidemiological study based on a swedish-insured dog population of 525,028 dogs. *Journal of veterinary internal medicine*, 30(1), 76-84.
- Harned, M. (1982): Anatolian shepherd dog: an ancient breed. *Rangelands Archives*, 4(2), 63-65.
- Hart, B., Hart, L.A. (1985): Selecting pet dogs on the basis of cluster analysis of breed behavior profiles and gender. *J.Am.Vet. Med. Assoc.* 1985. Jun 1, 186(11), 1181-1185.
- Hart, B. L., Eckstein, R. A. (1997): The role of gonadal hormones in the occurrence of objectionable behaviours in dogs and cats. *Applied Animal Behaviour Science*, 52(3-4), 331-344.
- Hart, B. L., Hart, L. A. (1997): Selecting raising and caring for dogs to avoid problem aggression, *JAVMA*; 210: 1129-1134.

- Hart, B. L., & Hart, L. A. (2016): Breed and gender differences in dog behavior. The Domestic Dog: Its Evolution, Behavior and Interactions with People; Serpell, J., Ed, 118-132.
- Hartnagle-Taylor, J. J., & Taylor, T. (2010): Stockdog Savvy. Alpine Publications. ISBN 978-1-57779-106-5.
- Hartnagle Renna, C. (2008): Herding Dogs: Selecting and Training the Working Farm Dog, S. 42, BowTie Press, ISBN-13: 978-1593787370.
- Hartmann, M. & Steidl, Th. (1998): Patient Hund. Oertel und Spörer 1998. ISBN: 3-88627-212-5.
- Hartmann, P. (2011): Genetische Analysen von züchterisch bedeutsamen Merkmalen beim Berner Sennenhund, INAUGURAL-DISSERTATION Doctor medicinae veterinariae, Tierärztliche Hochschule Hannover, Institut für Tierzucht und Vererbungsforschung.
- Haupt, K.H., Prieur, D.J., Hargis, A.M., Cowell, R.L., McDonald, T.L., Werner, L.L., Evermann, J.F. (1985): Familial canine dermatomyositis: clinicopathologic, immunologic, and serologic studies. American Journal of Veterinary Research, 46 (9): 1870-1875.
- Harvey, N. D., Craigon, P. J., Blythe, S. A., England, G. C., & Asher, L. (2016): Social rearing environment influences dog behavioral development. Journal of Veterinary Behavior, 16, 13-21.
- Haverbeke, A., Laporte, B., Depiereux, E., Giffroy, J. M., & Diederich, C. (2008): Training methods of military dog handlers and their effects on the team's performances. Applied Animal Behaviour Science, 113(1-3), 110-122.
- Hayes Jr, H. M. (1984): Breed associations of canine ectopic ureter: a study of 217 female cases. Journal of small animal practice, 25(8), 501-504.
- Haywood, S., Fuentealba, I. C., Foster, J., & Ross, G. (1996): Pathobiology of copper-induced injury in Bedlington terriers: ultrastructural and microanalytical studies. Analytical cellular pathology: the journal of the European Society for Analytical Cellular Pathology, 10(3), 229-241.
- Hazlett, M. J., Maxie, M. G., Allen, D. G., & Wilcock, B. P. (1983): A retrospective study of heart disease in Doberman Pinscher dogs. The Canadian Veterinary Journal, 24(7), 205.
- Hecht, E. E., Smaers, J. B., Dunn, W. D., Kent, M., Preuss, T. M., & Gutman, D. A. (2019): Significant neuroanatomical variation among domestic dog breeds. Journal of Neuroscience, 39(39), 7748-7758.
- Hejkas K. Et al (2007): Association of polymorphisms in the dopamine D4 receptor gene and the activity / impulsivity endophenotype in dogs. Anim. Gen. 38, 629-633.
- Helton, W. S. (2010): Does perceived trainability of dog (*Canis lupus familiaris*) breeds reflect differences in learning or differences in physical ability? Behavioural Processes, 83, 315-323.
- Hennessy, M. B., Davis, H. N., Williams, M. T., Mellott, C., Douglas, C. W. (1997): Plasma Cortisol Levels of Dogs at a County Animal Shelter, Physiol Behav, Band 62, pp. 485-490.
- Heptner, et al. (1988): Mammals of the Soviet Union, vol. 2, part 1a, Washington, D.C.: Smithsonian Institution Libraries and National Science Foundation
- Herreros, Joel (1997): The Berger Picard (in French). De Vecchi. ISBN 2-7328-2180-2.
- Herrtage, M. E., Seymour, C. A., Jefferies, A. R., Blakemore, W. F., & Palmer, A. C. (1987): Inherited copper toxicosis in the Bedlington terrier: a report of two clinical cases. Journal of Small Animal Practice, 28(12), 1127-1140.
- Heske, L., Körberg, I. B., Nødtvedt, A., & Jäderlund, K. H. (2015): Clinical characteristics of epilepsy of unknown origin in the Rottweiler breed. Acta Veterinaria Scandinavica, 57(1), 75.
- Hesse, A., Frick, M., Orzekowsky, H., Failing, K., & Neiger, R. (2018): Canine calcium oxalate urolithiasis: Frequency of Whewellite and Weddellite stones from 1979 to 2015. The Canadian Veterinary Journal, 59(12), 1305.

- Hiby, E. F., Rooney, N. J., & Bradshaw, J. W. S. (2004): Dog training methods: their use, effectiveness and interaction with behaviour and welfare. *ANIMAL WELFARE-POTTERS BAR THEN WHEATHAMPSTEAD-*, 13(1), 63-70.
- Hillbertz, S. NH., Isaksson, M., Karlsson, EK., Hellmén, E., Pielberg, GR., Savolainen, P., Wade, CM., von Euler, H., Gustafson, U., Hedhammar, A., Nilsson, M., Lindblad-Toh, K., Andersson, L., Andersson (2007): "Duplication of FGF3, FGF4, FGF19 and ORAOV1 causes hair ridge and predisposition to dermoid sinus in Ridgeback dogs". *Nat Genet.* 39 (11): 1318–20.
- Hillbertz, S., Nicolette & Andersson, Göran. (2006): Autosomal dominant mutation causing the dorsal ridge predisposes for dermoid sinus in Rhodesian ridgeback dogs. *The Journal of small animal practice.* 47. 184-8. 10.1111/j.1748-5827.2006.00016.x.
- Hirose, N., Uchida, K., Kanemoto, H., Ohno, K., Chambers, J. K., & Nakayama, H. (2014): A retrospective histopathological survey on canine and feline liver diseases at the University of Tokyo between 2006 and 2012. *Journal of Veterinary Medical Science,* 76(7), 1015-1020.
- Hood, J. C., Robinson, W. F., Huxtable, C. R., Bradley, J. S., Sutherland, R. J., & Thomas, M. A. (1990): Hereditary nephritis in the bull terrier: evidence for inheritance by an autosomal dominant gene. *The veterinary record,* 126(18), 456-459.
- Hood, J. C., Savage, J., Hendtlass, A., Kleppel, M. M., Huxtable, C. R., & Robinson, W. F. (1995): Bull terrier hereditary nephritis: A model for autosomal dominant Alport syndrome. *Kidney international,* 47(3), 758-765.
- Hogan, E. (1897): *The Irish Wolfdog.* Dublin, Sealy, Bryers & Walker; M.H. Gill & Son.
- Holder, A.L, Price, J.A; Adams, J.P; Volk, H.A.; Catchpole, B. (2014): A retrospective study of the prevalence of the canine degenerative myelopathy associated superoxide dismutase 1 mutation (SOD1:c.118G > A) in a referral population of German Shepherd dogs from the UK. *Canine Genet Epidemiol.* 2014 Sep 25; 1:10.
- Hole, F., & Wyllie, C. (2007): The oldest depictions of canines and a possible early breed of dog in Iran. *Paléorient,* 175-185.
- Holt, A. D. (2017): Systematic review of patellar luxation in dogs.
- Hoppe, A., & Denneberg, T. (2001): Cystinuria in the dog: clinical studies during 14 years of medical treatment. *Journal of veterinary internal medicine,* 15(4), 361-367.
- Horisberger, U. (2002): *Medizinisch versorgte Hundebissverletzungen in der Schweiz: Opfer, Hunde, Unfallsituationen* (Doctoral dissertation, Uitgever niet vastgesteld).
- Horschler, D. J., Hare, B., Call, J., Kaminski, J., Mikósi, Á., MacLean, E. L. (2018): Absolute brain size predicts dog breed differences in executive function, *Animal Cognition* 22, 187-198.
- Horvath, G., Andersson, H., & Nemes, S. (2013): Cancer odor in the blood of ovarian cancer patients: a retrospective study of detection by dogs during treatment, 3 and 6 months afterward. *BMC cancer,* 13(1), 396.
- Horváth, Z., Igyártó, B. Z., Magyar, A., Miklósi, Á. (2007): Three different coping styles in police dogs exposed to a short-term challenge. *Horm Behav,* Band 52, pp. 621-630.
- Houpt, K. A. (2007): Genetics of Canine Behavior. *Acta Veterinaria Brno,* 76(3), 431–444.
- Houston, D. M., & Moore, A. E. (2009): Canine and feline urolithiasis: examination of over 50 000 urolith submissions to the Canadian veterinary urolith centre from 1998 to 2008. *The Canadian veterinary journal,* 50(12), 1263.
- Howell, T. J., King, T., & Bennett, P. C. (2015): Puppy parties and beyond: the role of early age socialization practices on adult dog behavior. *Veterinary Medicine: Research and Reports,* 6, 143.

- Hradecka, L. Et al (2015): Heritability of behavioral traits in domestic dogs: a meta-analysis. *Appl. Anim. Behav. Sci.* 170-1-13.
- Huebner, J., Kühlein, P., Langbein-Detsch, I., & Müller, E. (2007): Canine mdr-1-mutation-breed disposition and prevalence in dogs in Germany. LABOKLIN, Bad Kissingen, Germany.
- Hunthausen, W. (1997): Effects of aggressive behaviour on canine welfare. *JAVMA*; 210; 1134-1136.
- Huson, H., Parker, H., Runstadler, J., Ostrander, E. (2010): Huson HJ, Parker HG, Runstadler J, Ostrander EA. Genetic dissection of breed composition and performance enhancement in the Alaskan sled dog. *BMC Genet*, 11, 71.
- Hülsmeyer, V., Zimmermann, R., Brauer, C., Sauter-Louis, C. and Fischer, A. (2010): Epilepsy in Border Collies: Clinical Manifestation, Outcome, and Mode of Inheritance. *Journal of Veterinary Internal Medicine*, 24: 171-178.

**I**

- Ihrke, P. (2006): Ischemic Skin Disease in the Dog. Proceedings, 2006. World Small Animal Veterinary Association World Congress.
- Inoue, M., Hasegawa, A., Hosoi, Y., & Sugiura, K. (2016): Association between breed, gender and age in relation to cardiovascular disorders in insured dogs in Japan. *Journal of Veterinary Medical Science*, 78(2), 347-350.
- Ivanov, A. (2007): Sobachey prednost yu i volchey hvatkoj obladayut reddchayshie zhivotniye – volkosobi. *Perviy Kanal*.
- Ivanova, T. M. (2009): The Central Asien Ovcharka: On some problems of preserving the breed. *Primitive and Aboriginal Dog Society Nwesletter*, 20, 3-11.

**J**

- Jaeger, K., Linek, M., Power, H. T., Bettenay, S. V., Zabel, S., Rosychuk, R. A. W., & Mueller, R. S. (2010): Breed and site predispositions of dogs with atopic dermatitis: a comparison of five locations in three continents. *Veterinary dermatology*, 21(1), 119-123.
- James, T. N., & Drake, E. H. (1968): Sudden death in Doberman pinschers. *Annals of Internal Medicine*, 68(4), 821-829.
- Jamieson, L. T. J., Baxter, G. S. & Murray, P. J. (2017): Identifying suitable detection dogs. *Applied Animal Behaviour Science*, 195, 1-7.
- Jamieson, L. T. J., Baxter, G. S. & Murray, P. J. (2018): You Are Not My Handler! Impact of Changing Handlers on Dogs' Behaviours and Detection Performance. *Animals*, 8, 176.
- Jaussi, Y. (2002): „Der Flatcoated Retriever: Die 50 wichtigsten Fragen vom Experten beantwortet“, Müller Rüschlikon.
- Jezierski, T., Ensminger, J., Papet, L.E (2016). *Canine Olfaction Science and Law: Advances in Forensic Science, Medicine, Conservation, and Environmental Remediation*, Apple Academic Press Inc.; Auflage: 1, ISBN-13: 978-1482260236, pp. 62-66.
- Jezyk, P. F., Haskins, M. E., MacKay-Smith, W. E., & Patterson, D. F. (1986): Lethal acrodermatitis in bull terriers. *Journal of the American Veterinary Medical Association*, 188(8), 833-839.
- Jian-guo, L., Fang, W. & Dapeng, Z. (2009): Characteristic and structure of pulmonary artery blood vessel of Tibetan Mastiff living at different altitudes. *Journal of Anhui Agricultural Sciences*, 1, 064.
- Johnson, G. F., Sternlieb, I., Twedt, D. C., Grushoff, P. S., & Scheinberg, I. (1980): Inheritance of copper toxicosis in Bedlington terriers. *American journal of veterinary research*, 41(11), 1865-1866.
- Jones, B.R., Anderson, L.J., Barnes, G.R.G., Johnstone, A.C. & Juby, W.D. (1977): Myotonia in related Chow Chow dogs. *N.Z. Vet. J.* 25, 217-220.
- Jones, B.V. (2010): Horse or hound? *Veterinary Record* 167, 670.

- Jordana, J., Piedrafita, J., & Sanchez, A. (1992): Genetic relationships in Spanish dog breeds. I. The analysis of morphological characters. *Genetics Selection Evolution*, 24(3), 225-244.
- Joyner, B. N. (2003): Basic entry level skills & legal requirements for law enforcement bloodhound canine teams. Master of Science in Career and Technical Education, University of Wisconsin-Stout.

**K**

- Karlsson, E.K., Sigurdsson, S., Ivansson, E., Thomas, R., Elvers, I., Wright, J., Howald, C., Tonomura, N., Perloski, M., Swofford, R., Biagi, T., Fryc, S., Anderson, N., Courtay-Cahen, C., Youell, L., Ricketts, S. L., Mandlebaum, S., Rivera, P., von Euler, H., Kisseberth, W.C., London, C.A., Lander, E.S., Couto, G., Comstock, K., Starkey, M. P., Modiano, J. F., Breen, M. & Lindblad-Toh, K. (2013): Genome-wide analyses implicate 33 loci in heritable dog osteosarcoma, including regulatory variants near CDKN2A/B. *Genome Biology* 14, R132.
- Karmi, N., Safra, N., Young, A., & Bannasch, D. L. (2010). Validation of a urine test and characterization of the putative genetic mutation for hyperuricosuria in Bulldogs and Black Russian Terriers. *American journal of veterinary research*, 71(8), 909-914.
- Karmi, N., Brown, E. A., Hughes, S. S., McLaughlin, B., Mellersh, C. S., Biourge, V., & Bannasch, D. L. (2010). Estimated frequency of the canine hyperuricosuria mutation in different Karthickeyan ,S.M.K., Ravimurugan T., Hisham A., Sivaselvam S.N. (2015). Chippiparai breed of dogs in Tamil Nadu: An assessment of physical and performance characteristics. *The Indian Journal of Veterinary Sciences and Biotechnology*, Volume 10, Issue 3, p. 45-49
- Kasimov, V.M., Horoshilov, I.A., Dorofeev, V.S., Tebenkova, O.A. (2005). Experiments volkochev krovu, Vsegda Ryadom, pp. 18-19
- Kathmann, I., Cizinauskas, S., Doherr, M. G., Steffen, F., & Jaggy, A. (2006). Daily controlled physiotherapy increases survival time in dogs with suspected degenerative myelopathy. *Journal of veterinary internal medicine*, 20(4), 927-932.
- Kaye, B. H. (2008): *Science and the Detective: Selected Reading in Forensic Science*, Wiley.
- Kearsley-Fleet, L., O'Neill, D. G., Volk, H. A., Church, D. B., & Brodbelt, D. C. (2013). Prevalence and risk factors for canine epilepsy of unknown origin in the UK. *Veterinary Record*, 172(13), 338-338.
- Keep, J.M. (1972), CLINICAL ASPECTS OF PROGRESSIVE RETINAL ATROPHY IN THE CARDIGAN WESLH CORGI. *Australian Veterinary Journal*, 48: 197-199.
- Kejcz, Y. (1999): Hovawart., Stuttgart. Dog breeds. *Journal of veterinary internal medicine*, 24(6), 1337-1342 Franckh-Kosmos.
- Kennelclub "Purebred Dog Health Survey Results". Kennel Club/British Small Animal Veterinary Association Scientific Committee. 2004.
- Kerrigan, S. und Robinson, D. (2016) Juvenile Orthopedic Disease in Dogs & Cats, Part 2: Congenital & Neonatal Orthopedic Diseases. *Today's Veterinary Practice*, 24-33
- Keya, K., 1994. Hunting with dogs among the San in the Kalahari Desert. Afr. StudyMonogr. 15, 119–134.
- Khorozyan, I., Soofi, M., Soufi, M., Hamidi, A. K., Ghoddousi, A., Waltert, M. (2017): Effects of shepherds and dogs on livestock depredation by leopards (*Panthera pardus*) in North-Eastern Iran. *PeerJ*, 5, e3049.
- Kijas, J. W., Miller, B. J., Pearce-Kelling, S. E., Aguirre, G. D., & Acland, G. M. (2003). Canine models of ocular disease: outcross breedings define a dominant disorder present in the English mastiff and bull mastiff dog breeds. *Journal of Heredity*, 94(1), 27-30.

- Kimura, T., Ohshima, S., & Doi, K. (1993). The inheritance and breeding results of hairless descendants of Mexican hairless dogs. *Laboratory Animals*, 27(1), 55–58.
- Kimura T. (1996) Studies on development of hairless descendants of Mexican hairless dogs and their usefulness in dermatological science. *Exp. Anim.* 45, 1–13
- Kitshoff, A. M., Van Goethem, B., Stegen, L., Vandekerckhove, P., & De Rooster, H. (2013). Laryngeal paralysis in dogs: An update on recent knowledge. *Journal of the South African Veterinary Association*, 84(1), 00-00.
- Klever, U. (1982): Knaurs großes Hundebuch. München.
- Klütsch, C. F. C., Seppälä, E. H., Fall, T., Uhlén, M., Hedhammar, Å., Lohi, H., & Savolainen, P. (2011). Regional occurrence, high frequency but low diversity of mitochondrial DNA haplogroup d1 suggests a recent dog-wolf hybridization in Scandinavia. *Animal genetics*, 42(1), 100-103. <https://doi.org/10.1111/j.1365-2052.2010.02069.x>
- Knyazev, S. P., Kulikova, A. V., Axenovich, T. I., & Aulchenko, Y. S. (2003). Inheritance of oligodontia in Kerry Blue Terrier dogs. *Russian Journal of Genetics*, 39(6), 669-675.
- Koch, S.A. (1972) Cataracts in interrelated Old English Sheepdogs. *Journal of the American Veterinary Medical Association*, 160 (3), 299–301.
- Koch, D. A., Arnold, S., Hubler, M., Monatvon, P. M. (2003). Brachycephalic Syndrome in Dogs. *Compendium*, 25(1), 48-55.
- Koch, D. A., Arnold, S., Hubler, M., & Montavon, P. M. (2003). Brachycephalic syndrome in dogs. *COMPENDIUM ON CONTINUING EDUCATION FOR THE PRACTISING VETERINARIAN-NORTH AMERICAN EDITION-*, 25(1), 48-55.
- Kolicheski, A., Johnson, G., O'Brien, D., Mhlanga-Mutangadura, T., Gilliam, D., Guo, J., Anderson-Sieg, T., Schnabel, R., Taylor, J., Lebowitz, A., Swanson, B., Hicks, D., Niman, Z., Wininger, F., Carpentier, M. and Katz, M. (2016), Australian Cattle Dogs with Neuronal Ceroid Lipofuscinosis are Homozygous for a CLN5 Nonsense Mutation Previously Identified in Border Collies. *Journal of Veterinary Internal Medicine*, 30: 1149-1158.
- Kiviranta, A. M., Lappalainen, A. K., Hagner, K., & Jokinen, T. (2011). Dermoid sinus and spina bifida in three dogs and a cat. *Journal of Small Animal Practice*, 52(6), 319-324. <https://doi.org/10.1111/j.1748-5827.2011.01062.x>
- Kramer, J. W., Klaassen, J. K., Baskin, D. G., Prieur, D. J., Rantanen, N. W., Robinette, J. D., ... & Rashti, L. (1988). Inheritance of diabetes mellitus in Keeshond dogs. *American journal of veterinary research*, 49(3), 428-431. <https://europepmc.org/abstract/med/3358555>
- Kramer, J. W. (1981). Animal model of human disease: Inherited early-onset, insulin-requiring diabetes mellitus in keeshond dogs. *The American journal of pathology*, 105(2), 194. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1903874/>
- Kramer, J. W., Nottingham, S., Robinette, J., Lenz, G., Sylvester, S., & Dessouky, M. I. (1980). Inherited, early onset, insulin-requiring diabetes mellitus of Keeshond dogs. *Diabetes*, 29(7), 558-565. <https://doi.org/10.2337/diab.29.7.558>
- Krämer, E.M (2009): Der große Kosmos Hundeführer, Kosmos Verlag, S. 103.
- Krämer, E.M (2013): Faszination Rassehunde. Kosmos Stuttgart.
- Krämer, E. M. (2017): Der Kosmos Hundeführer. Kosmos Stuttgart.
- Kropatsch, R., Petrasch-Parwez, E., Seelow, D., Schlichting, A., Gerding, W. M., Akkad, D. A., Epplen, J.T. & Dekomien, G. (2010). Generalized progressive retinal atrophy in the Irish Glen of Imaal Terrier is associated with a deletion in the ADAM9 gene. *Molecular and cellular probes*, 24(6), 357-363.
- Kuhne, F. (2012): Kastration von Hunden aus Sicht der Tierverhaltenstherapie. *Tierärztliche Praxis Kleintiere*, 40, 140-145.
- Kuster, Nadine (2010). Erbliche Augenerkrankungen beim Entlebucher Sennenhund. Doctoral Dissertation. University of Zurich, Vetsuisse-Fakultät.

- Kustritz, M. V. R. (2006): appendix I- Known Hereditary Disease in Dogs. The Dog Breeder's Guide to Successful Breeding and Health Management. Saint Louis: W. B. Saunders.
- Kutsumi, A., Nagasawa, M., Ohta, M., & Ohtani, N. (2013): Importance of puppy training for future behavior of the dog. Journal of veterinary medical science, 75(2), 141-149.

**L**

- Landry, J. M., Olsson, P., Siegenthaler, A., Jackson, P., & Farrell, A. (1999): The use of guard dogs in the Swiss Alps: a first analysis. KORA, Koordinierte Forschungsprojekte zur Erhaltung und zum Management der Raubtiere in der Schweiz.
- Laughton, N. (1968): „A Review of the Flat-coated Retriever”, Pelham Books.
- Lauinger, I. B. (2012): Geräuschempfindlichkeit beim Hund am Beispiel des Bearded Collies (Doctoral dissertation, Imu). Veterinärwissenschaftliches Department der Tierärztlichen Fakultät der Ludwig-Maximilians-Universität, München.
- Lautersack, O., & Schimke, E. (2003): Das Wobbler-Syndrom (Zervikale Spondylomyelopathie) beim Dobermann – Ätiologie, klinische Symptomatik und bildgebende Diagnostik Teil. Kleintierpraxis, 10, 589-656.
- Lautersack, O. & Schimke, E. (2003): Das Wobbler-Syndrom (Zervikale Spondylomyelopathie) – Ätiologie, klinische Symptomatik und bildgebende Diagnostik. Aus der Chirurgischen Veterinärklinik - Kleintierchirurgie - (Prof. Dr. E. Schimke) der Justus-Liebig-Universität Gießen.
- Lambrich, M. (2007): Vergleichende Verhaltensentwicklung von Junghunden (3.-10. Lebensmonat) der Rasse Border Collie unter verschiedenen Nutzungsbedingungen (Doctoral dissertation). Physiologisches Institut der Tierärztlichen Hochschule, Hannover. Zoologisches Institut (Haustierkunde) der Christian-Albrechts-Universität, Kiel.
- Langheim, G. (1996): Der Hovawart. Hundewelt 12, 31-34.
- Larson, G., Karlsson, E. K., Perri, A., Webster, M. T., Ho, S. Y., Peters, J., Stahl, P. W., Piper, P. J. Lingaaas, F., Fredholm, M., Comstock, K. E., Modiano, J. F., Schelling, C., Agoulnik, A. I., Leegwater, P. A., Dobney, K., Vigne, J-D., Vila, C., Andersson, L., Lindblad-Toh, K. (2012): Rethinking dog domestication by integrating genetics, archeology, and biogeography. Proceedings of the National Academy of Sciences, 109(23), 8878-8883.
- Lee, C. M., Song, D. W., Ro, W. B., Kang, M. H., & Park, H. M. (2019): Genome-wide association study of degenerative mitral valve disease in Maltese dogs. Journal of veterinary science, 20(1), 63-71.
- Lee, R.B., (1979) The !Kung San: Men, Women and Work in a Foraging Society.Cambridge University Press, Cambridge.
- Lehari, G. (2009): 400 Hunderassen von A-Z. Ulmer, S. 158 f.
- Leonard, J. A. (2002): Ancient DNA Evidence for Old World Origin of New World Dogs. Science, 298(5598), 1613–1616.
- Leonberger Club of America (2002): Summary of the 2000 Health Mortality and Morbidity Survey Findings.LEO Watch Volume 2.
- Leroy, G., Verrier, E., Meriaux, J. C., Rognon, X. (2009): Genetic diversity of dog breeds: between-breed diversity, breed assignation and conservation approaches. , 40(3), 333–343.
- Leroy, G. G.; Phocas, F.; Hedan, B.; Verrier, E.; Rognon, X. (2015): "Inbreeding impact on litter size and survival in selected canine breeds" (PDF). The Veterinary Journal. 203 (1): 74–8.
- Li, Y., Wu, D.-D., Boyko, A.R., Wang, G.-D., Wu, S.-F., Irwin D. M., Zhang Y.-P. (2014): Population variation revealed high-altitude adaptation of Tibetan Mastiffs. Molecular Biology and Evolution, 31 (5), 1200–1205.

- Li J, Peng JG, Li LG, Qiang JN. (2009): Comparison of the reproductive capability of Kunming dog between fore and after breeding and mating with foreign blood. *Journal of Yunnan Agricultural University (Natural Science)* 24, 59–62.
- Linné, C. (1758): *Systema Naturae...* (Halae Magdeburgicae, ed. X), p. 39.
- Lindner, K. (1940): *Die Jagd im frühen Mittelalter*, Walter de Gruyter, S. 275.
- Littman, M. P. (2015): Emerging perspectives on hereditary glomerulopathies in canines. *Adv Genomics Genet*, 5, 179-188.
- Littman, M. P., Wiley, C. A., Raducha, M. G., & Henthorn, P. S. (2013): Glomerulopathy and mutations in NPHS1 and KIRREL2 in soft-coated Wheaten Terrier dogs. *Mammalian genome*, 24(3-4), 119-126.
- Liu, N.-C., Troconis, E. L., Kalmar, L., Price, D. J., Wright, H. E., Adams, V. J., Sargan, D. R., Ladlow, J. F. (2017): Conformational risk factors of brachycephalic obstructive airway syndrome (BOAS) in pugs, French bulldogs and bulldogs. *PLoS One*, 12(8).
- Lobetti, R.G. and Dippenaar, T. (2000): Von Willebrand's disease in the German shepherd dog. *Journal of the South African Veterinary Association*, 71 (2): 118-21.
- Loder, R. T., & Todhunter, R. J. (2017): The demographics of canine hip dysplasia in the United States and Canada. *Journal of veterinary medicine*, 2017.
- Loeffler, K., Eichelberg, H. (1901): Das Wesen des Hundes- zugleich ein Beitrag zur Haltung und Zucht sogenannter Kampfhunde. *Dtsch. Tierärztl. Wschr.* 98; 235-237.
- Lord, K., Feinstein, M., & Coppinger, R. (2009): Barking and mobbing. *Behavioural Processes*, 81(3), 358–368.
- Lord, K., Coppinger, L., Coppinger, R. (2014): Differences in the behaviour of landraces and breeds of dogs. In *Genetics and the Behaviour of Domestic Animals* (Second Edition) (pp. 195-235).
- Lorenz, J. R. (1989): Introducing livestock-guarding dogs. Oregon State University Extension Service. Extension Circular 1224 / Revised September 1989.
- Lowe, J.K., Kukkova, A.V., Kirkness, E.F., Langlois, M.C., Gustavo D. Aguirre, G. D., M. Acland, G., Ostrander, E. A. (2003): Linkage mapping of the primary disease locus for collie eye anomaly. *Genomics*, 82 (1), 86–95.
- Lowe, J.K., Kukkova, A.V., Kirkness, E.F., Langlois, M.C., Gustavo D. Aguirre, G. D., M. Acland, G., Ostrander, E. A. (2003): Linkage mapping of the primary disease locus for collie eye anomaly. *Genomics*, 82 (1), 86–95.
- Lukuru Foundation, pers. Mitteilung, 10.09.19

- ## M
- Maarschalkenweerd, R. J., Endenburg, N., Kirpenstein, J., Knol, B. W. (1997): Influence of orchiectomy on canine behavior. *Vet. Mac.* 6; 617-619.
- Mach, L. D. (1991): *The way of the wolf*. Minnesota, Voyageur Press Inc.
- Mach, L. D. (1990): *Der weiße Wolf*. München, Freiderking und Thaler.
- MacInnes, I. (2003): Mastiffs and Spaniels: Gender and nation in the English dog. *Textual Practice*, 17(1), 21-40.
- MacLean, E. L., Snyder- Mackler, N., von Holdt, B. M., Serpell, J. S. (2019): Highly heritable and functionally relevant breed differences in dog behaviour. <http://doi.org/10.1093/rspb.2019.0716>
- Madden, Raymond (2010): Imagining the greyhound: 'Racing' and 'rescue' narratives in a human and dog relationship, *Continuum*, 24: 4, 503 — 515.
- Madsen, M. F., Granström, S., Toft, N., Houe, H., Willesen, J. L., & Koch, J. (2012): Prevalence of respiratory signs and identification of risk factors for respiratory morbidity in Swedish Yorkshire terriers. *Veterinary Record*, vetrec-2011.
- Maeda, K., Inoue, M., Tanaka, M., & Momozawa, Y. (2019): Evidence of genetic contribution to patellar luxation in Toy Poodle puppies. *Journal of Veterinary Medical Science*, 18-0485.

- Mahesh S Dodamani, Dr. Krishnaswamy A, Dr. Suresh S Honnappagol, Dr. Yathiraj S, Dr. Narayanswamy M, Dr. Sudha, G. Chandrashekarmurthy (2017): BIRTH WEIGHT, LITTER SIZE, SEX RATIO AND NEONATAL MORTALITY IN PUREBRED MUDHOL HOUNDS. International Journal of Science, Environment and Technology, Vol. 6, No 4, 2017, p. 2307 – 2317.
- Mahesh S. Dodamani., Krishnaswamy A., Suresh S. Honnappagol., Yathiraj S., Chandrashekarmurthy V., Narayanswamy, Mand Sudha, G (2017): ESTROUS CYCLE IN FEMALE MUDHOL HOUND DOGS-AN INDIGENOUS BREED. International Journal of Current Science and Technology. Vol.5, Issue, 7, pp. 480-483, July, 2017
- Mahut, H. (1958): Breed differences in the dog's emotional behaviour. Canadian Journal of Psychology/Revue canadienne de psychologie, 12(1), 35.
- Marchant, T. W., Dietschi, E., Rytz, U., Schawalder, P., Jagannathan, V., Rasouliha, S. H., ... & Kidd, J. (2019): An ADAMTS3 missense variant is associated with Norwich Terrier upper airway syndrome. PLoS genetics, 15(5).
- Marcu, A., Marcu, A., Vintilă, C., Dronca, D., Radu, D. (2010): Studies regarding some phenotype parameters and the evolution of shepherd dog breeds in Romania. Scientific Papers Animal Science and Biotechnologies, 43 (1), 185-187.
- Marion, M., Béata, C., Sarcey, G., Delfante, S., Marlois, N. (2018): Study of aggressiveness in livestock-guarding dogs based on rearing method. Journal of Veterinary Behaviour, 25, 14-16.
- Marshall-Pescini, S., Valsecchi, P., Petak, I., Accorsi, P. A., & Previde, E. P. (2008): Does training make you smarter? The effects of training on dogs' performance (*Canis familiaris*) in a problem solving task. Behavioural processes, 78(3), 449-454.
- Marvin, G. (2001): Culture killers: Creating and representing foxhounds. Society & Animals, 9(3), 273-292.
- Mason, J. (1996): „Flat Coated Retrievers today”, Ringpress books LTD.
- Matychenko, A.V. (2008): Otbor porod sobak dlyak poiska narkotikov po ostrote obonyaniya (doctoral dissertation, Timiryazev Federal Agricultural Academy).
- Mauldin, E. A., Scott, D. W. Miller, W. H., & Smith, C. A. (1997): Malassezia dermatitis in the dog: a retrospective histopathological and immunopathological study of 86 cases (1990–95). Veterinary Dermatology, 8(3), 191-202.
- Maynar Smith, J. & Parker, G. A. (1976): The logic of asymmetric contests. Anim Behav. Band 24, pp. 159-175.
- Mayousse, V., Desquibet, L., Jeandel, A., Blot, S. (2017): Prevalence of neurological disorders in French bulldog: a reotrospective study of 343 cases (2002-2016). BMC Veterinary Research, 13(212).
- Mäder, M. (1985): Der Appenzeller Sennenhund. 3. Auflage. Schläpfer, ISBN 3-85882-012-1.
- Mäki, K., Liinamo, A. E., & Ojala, M. (2000): Estimates of genetic parameters for hip and elbow dysplasia in Finnish Rottweilers. Journal of animal science, 78(5), 1141-1148.
- Meason-Smith, C., Older, C. E., Ocana, R., Dominguez, B., Lawhon, S. D., Wu, J., Patterson, A. P., Hoffmann, A. R. (2018): Novel association of Psychrobacter and Pseudomonas with malodour in bloodhound dogs, and the effects of a topical product composed of essential oils and plant-derived essential fatty acids in a randomized, blinded, placebo-controlled study. Veterinary Dermatology, 29, 465-e158.
- Mecklenburg, L. (2006): An overview on congenital alopecia in domestic animals. Veterinary Dermatology, 17(6), 393–410.
- Meermann, S. (2009): Untersuchung von Verhaltensauffälligkeiten bei Hunden der Rassen Border Collie und Australian Shepherd in Deutschland (Doctoral dissertation).
- Mehrkarim, L. R., & Wynne, C. D. L. (2014): Behavioral differences among breeds of domestic dogs (*Canis lupus familiaris*): Current status of the science. Applied Animal Behaviour Science, 155, 12–27.

- Mellersh, C.S., Pettitt, L., Forman, O.P., Vaudin, M. and Barnett, K.C. (2006): Identification of mutations in HSF4 in dogs of three different breeds with hereditary cataracts. *Veterinary Ophthalmology*, 9: 369-378.
- Mellersh, C. S. (2014): The genetics of eye disorders in the dog. *Canine genetics and epidemiology*, 1(1), 3.
- Melniczek, J. R., Dambach, D., Prociuk, U., Jezyk, P. F., Henthorn, P. S., Patterson, D. F., & Giger, U. (1999): Sry-negative XX sex reversal in a family of Norwegian Elkhounds. *Journal of veterinary internal medicine*, 13(6), 564-569. <https://doi.org/10.1111/j.1939-1676.1999.tb02211.x>.
- Mertens, P. A., Dodmann, N. H. (1996): Die Diagnose von Verhaltensproblemen bei Hund, Katze, Pferd und Vogel. Charakteristika von 323 Fällen (Juli 1994- Juni 1905), Teil 1: Hund, Kleintierpraxis; 412; 153- 234.
- Mesa-Sánchez; S. Zaldivar-Lopez; C. G. Couto; A. Gamito-Gomez; M. M. Granados-Machuca; I. Lopez-Villalba; A. Galan-Rodriguez (2012): Haematological, blood gas and acid-base values in the Galgo Español (Spanish greyhound), 53(7).
- Mesa-Sánchez, I., Ruiz de Goegui-Fernández, R., Granados-Machuca, MM., Galan-Rodriguez, A. (2014): Prevalence of dog erythrocyte antigen 1.1 in galgos (Spanish greyhounds)Veterinary Record 174, 351.
- Mesa-Sánchez, I., Granados-Machuca, M.M., de Goegui-Fernández, R.R., Galan-Rodriguez, A. (2016): Serum protein electrophoresis in Galgos. *Comp Clin Pathol* 25, 403–407.
- Meurs, K. M. (2004): Boxer dog cardiomyopathy: an update. *Veterinary Clinics Small Animal Practice*, 34, 1235-1244.
- Meurs, K. M., Miller, M. W., & Wright, N. A. (2001): Clinical features of dilated cardiomyopathy in Great Danes and results of a pedigree analysis: 17 cases (1990-2000): *Journal of the American Veterinary Medical Association*, 218(5), 729–732.
- Meurs, K. M., Fox, P. R., Norgard, M., Spier, A. W., Lamb, A., Koplitz, S. L., & Baumwart, R. D. (2007): A prospective genetic evaluation of familial dilated cardiomyopathy in the Doberman pinscher. *Journal of veterinary internal medicine*, 21(5), 1016-1020.
- McEwan, N. A. (1990): Lethal acrodermatitis of bull terriers. *Veterinary Record*, 127(4).
- McGreevy, P. D., Georgevsky, D., Carrasco, J., Valenzuela, M., Duffy, D. L., & Serpell, J. A. (2013): Dog behavior co-varies with height, bodyweight and skull shape. *PloS one*, 8(12).
- McGrew, J. C., & Blakesley, C. S. (1982): How Komondor dogs reduce sheep losses to coyotes. *Rangeland Ecology & Management/Journal of Range Management Archives*, 35(6), 693-696.
- Mhlanga-Mutangadura, T., Johnson, G. S., Schnabel, R. D., Taylor, J. F., Johnson, G. C., Katz, M. L., Shelton, G. D., Lever, T. E., Giuliano, E., Granger, N., Shomper, J., O'Brien, D. P (2016): A mutation in the Warburg syndrome gene, RAB3GAP1, causes a similar syndrome with polyneuropathy and neuronal vacuolation in Black Russian Terrier dogs, *Neurobiology of Disease*, 86, 75-85.
- McNeill, C.J., Overley, B., Shofer, F.S., Kent, M.S., Clifford, C.A., Samluk, M., Haney, S., Van Winkle, T.J. and Sorenmo, K.U. (2007): Characterization of the biological behaviour of appendicular osteosarcoma in Rottweilers and a comparison with other breeds: a review of 258 dogs\*. *Veterinary and Comparative Oncology*, 5: 90-98.
- Michell, A. R. (1999): Longevity of British breeds of dog and its relationships with sex, size, cardiovascular variables and disease. *Veterinary Record*, 145(22), 625-629.
- Miklósi, Á. (2007): Dog: Behaviour, Evolution and Cognition. New York: Oxford University Press.
- Miklósi, A., Turcsan, B., Kubinyi, E. (2014): The personality of dogs. Pp 191 – 221 in: J Kaminski/S Marshall-Pescine(eds): The Social Dog. Acad Press Amsterdam et al., 2014.

- Mikus, R. (2006): Statistische Auswertung von Sachverständigengutachten über Hunde mit Beißvorfällen in Bayern (Doctoral dissertation, lmu).
- Minors, S. L., & O' Grady, M. R. (1998): Resting and dobutamine stress echocardiographic factors associated with the development of occult dilated cardiomyopathy in healthy Doberman Pinscher dogs. *Journal of veterinary internal medicine*, 12(5), 369-380.
- Monobe, M. M., Junior, J., Lunsford, K. V., Silva, R. C., & Bulla, C. (2015). Frequency of the MDR1 mutant allele associated with multidrug sensitivity in dogs from Brazil. *Veterinary medicine (Auckland, N.Z.)*, 6, 111–117.  
<https://doi.org/10.2147/VMRR.S72373>.
- Montazery, M; Masoudi, A; Vaez Torshizi, R (2016): Microsatellite loci analysis for the genetic variability and paternal lineages in Iranian native dogs. *Journal of Livestock Science and Technologies*. Article 9, Volume 4, Issue 1, Spring 2016, Page 61-70.
- Morgan, J.P, Wind, A., Davidson, A.P (2000): Hereditary Bone and Joint Diseases in the Dog: Osteochondroses-Hip Dysplasia Elbow Dysplasia. Schlütersche Verlag. ISBN-13: 978-3877065488, Kapitel 3.
- Morton, D.J., Anderson, E., Foggin, C.M., Kock, M.D., Tiran, E.P., (1995): Plasma cortisol as an indicator of stress due to capture and translocation in wildlife species. *Vet. Rec.* 136, 60–63.
- Mosher, D. S., Quignon, P., Bustamante, C. D., Sutter, N. B., Mellersh, C. S., Parker, H. G., & Ostrander, E. A. (2007): A mutation in the myostatin gene increases muscle mass and enhances racing performance in heterozygote dogs. *PLoS genetics*, 3(5), e79.
- Mostert, B. E., van Marle-Köster, E., Visser, C., & Oosthuizen, M. (2015): Genetic analysis of pre-weaning survival and inbreeding in the Boxer dog breed of South Africa. *South African Journal of Animal Science*, 45(5), 476-484.
- Mostoskey, U. V. DVM, Padgett, G. A. DVM, Stinson Al. W. DVM, Duffendack J. C. MBA, Ms, Brewer, G. J. (2005): Canine Molecular Genetik Diseases. MD1 Michigan State University; Vet Gen LLC, Ann Arbor, Michigang; University of Michigan.
- Mueller, R. (2017): Ichthyosis: breed-specific syndromes and new genetic tests. BSAVA Congress Proceedings 2017. British Small Animal Veterinary Association. 237.
- Mugford, R. (1991): Hunde auf der Couch. Mürlenbach, Kynos.
- Muller, A., Guaguère, E., Degorce-Rubiales, F., & Bourdoiseau, G. (2011): Dermatophytosis due to *Microsporum persicolor*: a retrospective study of 16 cases. *The Canadian Veterinary Journal*, 52(4), 385.
- Müller, C., Wöhlke, A., Distl, O. (2008): Evaluation of canine heat shock transcription factor 4 (<em>HSF4</em>) as a candidate gene for primary cataracts in the Dachshund and the Entlebucher Mountain dog., 11(1), 34–37.
- Munyard, K.A., Sherry, C.R. and Sherry, L. (2007): A retrospective evaluation of congenital ocular defects in Australian Shepherd dogs in Australia. *Veterinary Ophthalmology*, 10: 19-22.
- Murphy, S.C., Evans, J.M., Tsai, K.L. et al (2018): Length variations within the Merle retrotransposon of canine PMEL: correlating genotype with phenotype. *Mobile DNA* 9, 26.

**N**

- Nachreiner, R.F., Refsal, K. R. (2007): Diagnostic Center for Population and Animal Health, Michigan State University, Public rehearsals.
- Nachreiner, R.F., Refsal, K.R., Graham, P.A., Bowman, M. M., (2002). Prevalence of serum thyroid hormone autoantibodies in dogs with clinical signs of hypothyroidism. *J Am Vet Med Assoc*. 2002 Feb 15;220(4):466-71.

- Nakamura, K., Watanabe, M., Ikeda, T., Sasaki, Y., Matsunuma, N. (1999): Tissue and organ expression of catalase in acatalasemic Beagle dogs. *Experimental animals*, 48(4), 9(3), 229-234.
- Narfström, K., Wrigstad, A., Nilsson, S. E., (1989): The Briard dog: a new animal model of congenital stationary night blindness. *British Journal of Ophthalmology*; 73:750-756.
- National Genomics Data Center (2020): „Xiasi Dog Detail Information“, Beijing Institute of Genomics, Chinese Academy of Sciences.
- Nečas, A., Dvořák, M., & Zatloukal, J. (1999): Incidence of osteochondrosis in dogs and its late diagnosis. *Acta veterinaria brno*, 68(2), 131-139.
- Neilson, J. C., Eckstein, R. A., Hart, B. L (1997): Effects of castration on problem behaviours in male dogs with reference to age and duration of behaviour. *Journal of the American Veterinary Medical Association*, 211(2), 180-182.
- Nelson, R. & Couto, C. (1998): Head tilt. In: *Small Animal Internal Medicine*, 2nd ed. St. Louis: Mosby., 1002-1007.
- Netto, W. J. Plante, D. J. U. (Behavioural lasting for aggression in the domestic dog. *Appl. Animal Behaviour Science*; 52, 243-263.
- New Scientist (2002): A dog called Jacksy
- Nielen, A. L. J., Janss, L. L. G., Knol, B. W. (2001): Heritability estimations for diseases, coat color, body weight, and height in a birth cohort of Boxers. *American Journal of Veterinary Research*, 62(8), 1198-1206.
- Nierhoff, S. (2018): pers. Mitt., 20.02.19, Master of Arts Ägyptologie/Altorientalistik; Beobachtungen an indigenen Pariahunden und Landrassen in Indien.
- Nilsson, K., Zanders, S., & Malm, S. (2018): Heritability of patellar luxation in the Chihuahua and Bichon Frise breeds of dogs and effectiveness of a Swedish screening programme. *The Veterinary Journal*, 234, 136-141.
- Notari, L., Goodwin, D. (2006): A survey of behavioural characteristics of pure-bred dogs in Italy, University of Southampton, School of Psychology, Animal Behaviour Programme, *Applied Animal Behaviour Science* 103 (2007) 118–130.
- Notari, L., & Goodwin, D. (2007): A survey of behavioural characteristics of pure-bred dogs in Italy. *Applied Animal Behaviour Science*, 103(1-2), 118-130.
- North, C., Kruge, J. M., Venta, P.J., Miller, J. M., Rosenstein, D.S., Randall, E. K., White, B., Fitzgerald, S. D., (2010): Congenital Ureteral Ectopia in Continent and Incontinent-Related Entlebucher Mountain Dogs: 13 Cases (2006–2009)., 24(5), 1055–1062.
- Nødtvedt, A., Bergvall, K., Sallander, M., Egenvall, A., Emanuelson, U., & Hedhammar, Å. (2007): A case-control study of risk factors for canine atopic dermatitis among boxer, bullterrier and West Highland white terrier dogs in Sweden. *Veterinary dermatology*, 18(5), 309-315.

- O**
- Oberbauer, A. M., Hollingsworth, S. R., Belanger, J. M., Regan, K. R., & Famula, T. R. (2008): Inheritance of cataracts and primary lens luxation in Jack Russell Terriers. *American journal of veterinary research*, 69(2), 222-227.
- Oberbauer, A. M., Keller, G. G., & Famula, T. R. (2017): Long-term genetic selection reduced prevalence of hip and elbow dysplasia in 60 dog breeds. *PloS one*, 12(2), e0172918.
- Oechtering, T. H., Oechtering, G. U., Nöller, C. (2007): Strukturelle Besonderheiten der Nase brachyzephaler Hunderassen in der Computertomographie. *Tierärztliche Praxis*, 35(3), 177-187.
- O'Grady, M. R., Minors, S. L., O'Sullivan, M. L., & Horne, R. (2008): Effect of pimobendan on case fatality rate in Doberman Pinschers with congestive heart failure caused by dilated cardiomyopathy. *Journal of veterinary internal medicine*, 22(4), 897-904.

- Ólafsdóttir, G. Á., & Kristjánsson, T. (2008): Correlated pedigree and molecular estimates of inbreeding and their ability to detect inbreeding depression in the Icelandic sheepdog, a recently bottlenecked population of domestic dogs. *Conservation Genetics*, 9(6), 1639-1641. <https://doi.org/10.1007/s10592-008-9526-0>
- Oliehoek, P. A., Bijma, P., & van der Meijden, A. (2009): History and structure of the closed pedigree population of Icelandic Sheepdogs. *Genetics Selection Evolution*, 41(1), 39. <https://doi.org/10.1186/1297-9686-41-39>.
- Oliehoek, P. A., Ubbink, G. J., & Hoekstra, R. F. (2004): Cluster analysis of kinship in the Iceland Dog as a small pedigree population. In 55th EAAP Annual meeting. [https://www.researchgate.net/publication/40123859\\_Cluster\\_analysis\\_of\\_kinship\\_in\\_the\\_Iceland\\_Dog\\_as\\_a\\_small\\_pedigreed\\_population](https://www.researchgate.net/publication/40123859_Cluster_analysis_of_kinship_in_the_Iceland_Dog_as_a_small_pedigreed_population).
- Oliveira, P., Domenech, O., Silva, J., Vannini, S., Bussadori, R., & Bussadori, C. (2011): Retrospective review of congenital heart disease in 976 dogs. *Journal of veterinary internal medicine*, 25(3), 477-483.
- Oliver, J. A., Ricketts, S. L., Kuehn, M. H. & Mellersh, C. S. (2019): Primary closed angle glaucoma in the Basset Hound: Genetic investigations using genome-wide association and RNA sequencing strategies. *Molecular vision*, 25, 93.
- O'Leary, C. A., Parslow, A., Malik, R., Hunt, G. B., Hurford, R. I., Tisdall, P. L. C., & Duffy, D. L. (2014): The inheritance of extra-hepatic portosystemic shunts and elevated bile acid concentrations in Maltese dogs. *Journal of small animal practice*, 55(1), 14-21.
- O'Leary, C. A., Duffy, D., Biros, I., & Corley, S. (2009): Linkage confirms canine pkd1 orthologue as a candidate for bull terrier polycystic kidney disease. *Animal genetics*, 40(4), 543-546.
- O'Leary, C. A., Mackay, B. M., Malik, R., Edmondston, J. E., Robinson, W. F., & Huxtable, C. R. (1999): Polycystic kidney disease in bull terriers: an autosomal dominant inherited disorder. *Australian Veterinary Journal*, 77(6), 361-366.
- Olson, E. R., Treves, A., Wydeven, A. P., Ventura, S. J. (2015): Landscape predictors of wolf attacks on bear-hunting dogs in Wisconsin, USA. *Wildlife Research*, 41(7), 584-597.
- Olsson M., Meadows J.R.S., Truvé K., Rosengren Pielberg G., Puppo F., Mauceli, E., Quilez, J., Tonomura, N., Zanna, G., Docampo, M. J., Bassols, A., Avery, A. C., Karlsson, E. K., Thomas, A., Kastner, D. L. Bongcam-Rudloff, E., Webster, M. T., Sanchez, A., Hedhammar, A., Remmers, E. F. Andersson, L., Ferrer L., Tintle, L., Lindblad-Toh, K. (2011): A Novel Unstable Duplication Upstream of HAS2 Predisposes to a Breed-Defining Skin Phenotype and a Periodic Fever Syndrome in Chinese Shar-Pei Dogs. *PLOS Genetics* 7(3), e1001332.
- O'Farrell, V., Peachy, E. (1990): Behavioural effects of ovariohysterectomy on bitches. *J. Small. Animal Pract*; 31; 595-598.
- O'Neill, D. G.; Church, D. B.; McGreevy, P. D.; Thomson, P. C.; Brodbelt, D. C. (2013): Longevity and mortality of owned dogs in England. *The Veterinary Journal*. 198 (3): 638–43.
- O'Neill, D. G., Meeson, R. L., Sheridan, A., Church, D. B., & Brodbelt, D. C. (2016). The epidemiology of patellar luxation in dogs attending primary-care veterinary practices in England. *Canine genetics and epidemiology*, 3(1), 4.
- O'Neill, D. G., Scudder, C., Faire, J. M., Church, D. B., McGreevy, P. D., Thomson, P. C., & Brodbelt, D. C. (2016): Epidemiology of hyperadrenocorticism among 210,824 dogs attending primary-care veterinary practices in the UK from 2009 to 2014. *Journal of Small Animal Practice*, 57(7), 365-373.
- O'Neill, D. G., Darwent, E. C., Church, D. B., & Brodbelt, D. C. (2017): Border terriers under primary veterinary care in England: demography and disorders. *Canine genetics and epidemiology*, 4(1), 15.

- O'Neill, D. G. O., Skipper, A. M., Kadhim, J., Church, D. B., Brodbelt, D. C., Packer, R. M. A. (2019): Disorders of Bulldogs under Primary veterinary care in the UK in 2013. *PLoS One*, 14(6), 1-16.
- Oshima, Y., Bjerkas, E., & Peiffer Jr, R. L. (2004): Ocular histopathologic observations in Norwegian Elkhounds with primary open-angle, closed-cleft glaucoma. *Veterinary ophthalmology*, 7(3), 185-188. <https://doi.org/10.1111/j.1463-5224.2004.04021.x>
- Orthopedic Foundation for Animals (2018): Breed Statistics, [www.ofa.org](http://www.ofa.org).
- Ostrander, E. et al. (2006): The dog & its genome. *Biology Proceedings*.
- Ostrander, E. & Ruvinsky, A. (2012): *The Genetics Of The Dog*. CABI. ISBN-13: 978-1845939403. S. 268 ff.
- Ostrander, E. A., Wang, G-D., Larson, G., Vonholdt, B. M., Davis, B. W., Jagannathan, V., Hitte, C., Wayne, R. K., Zhang, Y. P. & Consortium, D. D. K. (2019): Dog10K: an international sequencing effort to advance studies of canine domestication, phenotypes and health, *National Science Review* 6, 810-824.
- Ócsag, I., Pál, S. (1987): Ungarische Hunderassen. Corvina. ISBN 978-9631323023.
- Otstavel, T., Vuoric, K. A., Sims, D. E., Valros, A., Vainio, O., Saloniemi, H. (2009): The first experience of livestock guarding dogs preventing large carnivore damages in Finland. *Estonian Journal of Ecology*, 58(3).
- Otstavel, T. Large carnivore and eagle damage prevention measures in Estonian and finnish Baltic Islands and coastal areas. *Traditional sheep keeping*, 95.

## P

- Packer, R.A., Patterson, E. E., Taylor, J. F., Coates, J. R., Schnabel, R. D., O'Brien, D. P. (2006): Characterization and mode of inheritance of episodic dyskinesia in the Chinook dog. *Proceedings 2006, AVM Forum*.
- Packer, R.A., Patterson, E. E., Taylor, J. F., Coates, J.R., Schnabel, R.D., O'Brien, D.P., (2010): Characterization and mode of inheritance of a paroxysmal dyskinesia in Chinook dogs. *J Vet Intern Med*. 2010 Nov-Dec;24(6):1305-13
- Packer, R. M., Hendricks, A., Tivers, M. S., & Burn, C. C. (2015): Impact of facial conformation on canine health: brachycephalic obstructive airway syndrome. *PLoS One*, 10(10).
- Padgett, G. A., Mostosky, U. V., & Prieur, D. J. (1986): Animal model: The mode of inheritance of craniomandibular osteopathy in West Highland White terrier dogs. *American journal of medical genetics*, 25(1), 9-13.
- Padgett, G.A. (1998): *Control of canine genetic diseases*. Howell Book House, New York.
- Pal, S. K., Ghohs, B. Roy, S. (1998): Agonistics behaviour of free-ranging dogs (*Canis familiaris*) in relation to season, sex and age. *Appl. Animal Behaviour Science*; 50; 331-348.
- Pal, S. K., Ghohs, B. Roy, S. (1998): Dispersal behaviour of free-ranging dogs (*Canis familiaris*) in relation to age, sex, seasons and dispersal distance. *Appl. Animal Behaviour Science*; 61; 123-132.
- Pal, S. K., Ghohs, B. Roy, S. (1999): Inter- and intra- sexual behaviour of free ranging dogs (*Canis familiaris*). *Appl. Animal Behaviour Science*; 62; 267- 78.
- Palika, L. (2007): *The Howell Book of Dogs*, New Jersey, 2007. S. 198.
- Park, S. A., Yi, N. Y., Jeong, M. B., Kim, W. T., Kim, S. E., Chae, J. M., & Seo, K. M. (2009): Clinical manifestations of cataracts in small breed dogs. *Veterinary ophthalmology*, 12(4), 205-210.
- Parker, H. G. (2004): Genetic Structure of the Purebred Domestic Dog., 304(5674), 1160–1164.
- Parker, H. G., Kim, L. V., Sutter, N. B., Carlson, S., Lorentzen, T. D., Malek, T. B., Johnson, G. S., Hawkins, B., Ostrander, E. A. & Kruglyak, L. (2004). Genetic structure of the purebred domestic dog. *science*, 304(5674), 1160-1164.

- Parker, H. G., Meurs, K. M., & Ostrander, E. A. (2006): Finding cardiovascular disease genes in the dog. *Journal of veterinary cardiology: the official journal of the European Society of Veterinary Cardiology*, 8(2), 115–127.
- Parker, H.G., Kukelkova, A.V., Akey, D.T., Goldstein, O., Kirkness, E. F., Baysac, K. C., Mosher, D. S., Aguirre, G. D., Acland, G. M., Ostrander, E.A. et al. (2007): Breed relationships facilitate fine-mapping studies: a 7.8-kb deletion cosegregates with Collie eye anomaly across multiple dog breeds. *Genome Research*, 17 (11), 1562–1571.
- Parker, H. G., Harris, A., Dreger, D. L., Davis, B. W., & Ostrander, E. A. (2016). The bald and the beautiful: hairlessness in domestic dog breeds. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372(1713), 20150488.
- Parker, H. G., Dreger, D. L., Rimbault, M., Davis, B. W., Mullen, A. B., Carpintero-Ramirez, G., & Ostrander, E. A. (2017): Genomic analyses reveal the influence of geographic origin, migration, and hybridization on modern dog breed development. *Cell reports*, 19(4), 697-708.
- Parsons, Tony. (2010): *The Kelpie*. Camberwell: Penguin Books Australia
- Pascal, C. & Gaspar, V. C. (1843): Determining the correlation between specific characters of Bucovina shepherd dogs. *Bulletin UASVM Animal Science and Biotechnologies Cluj- Napoca ISSN*, 5262.
- Patterson, D. F., Pyle, R. L., Van Mierop, L., Melbin, J., & Olson, M. (1974): Hereditary defects of the conotruncal septum in Keeshond dogs: pathologic and genetic studies. *The American journal of cardiology*, 34(2), 187-205.  
[https://doi.org/10.1016/0002-9149\(74\)90198-2](https://doi.org/10.1016/0002-9149(74)90198-2).
- Patterson, D. F., Pexieder, T., Schnarr, W. R., Navratil, T., & Alaili, R. (1993): A single major-gene defect underlying cardiac conotruncal malformations interferes with myocardial growth during embryonic development: studies in the CTD line of keeshond dogs. *American journal of human genetics*, 52(2), 388.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1682200/>.
- Pemberton, N. (2012): Hounding Holmes: Arthur Conan Doyle, Bloodhounds and Sleuthing in the Late-Victorian Imagination. *Journal of Victorian Culture*, 17, 454- 467.
- Pemberton, N. (2013a): The bloodhound's nose knows? dogs and detection in Anglo-American culture. *Endeavour*, 37, 196- 208.
- Pemberton, N. (2013b): Bloodhounds as Detectives. *Cultural and Social History*, 10, 69- 91.
- Pember, N. & Worboys, M. (2015): The invention of the basset hound: breed, blood and the late Victorian dog fancy, 1865-1900. *European Review of History: Revue européenne d'histoire*, 22(5), 726-740.
- Peters, J. A. (1969): Canine mastocytoma: excess risk as related to ancestry. *Journal of the National Cancer Institute*, 42(3), 435-443.
- Peters, S. (2009). Typische Verteilungsmuster von Hauterkrankungen beim Hund–Teil 1. kleintier konkret, 12 (04), 3-10.
- Petersen-Jones, S. M., Entz, D. D., Sargan, D. R. (1999): cGMP phosphodiesterase- $\alpha$  mutation causes progressive retinal atrophy in the Cardigan Welsh corgi dog. *Invest Ophthalmol Vis Sci*.40 (8):1637–1644.
- Petersen-Jones, S. M., Entz, D. D. (2002): An improved DNA-based test for detection of the codon 616 mutation in the alpha cyclic GMP phosphodiesterase gene that causes progressive retinal atrophy in the Cardigan Welsh Corgi. *Vet Ophthalmol*. 5 (2):103–106.
- Petersen-Jones, S. M., Forcier, J., & Mentzer, A. L. (2007): Ocular melanosis in the Cairn Terrier: clinical description and investigation of mode of inheritance. *Veterinary ophthalmology*, 10, 63-69.
- Philipp, U., Vollmar, A., Häggström, J., Thomas, A., Distl, O. (2012): Multiple Loci Are Associated with Dilated Cardiomyopathy in Irish Wolfhounds. *PLOS ONE* 7(6): e36691.
- Phillips, B. (1996): "The World of Dogs- Flat Coated Retrievers", Kingdom books

- Phillips, D. E. & Harkin, K. R. (2003): Hypothyroidism and Myocardial Failure in Two Great Danes. Journal of the American Animal Hospital Association: March/April 2003, Vol. 39, No. 2, pp. 133-137.
- Phillips, J. C., Stephenson, B., Hauck, M., & Dillberger, J. (2007): Heritability and segregation analysis of osteosarcoma in the Scottish deerhound. Genomics, 90(3), 354-363.
- Phillips, J.C., Lembcke, L. & Chamberlin, T. (2010): A novel locus for canine osteosarcoma (OSA1) maps to CFA34, the canine orthologue of human 3q26. Genomics, 96 (4), 220-227.
- Platt, S., Freeman, J., di, Stefani, A., Wieczorek, L. and Henley, W. (2006): Prevalence of Unilateral and Bilateral Deafness in Border Collies and Association with Phenotype. Journal of Veterinary Internal Medicine, 20: 1355-1362.
- Pohjoismäki, J. L., Lampi, S., Donner, J., & Anderson, H. (2018): Origins and wanderings of the Finnish hunting spitzes. PloS one, 13(6), e0199992. DOI: 10.1371/journal.pone.0199992.
- Polgár, Z., Kinnunen, M., Újváry, D., Miklósi, Á., & Gácsi, M. (2016): A test of canine olfactory capacity: comparing various dog breeds and wolves in a natural detection task. PloS one, 11(5).
- Polo, M., Rusticiano (da Pisa.), Yule, S. H., & Cordier, H. (2004): Travels of Marco Polo-Volume 2. Project Gutenberg.
- Pongrácz, Péter; Gómez, Sara Alvarez; Lenkei, Rita (2019): Separation-related behaviour indicates the effect of functional breed selection in dogs (*Canis familiaris*). Applied Animal Behaviour Science, (), 104884-.
- Potgieter, G. C., Kerley, G. I., Marker, L. L. (2016): More bark than bite? The role of livestock guarding dogs in predator control on Namibian farmland. Oryx, 50 (3), 514-522.
- Pręgowski, M. P (2016): Companion Animals in Everyday Life: Situating Human-Animal Engagement within Culture. Palgrave Macmillan US. p. 129. ISBN:978-1-137-59571-3, 978-1-137-59572-0
- Proschowsky, H. F.; Rubgjerg, H.; Ersbøll, A. K. R. (2003): "Mortality of purebred and mixed-breed dogs in Denmark". Preventive Veterinary Medicine. 58 (1-2): 63-74.
- Proschowsky, H. F., Rubgjerg, H., & Ersbøll, A. K. (2003): Mortality of purebred and mixed-breed dogs in Denmark. Preventive veterinary medicine, 58(1-2), 63-74.
- Pugh, C. A., Farrell, L. L., Carlisle, A. J., Bush, S. J., Ewing, A., Trejo-Reveles, V., Matika, O., de Kloet, A., Walsh, C., Bishop, S. C., Prendergast, J. G. D., Rainger, J., Jeffrey J. Schoenebeck, J.J. and Summers, K.M. (2019): Arginine to glutamine variant in olfactomedin like 3 (OLFML3) is a candidate for severe goniodygenesis and glaucoma in the Border Collie dog breed. G3: Genes, Genomes, Genetics, 9(3), 943-954.

## R

- Räber, H. (2014): Enzyklopädie der Rassehunde, Band 2: Ursprung, Geschichte, Zuchtziele und Verwendung, Franck-Kosmos Verlags-GmbH & Company KG.
- Raja, K. N, Singh, P. K., Mishra, A.K., Ganguly, I., Devendran, P., Kathirvel, S. (2017): Phenotypic characterization of Rajapalayam dog of Southern India. Indian Journal of Animal Sciences 87 (4): 447-451, April 2017.
- Raja, K., Saravanan, R., Devendran, P., Singh, P. K., Mishra A. K., Ganguly, I. (2018): Cytogenetic profile of the Rajapalayam dog breed in southern India. Indian Journal of Animal Research, Volume 52, Issue 9, pp. 1243-124.
- Ravimurugan, T., & Kumaravelu, N. (2008): Dog Rearing and Management. 1st Ed., Saradha Publishers, Chennai.
- Ravimurugan, T., Karthickeyan, S. M. K., Hisham, A., Sivaselvam, S. N. (2014): PHYSICAL AND PERFORMANCE CHARACTERISTICS OF KANNI DOG.
- Rawitz, B. (1896): Gehörorgan und Gehirn eines weißen Hundes mit blauen Augen. Morphologische Arbeiten, 6(3), 545-554.

- Redde, S. (2008): Handbuch der monogenen Erbmerkmale beim Hund (Doctoral dissertation, Niedersächsische Staats-und Universitätsbibliothek Göttingen).
- Redlich, J. (2000): Gefährliche Hunderassen? – Gesetzgebung und Biologie. Tierärztl. Umschau; 4; 175-184.
- Rehage, F. (1992): Hyperaggressivität beim Hund aus Sicht des praktizierenden Tierarztes. Prakt. Tierarzt; 5: 412-419.
- Reichler, I. M., Hauser, B., Schiller, I., Dunstan, R. W., Credille, K.M., Binder, H., Glaus, T. & Arnold, S. (2001): Sebaceous adenitis in the Akita: clinical observations, histo pathology and heredity. Veterinary Dermatology, 12, 243-253.
- Rentmeister, K. (2005): Erkrankungen der peripheren Nerven: Polyneuropathien. Tierärztliche Praxis Ausgabe K: Kleintiere/Heimtiere, 33(06), 458-463.
- Ricciarelli, A. (2016): Evaluation of behavioral characteristics and diseases incidence of the English Bulldog. Dog Behavior, 2016(1), 13-20.
- Riemer, S., Müller, C., Virányi, Z., Huber, L., & Range, F. (2016): Individual and group level trajectories of behavioural development in Border collies. Applied animal behaviour science, 180, 78-86.
- Rigg, R. (2001): Livestock guarding dogs: their current use world wide. Canid Specialist Group.
- Rigg, R. (2002): The use of livestock guarding dogs to protect sheep and goats from large carnivores in Slovakia. Unpublished report. The Slovak Wildlife Society.
- Rivas, A. L., Tintle, L., Meyers-Wallen, V., Scarlett, J. M., van Tassell, C. P., W. Quimby, F. (1993): Inheritance of Renal Amyloidosis in Chinese Shar-pei Dogs, Journal of Heredity, 84 (6), 438–442.
- Roe, K., Pratt, A., Lulich, J., Osborne, C., & Syme, H. M. (2012): Analysis of 14,008 uroliths from dogs in the UK over a 10-year period. Journal of Small Animal Practice, 53(11), 634-640.
- Robinson, R. (1989): Inheritance of coat colour in the Anatolian Shepherd dog. Genetica, 79(2), 143-145.
- Roethel, Cynthia (2012): "Overview and Prevalence of Genetic Defects in the Rhodesian Ridgeback". RRCUS Health and Genetics Committee.
- Rogen, M. (1997): Kampfhunde- Verkannt, verleumdet und verachtet. Vetimpulse; 2; 10-11, 14.
- Roiner, K. (2017): Beißvorfälle unter Berücksichtigung der Hunderassen in Deutschland und Umfrage bei Hundebisspatienten in vier Berliner Kliniken (Doctoral dissertation).
- Roll, A., & Unshelm, J. (1997): Aggressive conflicts amongst dogs and factors affecting them. Applied animal behaviour science, 52(3-4), 229-242.
- Roque, J. B., O'Leary, C. A., Duffy, D. L., Kyaw-Tanner, M., Gharahkhani, P., Vogelnest, L., ... & Latter, M. (2012). Atopic dermatitis in West Highland white terriers is associated with a 1.3-Mb region on CFA 17. Immunogenetics, 64(3), 209-217.
- Rosado, B., García-Belenguer, S., León, M., Chacón, G., Villegas, A., Palacio, J. (2010): Blood concentrations of serotonin, cortisol and dehydroepiandrosterone in aggressive dogs. Appl. Anim. Behav. Sci., Band 123, pp. 124-130.
- Rosaspina, M. (2005): Vergleichende Untersuchungen am oberen Respirationstrakt bei Norwich Terriern, brachycephalen Hunden und mesocephalen Hunden (Doctoral dissertation, University of Zurich).
- Rossi-Broy, C. (2000): Gefährliche Hunde: Abgleich, Anwendung, Lind Bewertung der Ländervorschriften. Dtsch. Tierärztl. Wschr; 107; 94-99.
- Roth, L. S. V., Faresjö, Å., Theodorsson, E., Jensen, P. (2016): Hair cortisol varies with season and lifestyle and relates to human interaction in German shepherd dogs. Scient. Rep. 6: 19631.
- Rüfenacht, S., Gebhardt-Heinrich, S., Gaillard, C (2004): Sind die Verhaltensmerkmale der Wesensprüfung erblich? SKG Zeitschrift Hunde, 21.05.2004, Wiss. Beilage der Albert-Hein-Stiftung.

Różańska-Zawieja, J., Nienartowicz-Zdrojewska, A., Mucha, M., Sobek, Z., Stanisławski, D., Gierdziewicz, M., Kania-Gierdziewicz, J. (2013): Evaluation of inbreeding and relationship coefficients in Hovawart dogs and analysis of trends in coat colour changes / Ocena stopnia zinbredowania i spokrewnienia psów rasy hovawart oraz analiza tendencji zmian umaszczenia. Annals of Animal Science, 13(2), –.

**S**

- Saetre, P., Strandberg, E., Sundgren, P. E., Pettersson, U., Jazin, E., & Bergström, T. F. (2006): The genetic contribution to canine personality. *Genes, Brain and Behavior*, 5(3), 240-248.
- Sacks, J. J., Sinclair, L., Gilchrist, J., Golab, G. C., & Lockwood, R. (2000): Breeds of dogs involved in fatal human attacks in the United States between 1979 and 1998. *Journal of the American Veterinary Medical Association*, 217(6), 836-840.
- Sanchez, Armand & Piedrafita, Jesús & Jordana, Jordi. (1992): Genetic relationships in Spanish dog breeds. II. The analysis of biochemical polymorphism. *Genetics Selection Evolution*. 24. 10.1186/1297-9686-24-3-245.
- Sanders (2017): Primitive und „verwilderte“ Haushunde – vergleichende Verhaltensuntersuchungen an primitiven Hunderassen und australischen Dingos, CANISINDIPENDICUS, 18.09.2017.
- Sapierzyński, R., & Czopowicz, M. (2017): The animal-dependent risk factors in canine osteosarcomas. *Polish journal of veterinary sciences*, 20(2), 293-298.
- Sargan, D. R., Withers, D., Pettitt, L., Squire, M., Gould, D. J., & Mellersh, C. S. (2007): Mapping the mutation causing lens luxation in several terrier breeds. *Journal of heredity*, 98(5), 534-538.
- Savolainen, Peter; Crapon de Caprona, Marie-Dominique (6 January 2019): "Extensive Phenotypic Diversity among South Chinese Dogs". International Scholarly Research Notices. <https://doi.org/10.5402/2013/621836>.
- Schalke, E., Ott, S. A., von Gaertner, A. M., Hackbarth, H. Mittmann, A (2008): Is breeding-specific legislation justified? Study of the results of the temperament test of Lower Saxony. *Journal of Veterinary Behaviour: Clinical Applications and Research*, 3 (3), 97-103.
- Schiffman, J. D., & Breen, M. (2015): Comparative oncology: what dogs and other species can teach us about humans with cancer. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1673), 20140231.
- Schmitz, S., Wegmann, A. (2010): Der große BLV Hunderassen-Führer: Aussehen, Eigenschaften und Haltung; alle Rassen nach Größe geordnet. BLV Buchverlag, S. 215.
- Schneider, I. (2017): The Search for Dog in Cervantes. *Humanities*, 6(3), 49–.
- Schneider, S., Cianciolo, R., Nabity, M., Clubb, F., Jr, Brown, C. and Lees, G. (2013): Prevalence of Immune-Complex Glomerulonephritides in Dogs Biopsied for Suspected Glomerular Disease: 501 Cases (2007–2012). *J Vet Intern Med*, 27, S67-S75.
- Schöning, B. (2012): Risikoevaluierung bei „gefährlichen Hunden“, *Veterinär Spiegel*, 22 (2), 69-73.
- Schrack, J., Dolf, G., Reichler, I.M., Schelling, C. (2017): Factors influencing litter size and puppy losses in the Entlebucher Mountain dog. *Theriogenology*, 95(), 163–170.
- Schrauwen, I., Barber, R. M., Schatzberg, S. J., Siniard, A. L., Corneveaux, J. J., Porter, B. F., Vernau, K. M., Keesler, R. I., Matiasek, K., Flegel, T., Southard, T., Mariani, C. L., Johnson, G. C., Huentelman, M.J. & Miller, A. D. (2014): Identification of novel genetic risk loci in Maltese dogs with necrotizing meningoencephalitis and evidence of a shared genetic risk across toy dog breeds. *PloS one*, 9(11).
- Schweda, A., Schweda., T & Nestler, A. (2019): Von der Basis zum erfolgreichen Mantrailing: Finden statt suchen, Stuttgart, Müller Rüschlikon Verlag.

- Scott, J. P., Fuller, J. L. (1965): Genetics and the social behaviour of the dog. Chicago, Chicago Press.
- Scott, E. M., Esson, D. W., Fritz, K. J., & Dubielzig, R. R. (2013): Major breed distribution of canine patients enucleated or eviscerated due to glaucoma following routine cataract surgery as well as common histopathologic findings within enucleated globes. *Veterinary ophthalmology*, 16, 64-72.
- Segert, J. H., Seidel, J.M., Wurzer, W. J., Geretschlaeger, A. M. (2019.): vWD is inherited in an autosomal dominant manner with incomplete penetrance, in the Kromfohrländer breed. In: *Canine Genetics and Epidemiology*. 6.
- Segev, G., Cowgill, L.D., Jessen, S., Berkowitz, A., Mohr, C. and Aroch, I. (2012): Renal Amyloidosis in Dogs: A Retrospective Study of 91 Cases with Comparison of the Disease between Shar-Pei and Non-Shar-Pei Dogs. *J Vet Intern Med*, 26, 259-268.
- Seim-Wikse, T., Jörundsson, E., Nødtvedt, A., Grotmol, T., Bjornvad, C. R., Kristensen, A. T., & Skancke, E. (2013): Breed predisposition to canine gastric carcinoma-a study based on the Norwegian canine cancer register. *Acta veterinaria scandinavica*, 55(1), 25.
- Selvakumar, R., Murugan, M., & Sivakumar, T. (2013): Morphometric characterization of Kanni dog – An indigenous Hound breed of southern Tamil Nadu. *Indian Veterinary Journal* 90 (8): 32-33.
- Selvakumar, R., Sundaram, S. M., Jawahar, K. T. P, (2014): Phenotypic characterization of Rajapalayam dog - a hound dog breed of India. *Indian Journal of Animal Production and Management* 2014 Vol.30 No. 1/2.
- Serpell, J. A., & Hsu, Y. A. (2005): Effects of breed, sex, and neuter status on trainability in dogs. *Anthrozoös*, 18(3), 196-207.
- Serpell, J. A., & Duffy, D. L. (2014). Dog breeds and their behavior. In: A. Horowitz (ed) *Domestic dog cognition and behavior* (pp. 31-57). Springer, Berlin, Heidelberg.
- Serpell, J. A., Duffy, D. L. (2014): Dog Breeds and their behavior. *Domestic Dog Cognition and Behavior*. Springer, Berlin. 531-557, A. Horowitz (Ed).
- Shaffer, L. G., Ramirez, C. J., Phelps, P., Aviram, M., Walczak, M., Bar-Gal, G. K., Ballif, B. C. (2017): An International Genetic Survey of Breed-Specific Diseases in Working Dogs from the United States, Israel, and Poland. *Cytogenetic and genome research*, 153, 198-204.
- Sharp, N.C. Craig (2012). Animal athletes: a performance review *Veterinary Record* Vol 171 (4) 87-94.
- Sheman, C. K., Reisner, I. R. Taliaferro, L. A., Houpt, K. A. (1998): Characteristics, treatment and outcome of 69 cases of Aggregates between dogs. *Appl. Animal Behaviour Science*: 47: 91-108.
- Shouldice, V. L., Edwards, A. M., Serpell, J. A., Niel, L., & Robinson, J. A. B. (2019): Expression of Behavioural Traits in Goldendoodles and Labradoodles. *Animals*, 9(12), 1162.
- Sisk, D.B., Levesque, D.C., Wood, P.A., Styler, E.L. (1990): Clinical and pathologic features of ceroid lipofuscinoses in two Australian cattle dogs. *Journal of the American Veterinary Medical Association*. 197(3):361-364.
- Skelly, B. J., & Franklin, R. J. (2007): Mutations in genes causing human familial isolated hyperparathyroidism do not account for hyperparathyroidism in Keeshond dogs. *The Veterinary Journal*, 174(3), 652-654.  
<https://doi.org/10.1016/j.tvjl.2006.10.018>.
- Sleeper, M. M., Henthorn, P. S., Vijayasarathy, C., Dambach, D. M., Bowers, T., Tijssens, P., Armstrong, C.F. & Lankford, E. B. (2002): Dilated cardiomyopathy in juvenile Portuguese water dogs. *Journal of veterinary internal medicine*, 16(1), 52-62.
- Sloane, C. F. (1955): Dogs in war, police work and on patrol. *The Journal of Criminal Law, Criminology, and Police Science*, 46(3), 385-395.
- Smith, B. P., Browne, M., & Serpell, J. A. (2017): Owner-reported behavioural characteristics of dingoes (*Canis dingo*) living as companion animals: A

- comparison to “modern” and “ancient” dog breeds. *Applied Animal Behaviour Science*, 187, 77–84.
- Smith, G. K., Mayhew, P. D., Kapatkin, A. S., McKelvie, P. J., Shofer, F. S., & Gregor, T. P. (2001): Evaluation of risk factors for degenerative joint disease associated with hip dysplasia in German Shepherd Dogs, Golden Retrievers, Labrador Retrievers, and Rottweilers. *Journal of the American Veterinary Medical Association*, 219(12), 1719-1724.
- Smith, M. E., Linnell, J. D., Odden, J., & Swenson, J. E. (2000): Review of methods to reduce livestock depradation: I. Guardian animals. *Acta Agriculturae Scandinavica, Section A-Animal Science*, 50(4), 279-290.
- Somma, A.T., Moreno, J.C.D., Sato, M.T., Rodrigues, B.D., Bacellar-Galdino, M., Occelli, L.M., Petersen-Jones, S.M. and Montiani-Ferreira, F. (2017): Characterization of a novel form of progressive retinal atrophy in Whippet dogs: a clinical, electroretinographic, and breeding study. *Veterinary Ophthalmology*, 20: 450-459.
- Sommerfeld-Stur (2016): *Rassehundezucht*. 1. Auflage. Müller Rüschlikon, Stuttgart, ISBN 978-3-275-02061-4, S. 223–227.
- Sommerlad, S.F., McRae, A.F., McDonald, B., Johnstone, I., Cuttrell, L., Seddon, J.M., O’Leary, C.A. (2010): Congenital Sensorineural Deafness in the Australian Stumpy-tail Cattle Dog is an autosomal recessive trait that maps to CFA10. *PLoS One*. 5 (10).
- Sommerlad, S.F., Morton, J.M., Haile-Mariam, M., Johnstone, I., Seddon, J. M. and O’Leary, C. A. (2012) Prevalence of congenital hereditary sensorineural deafness in Australian Cattle Dogs and associations with coat characteristics and sex. *BMC Veterinary Research*, 8, 202.
- Spady, T. C., & Ostrander, E. A. (2008): Canine behavioral genetics: pointing out the phenotypes and herding up the genes. *The American Journal of Human Genetics*, 82(1), 10-18.
- Sponenberg, D.P. & de Lahunta, A. (1981): Hereditary hypertrophic neuropathy in Tibetan Mastiff dogs. *Journal of Heredity*, 72 (4), 287–287.
- Stanin, D., M. Pavlak, Z. Vrbanak, D. Poto Tanin, D., M. Pavlak, Z. Vrbanak, D. Potocnjak (2011): Prevalence of hip revalence of hip dysplasia in dogs according to of ysplasia in dogs according to offi cial radiographic screening in Croatia cial radiographic screening in Croatia. *Vet. arhiv Vet. Arhiv* 81, 235-248.
- Starling, M. et al (2013): Boldness in the Domestic dog differs between breeds and breed groups. *Behav Proc* 97, 53 – 62.
- Starovoitev, V.I (2013): Nuzho li sovershenstvovat chutye sobak-detektorov? *Kriminalistichniy Visnik*, 2(20), 175-183.
- Starr, A. N., Famula, T. R., Markward, N. J., Baldwin, J. V., Fowler, K. D., Klumb, D. E., Simpson, N. L. & Murphy, K. E. (2007): Hereditary evaluation of multiple developmental abnormalities in the Havanese dog breed. *Journal of heredity*, 98(5), 510-517.
- Stassen, Q. E. M., Koskinen, L. L. E., van Steenbeek, F. G., Seppälä, E. H., Jokinen, T. S., Prins, P. G. M., Bok, H.G.J., Zandvliet, M.M.J.M, Vos-Loochuis, M., Leegwater, P.A.J., Lohi, H. (2017): Paroxysmal dyskinesia in Border terriers: Clinical, epidemiological, and genetic investigations. *Journal of veterinary internal medicine*, 31(4), 1123-1131.
- Staub, Katharina (2012): Untersuchungen zur Rute beim Entlebucher Sennenhund. Doctoral Dissertation. University of Zurich, Vetsuisse-Fakultät.
- Steenbeck, S. (2007): Retrospektive Analyse prognostischer Faktoren beim Vestibularsyndrom des Hundes (Doctoral dissertation, Imu).
- Steiner, Y. (2011): Der Appenzeller Sennenhund. 4., vollständig überarbeitete Auflage. Appenzeller-Verlag, ISBN 978-3-85882-236-9.
- Steinfeldt, A. (2002): „Kampfhunde“ Geschichte, Einsatz, Haltungsprobleme von „Bull-Rassen“ - Eine Literaturstudie. Hannover, Dissertation.

- Stone, H. R., McGreevy, P. D., Starling, M. J., & Forkman, B. (2016): Associations between domestic-dog morphology and behaviour scores in the dog mentality assessment. *PloS one*, 11(2).
- Storengen, Linn Mari; Lingaaas, Frode (2015): Noise sensitivity in 17 dog breeds: Prevalence, breed risk and correlation with fear in other situations. *Applied Animal Behaviour Science*, 171(), 152–160.
- Strain, G. M. (2004): Deafness prevalence and pigmentation and gender associations in dog breeds at risk. *The Veterinary Journal*, 167(1), 23-32.
- Stritzel, S. (2008): Untersuchungen zu familiären und rassespezifischen Erbkrankheiten beim Hund. Tierärztliche Hochschule Hannover.
- Stronen, A. V., Salmela, E., Baldursdottir, B. K., Berg, P., Espelien, I. S., Järvi, K., Jensen, H., Kristensen, T. N., Melis, C. Manenti, T., Lohi, H. Pertoldi, C. (2017): Genetic rescue of an endangered domestic animal through outcrossing with closely related breeds: A case study of the Norwegian Lundehund. *PloS one*, 12(6), e0177429. <https://doi.org/10.1371/journal.pone.0177429>.
- Storengen, L. M., & Lingaaas, F. (2015).: Noise sensitivity in 17 dog breeds: Prevalence, breed risk and correlation with fear in other situations. *Applied Animal Behaviour Science*, 171, 152–160.
- Struwe, R., & Kuhne, F. (2005): Auffällig gewordene Hunde in Berlin und Brandenburg—ihre Repräsentanz in offiziellen Statistiken und in der Hundepopulation. Vortrag auf der DVG-Tagung am, 24, 145-170.
- Strychalski, J., Gugołek, A., & Konstantynowicz, M. (2015): Clicker training efficiency in shaping the desired behaviour in the following dog breeds: boxer, chow chow and yorkshire terrier. *Polish Journal of Natural Sciences*, 30(3), 235-243.
- Strychalski, J., Gugotek, A., Konstantynowicz, M. (2015): Clicker training efficiency in shaping the desired behaviour in the following dog breeds: Boxer, Chow Chow and Yorkshire Terrier, *Polish Journal of Natural Sciences*, 30(3), 235-243.
- Strychalski, J., Gugołek, A., & Konstantynowicz, M. (2015): Clicker training efficiency in shaping the desired behaviour in the following dog breeds: boxer, chow chow and yorkshire terrier. *Polish Journal of Natural Sciences*, 30(3), 235-243.
- Stur, I. (2000): „Zur Frage der besonderen Gefährlichkeit von Hunden aufgrund der Zugehörigkeit zu bestimmten Rassen“ Wien.
- Sulimov, K.T. (1995): Kinologicheskaya idenficciya individuma po obonyatel'nym signalam (A.N. Severstov Institute of Ecology and Evolution).
- Sundman, A. S., Van Poucke, E., Holm, A. C. S., Faresjö, Å., Theodorsson, E., Jensen, P., & Roth, L. S. (2019): Long-term stress levels are synchronized in dogs and their owners. *Scientific reports*, 9(1), 1-7.
- Sutter, N. B., & Ostrander, E. A. (2004): Dog star rising: the canine genetic system. *Nature Reviews Genetics*, 5(12), 900-910.
- Svartberg, K. (2002): Shyness-boldness predicts performance in working dogs. *Appl. Anim. Behav. Sci.* 79(2),157-174
- Svartberg, K., & Forkman, B. (2002): Personality traits in the domestic dog (*Canis familiaris*). *Applied animal behaviour science*, 79(2), 133-155.
- Svartberg, K. (2005). A comparison of behaviour in test and in everyday life: evidence of three consistent boldness-related personality traits in dogs. *Applied Animal Behaviour Science*, 91(1-2), 103-128.
- Svartberg, K. (2006): Breed-typical behaviour in dogs — Historical remnants or recent constructs? *Applied Animal Behaviour Science*, 96(3-4), 293–313.
- Szczepanik, M., Wilkołek, P., Adamek, Ł., & Chmelecka, K. (2012): Zapalenie gruczołów łojowych u psów. *Życie Weterynaryjne*, 87(04).

## T

- Taefehshokr, S., Key, Y., Neshat, G., Mehrdad, M. (2014): Survey on Iran's Breeds of Dogs.
- Taylor, R. (2017): How does temperament and breed influence learned aversion training in domestic dogs (Doctoral dissertation, Murdoch University).
- Thiruvenkadan A K, Ravimurugan T, Devendran P and Sivakumar K. (2012): Dog Breeds of Tamil Nadu. A leaflet published by Tamil Nadu Veterinary and Animal Sciences University, Chennai, Tamil Nadu, India.
- Thomspson, J., (2014): unpl. Artikel.
- Thompson, J. (2016): „Central African Dog“ ; Kapitel in Dawn of the Dog: The Genesis of a Natural Species, Koler-Matznick, J.A.; Whittbecker, A.; Adair, K., S. 175-179.
- Thompson, J. (2019): pers. Mitteilung, 19.08.19, 04.10.19 The Royal Institute of Technology (KTH), – derzeit noch unpublizierte DNA-Untersuchung von Basenjis im Kongo.
- Thornton, K. C. (1998): Bloodhounds: Everything About Purchase, Care, Nutrition, Behavior and Training (Barrons Complete Pet Owner's Manuals), Barron's Educational Series.
- Tjalma, R. (1966): Cainine bone sarcoma: Estimation of relative risk ans a function of bone Cancer Inst, 36, 1137-1150.
- Takeuchi & Mori, (2005): Canine TyrosinHydroxilase Geneand Dopaminebeta Hydroxilase gene: Their sequences, genetic polymorphisms and diversities among 5 different dog breeds. J Vet Med Sci 67, 861 – 867
- Takeuchi, Y., & Mori, Y. (2006): A comparison of the behavioral profiles of purebred dogs in Japan to profiles of those in the United States and the United Kingdom. Journal of Veterinary Medical Science, 68(8), 789-796.
- Talenti, A., Dreger, D. L., Frattini, S., Polli, M., Marelli, S., Harris, A. C., Liotta L., Raffaella, C., Hogan, A., Daniele, B., Romolo. C., Parker, H. G., Pagnacco, G., Ostrander, E. A., Crepaldi, P., (2018): Studies of modern Italian dog populations reveal multiple patterns for domestic breed evolution. Ecology and evolution, 8(5), 2911-2925.
- Tanabe, Y. (1991): The Origin of Japanese Dogs and their Association. Zoological science, 8, 639-651.
- Taylor-Brown, F. E., Meeson, R. L., Brodbelt, D. C., Church, D. B., McGreevy, P. D., Thomson, P. C., & O'Neill, D. G. (2015): Epidemiology of cranial cruciate ligament disease diagnosis in dogs attending primary-care veterinary practices in England. Veterinary Surgery, 44(6), 777-783.
- Tobias, K. M., & Rohrbach, B. W. (2003): Association of breed with the diagnosis of congenital portosystemic shunts in dogs: 2,400 cases (1980–2002). Journal of the American Veterinary Medical Association, 223(11), 1636-1639.
- Tonoike, A., Nagasawa, M., Mogi, K., Serpell, J., Ohtsuki, H. & Kikusui, T. (2015): Comparison of owner-reported behavioral characteristics among genetically clustered breeds of dog (*Canis familiaris*). Scientific Reports. 5. 10.1038/srep17710.
- Treeful, A. E., Rendahl, A. K., & Friedenberg, S. G. (2019): DLA class II haplotypes show sex-specific associations with primary hypoadrenocorticism in Standard Poodle dogs. Immunogenetics, 71(5-6), 373-382.
- Triebel, N. (2019): Phänotypische Untersuchung von Zahnanomalien am Beispiel der Hunderasse Hovawart. Jena. Online unter: [https://www.db-thueringen.de/receive/dbt\\_mods\\_00038262](https://www.db-thueringen.de/receive/dbt_mods_00038262).
- Trotter, E. J. (1985): Canine wobbler syndrome. Textbook of small animal orthopaedics. Lippincott, Philadelphia, 765-790.
- Turcsán, B., Kubinyi, E., & Miklósi, Á. (2011): Trainability and boldness traits differ between dog breed clusters ábased on conventional breed categories and genetic relatedness. Applied Animal Behaviour Science, 132(1-2), 61-70.

- Turcsán, B., Kubinyi, E., Miklósi, Á. (2011): Trainability & Boldness differ between dog breeds clusters based on artificial categorization and genetic relatedness. *Appl anim Behav Sci* 132, 61 - 70
- Turcsán, B. (2014): Personality studies in dogs (Doctoral thesis). Eötvös Loránd University. Faculty of Science, Department of Ethology, Budapest.
- Turner, J.F. (2020): Journalist specialized in Animal Welfare: The Chinese Saluki Dog. animalwised, 01.January 2020. <https://www.animalwised.com/18-oldest-dog-breeds-in-the-world-2540.html>.

**U**

- Uchida, Y., Moon-Fanelli, A. A., Dodman, N. H., Clegg, M. S., & Keen, C. L. (1997): Serum concentrations of zinc and copper in bull terriers with lethal acrodermatitis and tail-chasing behavior. *American journal of veterinary research*, 58(8), 808-810.
- Uddin, M. M., Arata, S., Takeuchi, Y., Chang, H.-S., Mizukami, K., Yabuki, A., Rahman, M. M., Kohyama M., Hossain, M.A., Takayama, K., Yamato, O. (2013): Molecular epidemiology of canine GM1 gangliosidosis in the Shiba Inu breed in Japan: relationship between regional prevalence and carrier frequency. *BMC Veterinary Research*, 9, 132.
- Unselm, J. (1997): Gutachten In: Kampfhunde? Gefährliche Hunde? Dortmund: Verband für das deutsche Hundewesen (VDH) e. V. Hrsg.
- Urbigkit, C., Urbikit, J. (2010): A review: The use of livestock protection dogs in association with large carnivores in the Rocky Mountains. *Sheep & Goat Research Journal*, 25(8).
- Urfer, S.R., Gaillard, C. & Steiger, A. (2007): Lifespan and disease predispositions in the Irish Wolfhound: A review, *Veterinary Quarterly*, 29:3, 102-111.
- Urfer, S. R., Greer, K., & Wolf, N. S. (2011): Age-related cataract in dogs: a biomarker for life span and its relation to body size. *Age*, 33(3), 451-460.

**V**

- Vaden, S. L., Hammerberg, B., Davenport, D. J., Orton, S. M., Trogdon, M. M., Melgarejo, L. T., VanCamp, S. D. & Williams, D. A. (2000): Food hypersensitivity reactions in Soft Coated Wheaten Terriers with protein-losing enteropathy or protein-losing nephropathy or both: gastroscopic food sensitivity testing, dietary provocation, and fecal immunoglobulin E. *Journal of veterinary internal medicine*, 14(1), 60-67.
- Valadez, R., in Dogs Through Time (2000): An Archaeological Perspective, S. J. Crockford, Ed. (British Archaeological Reports, Oxford), pp. 193–204.
- van Asch, B., Zhang, A., Oskarsson, M. C. R., Klütsch, C. F. C., Amorim, A., & Savolainen, P. (2013): Pre-Columbian origins of Native American dog breeds, with only limited replacement by European dogs, confirmed by mt DNA analysis 280 Proc. R. Soc. B.
- van den Berg, S.M., Heuven, H.C.M, Van den Berg, I., Duffy, D.L, Serpell, J.A (2010): Evaluation of the C\_BARQ as a measure of stranger-directed aggression in three common dog breeds. *Appl. Anim. Behav. Sci.* 124(3-4). 136-141.
- van Hagen, M. A. E., Ducro, B. J., van den Broek, J., Knol, B. W. (2005): Incidence, risk factors, and heritability estimates of hind limb lameness caused by hip dysplasia in a birth cohort of Boxer. *American Journal of Veterinary Research*, 66(2), 307-312.
- Vanhaesebrouck, A. E., Van Soens, I., Poncelet, L., Duchateau, L., Bhatti, S., Polis, I., Diels, S. & Van Ham, L. (2010): Clinical and electrophysiological characterization of myokymia and neuromyotonia in Jack Russell Terriers. *Journal of veterinary internal medicine*, 24(4), 882-889.

- van Mierop, L. H., Patterson, D. F., & Schnarr, W. R. (1977): Hereditary conotruncal septal defects in Keeshond dogs: embryologic studies. *The American journal of cardiology*, 40(6), 936-950. [https://doi.org/10.1016/0002-9149\(77\)90045-5](https://doi.org/10.1016/0002-9149(77)90045-5).
- Vassallo, L. (2016): Behavioral differences among Belgian Shepherd Dogs varieties. *Dog Behavior*, Vol 2, No 2.
- VerCauteren, K. C., Lavelle, M. J., Gehring, T. M., Landry., J. M. (2012): Cow dogs: Use of livestock protection dogs for reducing predation and transmission of pathogens from wildlife to cattle. *Applied Animal Behaviour Science*, 140 (3-4), 128-136.
- Vilà, C., Maldonado, J. E., Wayne, R. K. (1999): Phylogenetic relationships, evolution, and genetic diversity of the domestic dog, *Journal of Heredity*, Volume 90, Issue 1, Pages 71–77.
- Vincent, I. C. & Mitchell, A. R. (1992): Comparison of cortisol concentrations in saliva and plasma of dogs. *Res Vet Sci*, Band 53, pp. 342-345.
- Violette, N. P., & Ledbetter, E. C. (2017): Intracorneal stromal hemorrhage in dogs and its associations with ocular and systemic disease: 39 cases. *Veterinary ophthalmology*, 20(1), 27-33.
- Vollmar, A. (2000): The prevalence of cardiomyopathy in the Irish Wolfhound: a clinical study of 500 dogs. *Journal of the American Animal Hospital Association*, 36, 125–132.
- von Bomhard D., Kraft W. (1998): Idiopathic mucinosis cutis in Chinese Shar pei dogs: epidemiology, clinical features, histopathologic findings and treatment. *Tierärztliche Praxis. Ausgabe K, Kleintiere/Heimtiere*, 26(3), 189-196.

## W

- Wahl, J.M., Clark, L.A., Skalli, O., Ambrus, A., Rees, C.A., Mansell, J.L. and Murphy, K.E. (2008): Analysis of gene transcript profiling and immunobiology in Shetland sheepdogs with dermatomyositis. *Veterinary Dermatology*, 19: 52-58.
- Wallace, M. R., MacKay, E. O., Gelatt, K. N., & Andrew, S. E. (2005): Inheritance of cataract in the Bichon Frise. *Veterinary ophthalmology*, 8(3), 203-205.
- Wallin-Håkanson, B., Wallin-Håkanson, N. and Hedhammar, Å. (2000): Collie eye anomaly in the rough collie in Sweden: genetic transmission and influence on offspring vitality. *Journal of Small Animal Practice*, 41: 254-258.
- Wang, G. D., Zhai, W., Yang, H. C., Wang, L., Zhong, L., Liu, Y. H. (2016): Out of southern East Asia: the natural history of domestic dogs across the world. *Cell Res.* 26 (1), 21–33.
- Wang, X., Miller, A. B., Lepine, A. J., Scott, D. J., Murphy, K. E. (1999): Analysis of randomly amplified polymorphic DNA (RAPD) for identifying genetic markers associated with canine hip dysplasia. *Journal of heredity*, 90(1), 99-103.
- Wanner, C. H. (2017): 'For the good of the breed': care, ethics and responsibility in pedigree dog breeding.
- Wehrend, A. (Hrsg) (2012): *Neonatologie beim Hund*. Schlütersche Verlagsbuchh. Stuttgart.
- Wei, Y.-F., Wan, J.-S., Chen, F.-L., Chen, C., Li, J., Cheng, L.-G., Wei, H.-J. (2017): A retrospective study of female reproductive parameters in the Kunming dog. *Animal Science Journal*, 89(1), 52–59
- Weichselbaum, R. C., Feeney, D. A., Jessen, C. R., Osborne, C. A., Koehler, L., & Ulrich, L. (1998): Evaluation of the morphologic characteristics and prevalence of canine urocystoliths from a regional urolith center. *American journal of veterinary research*, 59(4), 379-387.
- Weissl, J., Hülsmeyer, V., Brauer, C., Tipold, A., Koskinen, L., Kyöstilä, K., Lohi, H., Sauter-Louis, C., Wolf, M. and Fischer, A. (2012): Disease Progression and Treatment Response of Idiopathic Epilepsy in Australian Shepherd Dogs. *J Vet Intern Med*, 26: 116-125.

- Welle, M., Grimm, S., Suter, M. and Von Tscharner, C. (1999): Mast Cell Density and Subtypes in the Skin of Shar Pei Dogs with Cutaneous Mucinosis. *Journal of Veterinary Medicine Series A*, 46, 309-316.
- Welle, M., Philipp, U., Rüfenacht, S., Roosje, P., Scharfenstein, M., Schütz, E., Brenig, B., Linek, M., Mecklenburg, L., Grest, P., Drögemüller, M., Haase, B., Leeb, T. & Drögemüller, M. (2009): MLPH Genotype — Melanin Phenotype Correlation in Dilute Dogs. *Journal of heredity*, 100(suppl\_1), S75-S79.
- Wellmann, R.; Pfeiffer, I. (2009): Pedigree analysis for conservation of genetic diversity and purging. *Genetics Research*, 91(3), 209-.
- Werner, P., Raducha, M. G., Prociuk, U., Sleeper, M. M., Van Winkle, T. J., & Henthorn, P. S. (2008): A novel locus for dilated cardiomyopathy maps to canine chromosome 8. *Genomics*, 91(6), 517-521.
- Werner, P., Raducha, M. G., Prociuk, U., Ostrander, E. A., Spielman, R. S., Kirkness, E. F. & Henthorn, P. S. (2005): The keeshond defect in cardiac conotruncal development is oligogenic. *Human genetics*, 116(5), 368-377.  
<https://link.springer.com/article/10.1007/s00439-004-1242-3>
- Werneyer, A. (2019): The inheritance of hunting traits in German hunting terriers.
- Westermeyer, H. D., Ward, D. A., & Abrams, K. (2009): Breed predisposition to congenital alacrima in dogs. *Veterinary ophthalmology*, 12(1), 1-5.
- Wess, G., Schulze, A., Butz, V., Simak, J., Killich, M., Keller, L., Maeurer, J. and Hartmann, K. (2010): Prevalence of Dilated Cardiomyopathy in Doberman Pinschers in Various Age Groups. *Journal of Veterinary Internal Medicine*, 24: 533-538.
- Westling, L. (2014): The zoosemiotics of sheep herding with dogs. In *The semiotics of animal representations* (pp. 31-52). Brill Rodopi.
- Wetten, M., & Aasmundstad, T. (2014). Genetic Analysis Of Hunting Traits In Norwegian Elkhounds. In *Proceedings 10th World Congress of Genetics Applied to Livestock Production (WCGALP)* (No. 793, pp. 17-22).[https://www.researchgate.net/publication/268109608\\_Genetic\\_Analysis\\_Of\\_Hunting\\_Traits\\_In\\_Norwegian\\_Elkhounds](https://www.researchgate.net/publication/268109608_Genetic_Analysis_Of_Hunting_Traits_In_Norwegian_Elkhounds)
- Wetten, M., Aasmundstad, T., & Vangen, O. (2018): Genetic analyses of hunting traits in leashed and non-leashed test systems in Norwegian Elkhound. *Acta Agriculturae Scandinavica, Section A — Animal Science*, 1-8.  
<https://doi.org/10.1080/09064702.2018.1493137>
- White, C., Pohl, M., Schwarcz, H. & Longstaffe, F. (2001): Isotopic evidence for Maya patterns of deer and dog use at Preclassic Colha. *J. Archaeol. Sci.* 28, 89–107.
- Wiberg, M. E. (2014): Pancreatic acinar atrophy in German shepherd dogs and rough-coated collies. Etiopathogenesis, diagnosis and treatment. A review. In: *The Veterinary quarterly*. Band 26, Nummer 2, Juni 2004, S. 61–75.
- Wiesner, D., Bostedt, H. (2000): Untersuchungen zum Verhalten des Hundes in Zusammenarbeit mit dem Menschen. *Tierärztliche Praxis*; 28 (K); 239-246.
- Wiersma, A. C., Millon, L. V., Van Dongen, A. M., Van Oost, B. A., & Bannasch, D. L. (2005): Evaluation of canine COL4A3 and COL4A4 as candidates for familial renal disease in the Norwegian Elkhound. *Journal of heredity*, 96(7), 739-744.  
<https://doi.org/10.1093/jhered/esi068>.
- Wikström, C., & Linde Forsberg, C. (2006): Fertility and fertility problems in the Chow-chow, mainly an autumn breeder. In: *Proceedings of the 5th biannual EVSSAR congress*; p. 294.
- Wilbe, M., Sundberg, K., Hansen, I. R., Strandberg, E., Nachreiner, R. F., Hedhammar, Å., Kennedy, L. J., Andersson, G. & Björnerfeldt, S. (2010): Increased genetic risk or protection for canine autoimmune lymphocytic thyroiditis in Giant Schnauzers depends on DLA class II genotype. *Tissue antigens*, 75(6), 712-719.
- Wild, R. (1993): „Flat Coated Retriever, Chesapeake Bay Retriever – Ursprung, Zucht, Erziehung, Pflege“, Müller Rüschlikon.

- Wild, R., Jaussi, Y. (2005): "Flat Coated Retriever – Das große Rassehandbuch", Müller Rüschlikon.
- Wiles, B. M., Llewellyn-Zaidi, A. M., Evans, K. M., O'Neill, D. G & Lewis, T. W. (2017): Large-scale survey to estimate the prevalence of disorders for 192 Kennel Club registered breeds, Canine Genetics and Epidemiology volume 4, Article number: 8.
- Williams, C. A. S. (1976): Outlines of Chinese symbolism & art motives. New York: Dover Publications, p. 125.
- Wirz-Ridolfi, A. (2018): Auf den Hund gekommen. Akupunktur und Aurikulomedizin 44, 6–7.
- Witoslavská, A., & Klimazevský, K. (2019): Evaluation of the usefulness of the temperament tests in utility dog breeding on the example of a Boxer breed. Animal Science No 58 (3) Warsaw 2019, 58, 235.
- Witsberger, T.H., Villamil, J.A., Schultz, L.G., Hahn, A.W. & Cook, J.L. (2008): Prevalence of and risk factors for hip dysplasia and cranial cruciate ligament deficiency in dogs. Journal of the American Veterinary Medical Association, 232 (12), 1818–1824.
- Woidtke, L (2016): Mantrailling- Fakten und Fiktionen, Rothenburg/Oberlausitz, Hochschule der sächsischen Polizei (FH).
- Wolf, M. (2012): Epidemiologische Studie zum episodischen Kopftremor-Syndrom (Head bobbing) beim Dobermann (Doctoral dissertation, Imu).
- Wood, P.A., Sisk, D.B., Styer, E., Baker, H.J. and Prieur, D.J. (1987): Animal model: Ceroidosis (ceroid-lipofuscinosis) in Australian Cattle dogs. Am. J. Med. Genet., 26: 891-898.
- Wouda, W., & Van Nes, J. J. (1986): Progressive ataxia due to central demyelination in Rottweiler dogs. Veterinary Quarterly, 8(2), 89-97.

**Y**

- Yamato, O., Ochiai, K., Masuoka, Y., Hayashida, E., Tajima, M., Omae, S., Iijima, M., Umemura, T., Maede, Y. (2000): GM1 gangliosidosis in Shiba dogs. Veterinary Record, 146, 493– 496.
- Yang, H., Wang, G., Wang, M., Ma, Y., Yin, T., Fan, R., Wu, H., Zhong, L., Irwin, D.M., Zhai, W., Zhang, Y. (2017): The origin of chow chows in the light of the East Asian breeds. BMC Genomics 18, 174.
- Yang, Q., Chen, H., Ye, J., Liu, C., Wei, R., Chen, C., & Huang, L. (2019): Genetic Diversity and Signatures of Selection in 15 Chinese Indigenous Dog Breeds Revealed by Genome-Wide SNPs. Frontiers in Genetics.
- Yeh, C. Y., Goldstein, O., Kukekova, A. V., Holley, D., Knollinger, A. M., Huson, H. J., Pearce-Kelling, E.S., Acland, G. M. & Komáromy, A. M. (2013): Genomic deletion of CNGB3 is identical by descent in multiple canine breeds and causes achromatopsia. BMC genetics, 14 (1), 27.
- Yin, S., Fernandez, E. J., Pagan, S., Richardson, S. L., & Snyder, G. (2008): Efficacy of a remote-controlled, positive-reinforcement, dog-training system for modifying problem behaviors exhibited when people arrive at the door. Applied animal behaviour science, 113(1-3), 123-138.
- Yilmaz, O. (2007): Turkish kangal (Karabash) shepherd dog. Impress Printing Comp. Ankara (Turkey).
- Yilmaz, O., Coskun, F., & Ertugrul, M. (2012): Live weight and some morphological characteristics of Turkish Tazi (Sighthound) raised in Province of Konya in Turkey. Journal of Livestock Science (ISSN online 2277-6214), 3, 98-103.
- Yilmaz O, & Ertuğrul, M. (2011): Some morphological characteristics of Turkish Tazi (Sight Hound). The Journal of Animal and Plant Sciences 21(4): 794-799.
- Yilmaz, O., Ertürk, Y. E., COŞKUN, F., ERTUĞRUL, M. (2015): Using Livestock Guardian Dogs in Balkans. Agriculture & Forestry, Podgorica, Vol. 61 Issue 1: 161-173.

**Z**

- Zaldívar-López, S., Marín, L. M., Iazbik, M. C., Westendorf-Stingle, N., Hensley, S., & Couto, C. G. (2011): Clinical pathology of Greyhounds and other sighthounds. *Veterinary clinical pathology*, 40(4), 414–425.
- Zanna, G., Fondevila, D., Bardagí, M., Docampo, M.J., Bassols, A. and Ferrer, L. (2008): Cutaneous mucinosis in shar-pei dogs is due to hyaluronic acid deposition and is associated with high levels of hyaluronic acid in serum. *Veterinary Dermatology*, 19, 314-318.
- Zatloukal, J., Lorenzova, J., Tichý, F., Nečas, A., Kecova, H., & Kohout, P. (2005): Breed and age as risk factors for canine mammary tumours. *Acta Veterinaria Brno*, 74(1), 103-109.
- Zavyalova, V. (2015): A jackal's nose for the job, Russia Beyond the Headlines.
- Zeng, R., Farias, F. H. G., Johnson, G. S., McKay, S. D., Schnabel, R. D., Decker, J. E., Taylor, J.F., Mann, C.S., Katz, M.L., Johnson, G.C., Brien, D.P. & Coates, J. R. (2011): A truncated retrotransposon disrupts the GRM1 coding sequence in Coton de Tulear dogs with Bandera's neonatal ataxia. *Journal of veterinary internal medicine*, 25(2), 267-272.
- Zeng, R., Coates, J. R., Johnson, G. C., Hansen, L., Awano, T., Kolicheski, A., Ivansson, E., Perloski, M., Lindblad-Toh, K., O'Brien, D. P., Guo, J., Katz, M. L., Johnson, G. S. (2014): Breed Distribution of SOD1 Alleles Previously Associated with Canine Degenerative Myelopathy. *J Vet Intern Med*. Feb 13., Applied Animal Behaviour Science 103 (2007) 118–130.
- Zhōu guāng. (1994): Chuān dōng lièquǎn (Chongqing Dog) Zhōngguó yǎng quǎn zázhì (Chinese Kennel Journal) 2, 016.
- Zieher, W. (2002): "Summary of the 2000 Health Survey Findings". Leo Watch. Slaton, TX. 2 (1): 5.
- Zielińska, S. & Głażewska, I. (2015): A pedigree-based analysis of mitochondrial DNA diversity in a dog population on the example of German Hovawarts, *Arch. Anim. Breed.*, 58, 335–342.
- Zimen, E. (1978): Der Wolf – Mythos und Verhalten. München, Meyster.
- Zink, M. C., Farhoody, P., Elser, S. E., Ruffini, L. D., Gibbons, T. A., Rieger, R. H. (2014): Evaluation of the risk and age of onset of cancer and behavioural disorders in gonadectomized Vizslas. *Journal of the American Veterinary Medical Association*, 244(3), 309-319.
- Ziv, G. (2017): The effects of using aversive training methods in dogs — A review. *Journal of Veterinary Behavior*, 19, 50-60.

**Ohne Autor:**

- A comparison of the behavioural profile of pure-bred dogs in Japan and the USA. *J Vet Med Sci* 68, 789 - 796
- AN INDIGENOUS DOG BREED OF TAMIL NADU. Aayvagam an International Journal of Multidisciplinary Research | Volume No. 1, Issue No. 12, January 2014
- OFA: Advanced Search | Orthopedic Foundation for Animals | Columbia, MO (ofa.org)