

Ulrich Schmid / Insekten / Stand 2023_07_26

Literatur

Allgemein

Bellmann, H.; Honomichl, K. (2007): Jacobs/Renner Biologie und Ökologie der Insekten, 4. Auflage. 756 S. Heidelberg (Elsevier, Spektrum).

Dathé, H.H. (Hrsg.) (2003): Lehrbuch der Speziellen Zoologie, Wirbellose Tiere, 5. Teil: Insecta. 961 S. Heidelberg, Berlin (Spektrum).

Dettner, K.; Peters, W. (Hrsg.) (1999): Lehrbuch der Entomologie. 921 S. Stuttgart (Gustav Fischer).

Fabre, J.-H. (1879-1909): Souvenirs entomologiques. Études sur l'instinct et les moeurs des insectes. – Alle hier wiedergegebenen Zitate stammen aus der im Verlag Matthes & Seitz (Berlin) erschienenen zehnbändigen Gesamtausgabe „Erinnerungen eines Insektenforschers“ (2009-2020).

Wikipedia: <https://en.wikipedia.org> und <https://de.wikipedia.org>. Relevante Angaben wurden in aller Regel ebenso wie andere Internetquellen anhand der Originalpublikationen überprüft.

Kapitel 1

Bechly, G. (2001): Urgeziefer. Die faszinierende Evolution der Insekten. – Stuttgarter Beiträge zur Naturkunde, Serie C, 49, 96 S.

Borkent, A. et al. (2018): Remarkable fly (Diptera) diversity in a patch of Costa Rican cloud forest: Why inventory is a vital science. – Zootaxa 4402 (1), 53-90. <https://doi.org/10.11646/zootaxa.4402.1.3>

Christenhusz, M.J.M.; Byng, J.W. (2016): The number of known plant species in the world and its annual increase. – Phytotaxa 261 (3), 201-217.

Dillane, E.; Hayden, R.; O'Hanlon, A.; Butler, F.; Harrison, S. (2022): The first recorded occurrence of the Asian hornet (*Vespa velutina*) in Ireland, genetic evidence for a continued single invasion across Europe. – Journal of Hymenoptera Research 93, 131-138. <https://doi.org/10.3897/jhr.93.91209>

Erwin, T.L. (1982): Tropical Forests: Their Richness in Coleoptera and other Arthropod Species. – The Coleopterists Bulletin 26 (1), 74-75.

Hallmann, C.A.; Sorg, M.; Jongejans, E.; Siepel, H.; Hofland, N.; Schwan, H. et al. (2017): More than 75 percent decline over 27 years in total flying insect biomass in protected areas. – PLOS ONE 12(10): e0185809. <https://doi.org/10.1371/journal.pone.0185809>

Halsch, C.A.; Shapiro, A.M.; Fordyce, J.A.; Nice, C.C.; Thorne, J.T., Waetjen, D.P.; Forister, M.L. (2021): Insects and recent climate change. – PNAS 118 (2), e2002543117, <https://doi.org/10.1073/pnas.2002543117>

Klink, R.v.; Bowler, D.E.; Gongalsky, K.B.; Swengel, A.B.; Gentile, A.; Chase, J.M. (2020): Meta-analysis reveals declines in terrestrial but increases in freshwater insect abundances. – Science 368 (6489), 417-420. DOI: [10.1126/science.aax9931](https://doi.org/10.1126/science.aax9931)

Köthe, S.; Schneider, F.D.; Bakanov, N. et al. (2023): Improving insect conservation management through insect monitoring and stakeholder involvement. – *Biodiversity and Conservation* 32, 691–713 (2023).
<https://doi.org/10.1007/s10531-022-02519-1>

Linnaeus, C.v. (1758): *Systema Naturae*. Tomus I. Edition Decima. Holmiae.

Minet, J.; Basquin, P.; Haxaire, J.; Lees, D.C.; Rougerie, R. (2021): A new taxonomic status for Darwin's "predicted" pollinator: *Xanthopan praedicta* stat. nov. (Lepidoptera Sphingidae Sphinginae). – *Antenor* 8 (1), 69-86.

Netz, C.; Renner, S.S. (2017): Long-spurred *Angraecum* orchids and long-tongued sphingid moths on Madagascar: a time frame for Darwin's predicted *Xanthopan/Angraecum* coevolution. – *Biological Journal of the Linnean Society* 122, 469–478.

Outhwaite, C.L.; McCann, P.; Newbold, T. (2022): Agriculture and climate change are reshaping insect biodiversity worldwide. – *Nature* 605, 97–102. <https://doi.org/10.1038/s41586-022-04644-x>

Paulus, H.F. (2007): Wie Insekten-Männchen von Orchideenblüten getäuscht werden – Bestäubungstricks und Evolution in der mediterranen Ragwurzgattung *Ophrys*. – *Denisia* 20, 255-294.

Schultheiss, P.; Nooten, S.S.; Wang, R.; Wong, M.K.L.; Brassard, F.; Guénard, B. (2022): The abundance, biomass, and distribution of ants on Earth. – *PNAS* 119 (40), e2201550119.
<https://doi.org/10.1073/pnas.2201550119>

Völkl, W.; Blick, T. (2004): Die quantitative Erfassung der rezenten Fauna in Deutschland. – *BfN Skripten* 117, 85 S. Siehe auch <https://www.bfn.de/daten-und-fakten/artenzahlen-der-tiere-pflanzen-und-pilze-deutschland-und-weltweit>

Zhang, S.-Q.; Che, L.-H.; Li, Y.; Liang, D.; Pang, H.; Slipinski, A. (2018): Evolutionary history of Coleoptera revealed by extensive sampling of genes and species. – *Nature Communications* 9, 205.
<https://doi.org/10.1038/s41467-017-02644-4>

Zhang, Z.-Q.: Animal biodiversita: An update of classification and diversity in 2013. – *Zootaxa* 3703 (1), 5-11. In: Zhang, Z.-Q. (Ed.): *Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda 2013)*. – *Zootaxa* 3703, 1–82.

Kapitel 2

Alem, S.; Perry, C.J.; Zhu, X.; Loukola, O.J.; Ingraham, T.; Søvik, E.; Chittka, L. (2016) Associative Mechanisms Allow for Social Learning and Cultural Transmission of String Pulling in an Insect. – *PLoS Biol* 14 (10): e1002564. doi:10.1371/journal.pbio.1002564

Beheshti, N.; McIntosh, A.C. (2008): The bombardier beetle and its use of a pressure relief valve system to deliver a periodic pulsed spray. – *Bioinspiration & Biomimetics* 2 (4), 57-64. DOI: 10.1088/1748-3182/2/4/001

Betz, O. (2014): Entstehung und evolutive Entfaltung der Insekten. – In: Maier, W.; Werneburg, I. (Hrsg.). *Schlüsselereignisse der organismischen Makroevolution*, S. 163-214. Zürich (Scidinge Hall Verlag).

Beutel, R.G.; Yavorskaya, M.I.; Mashimo, Y.; Fukui, M.; Meusemann, K. (2017): The Phylogeny of Hexapoda (Arthropoda) and the Evolution of Megadiversity. – *Proceedings of Arthropodan Embryological Society of Japan* 51, 1-15.

Bressel, J.; Constant, J. (2014): Giant Sticks from Vietnam and China, with three new taxa including the second longest insect known to date (Phasmatodea, Phasmatidae, Clitumninae, Pharnaciini). – European Journal of Taxonomy 104, 1–38. <http://dx.doi.org/10.5852/ejt.2014.104>

Burrows, M. (2003): Froghopper insects leap to new heights. – Nature 424, 509. <https://doi.org/10.1038/424509a>

Burrows, M.; Sutton, G.P. (2012): Locusts use a composite of resilin and hard cuticle as an energy store for jumping and kicking. – Journal of Experimental Biology 215, 3501-12. doi: 10.1242/jeb.071993

Cerkvenik, U.; Dodou, D.; van Leeuwen, J.L.; Gussekloo, S.W.S. (2018): Functional principles of steerable multi-element probes in insects. – Biological Reviews 94 (2), 555-574. doi: 10.1111/brv.12467

Chapman, J.W.; Nesbit, R.L.; Burgin, L.E.; Reynolds, D.R.; Smith, A.D.; Middleton, D.R.; Hill, J.K. (2010): Flight Orientation Behaviors Promote Optimal Migration Trajectories in High-Flying Insects. – Science 327, 682-685.

Clapham, M.E.; Karr, J.A. (2012): Environmental and biotic controls on the evolutionary history of insect body size. – PNAS 109 (27), 10927-10930. doi.org/10.1073/pnas.120402610

Darwin, C. (1958): The Autobiographie of Charles Darwin 1809-1882. 253 S. London (Collins) http://darwin-online.org.uk/converted/pdf/1958_autobiography_F1497.pdf

Debat, V.; Bertier, S.; Blandin, P.; Chazot, N.; Elias, M.; Gomez, D.; Llaurens, V. (2018): 9 - Why are Morpho Blue? In: Gracolcas., P.; Maurel, M.-C. (eds.): Biodiversity and Evolution. 270 S. London (ISTE Press). doi: 10.1016/B978-1-78548-277-9.50009-7

Ehrlich, H. et al. (2013): Discovery of 505-million-year old chitin in the basal demosponge *Vauxia gracilenta*. – Scientific Reports 3, 3497. DOI: 10.1038/srep03497

Gilbert, C. (1997): Visual control of cursorial prey pursuit by tiger beetles (Cicindelidae). – Journal of Comparative Physiology A 181, 217-230.

Faber, J.A.; Arrieta, A.F.; Studart, A.R. (2018): Bioinspired spring origami. – Science 359 (6382), 1386-1391. DOI: 10.1126/science.aap7753

Freese, W.; Gorb, S.; Schwarz, U. (2000): Was Libellen zu Flugkünstlern macht. – Spektrum der Wissenschaft 2000 (7).

Goetzke, H.H.; Patrick, J.G.; Federle, W. (2019): Froghoppers jump from smooth plant surfaces by piercing them with sharp spines. – PNAS 116 (8), 3012-3017. <https://doi.org/10.1073/pnas.1814183116>

Haerdlle, B. (2022): “More respect for nature and its smallest creatures” [Interview mit Lars Chittka]. – Leopoldina News 2022 (2), 10-11. <https://newsletter.leopoldina.org/mag/0689503001654695140/p10>

Huber, J.T.; Noyes, J.S. (2013): A new genus and species of fairyfly, *Tinkerella nana* (Hymenoptera, Mymaridae), with comments on its sister genus *Kikiki*, and discussion on small size limits in arthropods. – Journal of Hymenoptera Research 32, 17-44. doi: 10.3897/JHR.32.4663

Kamoun, S.; Hogenhout, S.A. (1996): Flightlessness and Rapid Terrestrial Locomotion in Tiger Beetles of the Cicindela L. Subgenus Rivacindela van Nidek from Saline Habitats of Australia (Coleoptera: Cicindelidae). – The Coleopterists Bulletin 50 (3), 221-230.

Lapshin, D.N. (2012): Mosquito bioacoustics: Auditory processing in *Culex pipiens pipiens* L. Males (Diptera, Culicidae) during flight simulation. – Entomological Review 92, 605–621 (2012). <https://doi.org/10.1134/S0013873812060024>

Lunau, K. (2009): Entomologisches Kuriositätenkabinett – von Brillenträgern, Modellen, Hirschen, Stiergeburten und Anderen. – Entomologie heute 21, 21-47.

McNamara, M.E.; Briggs, D.E.G.; Orr, P.J.; Heeso Noh; Hui Cao (2011): The original colours of fossil beetles. – Proceedings of the Royal Society B 279, 1114-1121. doi:10.1098/rspb.2011.1677

Mehdipour, M.; Sendi, J.J.; Zamanian, H. (2015): External morphology and calling song characteristics in *Tibicen plebejus* (Homoptera: Cicadidae). – Comptes Rendus Biologies 338 (2), 103-111. doi.org/10.1016/j.crvi.2014.10.008

Menz, M.H.M; Scacco, M.; Bürki-Spycher, H.-M.; Williams, H.J.; Reynolds, D.R.; Chapman, J.W.; Wikelski, M. (2022): Individual tracking reveals long-distance flight-path control in a nocturnally migrating moth. – Science 377, 6607, 764-768. <https://dx.doi.org/10.1126/science.abn1663>

Mostler, G. (1935): Beobachtungen zur Frage der Wespenmimikry. – Zeitschrift für Morphologie und Ökologie der Tiere 29, 381–454. doi:10.1007/bf00403719

Mountcastle A.M.; Combes, S.A. (2013) Wing flexibility enhances load-lifting capacity in bumblebees. – Proceedings of the Royal Society B 280, 20130531. <http://dx.doi.org/10.1098/rspb.2013.0531>

Osten Sacken, C.R (1894). On the Oxen-born Bees of the Ancients (Bugonia) and Their Relation to *Eristalis tenax*, a Two-Winged Insect. 80 S. Heidelberg (Hoerning).

Pinheiro, C.E.G. (1996): Palatability and escaping ability in Neotropical butterflies: tests with wild kingbirds (*Tyrannus melancholicus*, Tyrannidae). – Biological Journal of the Linnean Society 59, 351-365.

Reppert, S.; de Roode, J.C. (2018): Demystifying Monarch Butterfly Migration. Current Biology 28, R1009-R1022. <https://doi.org/10.1016/j.cub.2018.02.067>

Rösel von Rosenhof, A.J. (1749): Der monatlich herausgegebenen Insecten-Belustigung (Band 2): ... welcher acht Classen verschiedener sowohl inländischer, als auch einiger ausländischer Insecte enthält. Nürnberg. <https://doi.org/10.11588/diglit.2883>

Sanborn, A.F.; Phillips, P.K. (1995): Scaling of Sound Pressure Level and Body Size in Cicadas (Homoptera: Cicadidae; Tibicinidae). – Annals of the Entomological Society of America 88 (4), 479- 484. <https://doi.org/10.1093/aesa/88.4.479>

Schuler, W. (1982): Zur Funktion von Warnfarben: Die Reaktion junger Stare auf wespenähnlich schwarz-gelbe Attrappen. – Zeitschrift für Tierpsychologie 58 (1), 66-78. <https://doi.org/10.1111/j.1439-0310.1982.tb00309.x>

Sutton, G.P.; Burrows, M. (2011): Biomechanics of jumping in the flea. – Journal of Experimental Biology 214, 836-847. <https://doi.org/10.1242/jeb.052399>

Tihelka, E.; Cai, C.; Giacomelli, M.; Lozano-Fernandez, J.; Rota-Stabelli, O.; Huang, D.; Engel, M.S.; Donoghue, P.C.J.; Pisani, D. (2021): The evolution of insect biodiversity. – Current Biology 31, R1299–R1311. <https://doi.org/10.1016/j.cub.2021.08.057>

Wotton, K.R.; Gao, B.; Menz, M.H.M.; Morris, R.K.A.; Ball, S.G.; Lim, K.S.; Reynolds, D.R.; Hu, G.; Chapman, J.W. (2019): Mass Seasonal Migrations of Hoverflies Provide Extensive Pollination and Crop Protection Services. – Current Biology 29, 2167-2173. <https://doi.org/10.1016/j.cub.2019.05.036>

Xiaoyi, W.; Zhongqi, Y. (2008): Behavioral mechanisms of parasitic wasps for searching concealed insect hosts. – Acta Ecologica Sinica 28 (3), 1257-1269.

Young, A.M. (1971): Wing colouration and reflectance in Morpho butterflies as related to reproductive behaviour and escape from avian predators. – Oecologia 7, 209–222.

Kapitel 3

Betz, O. (2014): Entstehung und evolutive Entfaltung der Insekten. – In: Maier, W.; Werneburg, I. (Hrsg.). Schlüsselereignisse der organismischen Makroevolution, S. 163-214. Zürich (Scidinger Verlag).

De Gasperin, O.; Kilner, R.M. (2015): Friend or foe: Inter-specific interactions and conflicts of interest within the family. – Ecological Entomology 40 (6), 787-795. DOI: 10.1111/een.12259

Gong, Y.; Li, L.; Gong, D.; Yin, H.; Zhang, J (2016): Biomolecular Evidence of Silk from 8,500 Years Ago. – PLoS ONE 11(12): e0168042. <https://doi.org/10.1371/journal.pone.0168042>

Klausnitzer, B. (2005): Beobachtungen zur Lebensweise von *Meloe proscarabaeus* Linnaeus, 1758 (Coleoptera: Meloidae). – Gredleriana 5, 209-216.

Merian, M.S. (1697): Der Raupen wunderbare Verwandelung, und sonderbare Blumen-nahrung: worinnen, durch eine gantz-neue Erfindung, Der Raupen, Würmer, Sommer-vögelein, Motten, Fliegen, und anderer dergleichen Thierlein, Ursprung, Speisen, und Veränderungen, samt ihrer Zeit, Ort und Eigenschaften (Band 1). Nürnberg, Frankfurt, Leipzig. <https://doi.org/10.11588/diglit.2553#0087>

Nel, A.; Roques, P.; Nel, P. et al. (2013): The earliest known holometabolous insects. – Nature 503, 257–261, <https://doi.org/10.1038/nature12629>

Kapitel 4

David, P.; Bjorksten, T.; Fowler, K.; Pomiankowski, A. (2000): Condition-dependent signalling of genetic variation in stalk-eyed flies. – Nature 406 (6792): 186–188.

Gack, C.; Müller, J.K.; Peschke, K. (2006): Warum einfach, wenn es auch kompliziert geht? Das Wirken der sexuellen Selektion am Beispiel der Genitalstrukturen bei den Kurzflügelkäfern *Aleochara curtula* und *A. tristis* (Coleoptera, Staphylinidae). – Entomologie heute 18, 27-43.

Kessel, E. L. (1955): The Mating Activities of Balloon Flies. – Systematic Biology 4 (3), 97-104. <https://doi.org/10.2307/2411862>

Reinhardt, K.; Siva-Jothy, M.T. (2006): Biology of the Bed Bugs (Cimicidae). – Annual Review of Entomology 52, 351-374. <https://doi.org/10.1146/annurev.ento.52.040306.133913>

Matsumura, Y.; Kovalev, A.E.; Gorb, S.N. (2016): Penetration mechanics of a beetle intromittent organ with bending stiffness gradient and a soft tip. – Science Advances, 3, eaao5469 (2017). DOI: 10.1126/sciadv.aao5469

Matsumura, Y.; Michels, J.; Appel, E.; Gorb, S.N. (2016): Functional morphology and evolution of the hyper-elongated intromittent organ in Cassida leaf beetles (Coleoptera: Chrysomelidae: Cassidinae). – Zoology 120, 1-14. <http://dx.doi.org/10.1016/j.zool.2016.08.001>

Murray, R.L.; Wheeler, J.; Gwynne, D.T.; Bussière, L.F. (2018): Sexual selection on multiple female ornaments in dance flies. – Proceedings of the Royal Society B, 285, 20181525. <https://doi.org/10.1098/rspb.2018.1525>

Staniczek, A.; Schmid, U.; Mika, T. (2012): Sex. Motor der Evolution. – Stuttgarter Beiträge zur Naturkunde, Serie C, 72, 112 S.

Kapitel 5

Achenbach, A.; Foitzik, S. (2009): First evidence for slave rebellion: enslaved ant workers systematically kill the brood of their social parasite *Protomognathus americanus*. – Evolution 63 (4): 1068–1075. DOI: 10.1111/j.1558-5646.2009.00591.x

Boppré, M (1978): Das Experiment: Sexuallockstoff beim Seidenspinner. – Biologie in unserer Zeit 8(4), 120-124. https://www.fzi.uni-freiburg.de/pdf/1978b_Boppre.pdf

Bühlmann, C.; Hansson, B.S.; Knaden, M. (2012): Path Integration Controls Nets-Plume Following in Desert Ants. – Current Biology 22, 645-649. DOI 10.1016/j.cub.2012.02.029

Elmes, G.W.; Barr, B.; Thomas, J.A.; Clarke, R.T. (1999). Extreme host specificity by Microdon mutabilis (Diptera: Syrphidae), a social parasite of ants. – Proceedings of the Royal Society B 266, 447-453.
<https://doi.org/10.1098/rspb.1999.0658>

Esch, H.E.; Zhang, S.; Srinivasan, M.V.; Tautz, J. (2011): Honeybee dances communicate distances measured by optic flow. – Nature 411, 581-583

Fenzel, B. (2009): Auf der Liebesspur der Seidenspinner. – MaxPlanckForschung 1/2009, 86-87.

Fleischmann, P.N.; Grob, R.; Müller, V.L.; Wehner, R.; Rössler, W. (2018): The Geomagnetic Field Is a Compass Cue in Cataglyphis Ant Navigation. – Current Biology 28, 1440-1444. <https://doi.org/10.1016/j.cub.2018.03.043>

Howard, R.W.; Stanley-Samuelson, D.W., Akre, R.D. (1990): Biosynthesis and Chemical Mimicry of Cuticular Hydrocarbons from the Obligate Predator, Microdon albicomatus Novak (Diptera: Syrphidae) and Its Ant Prey, Myrmica incompleta Provancher (Hymenoptera: Formicidae). – Journal of the Kansas Entomological Society 63 (3), 437-443.

Kuntzman, M.L.; Hall, N.A. (2014): Sound source localization inspired by the ears of the *Ormia ochracea*. – Applied Physics Letters 105, 033701. <http://dx.doi.org/10.1063/1.4887370>

Miles, R.N.; Hoy, D.R.; Hoy, R.R. (1995): Mechanically coupled ears for directional hearing in the parasitoid fly *Ormia ochracea*. – The Journal of Acoustical Society of America 98 (6), 3059-3070. doi:10.1121/1.413830

Müller, M.; Olek, M.; Giersig, M; Schmitz, H. (2008): Micromechanical properties of consecutive layers in specialized insect cuticle: the gula of *Pachnoda marginata* (Coleoptera, Scarabaeidae) and the infrared sensilla of *Melanophila acuminata* (Coleoptera, Buprestidae). – The Journal of Experimental Biology 211, 2576-2583. doi:10.1242/jeb.020164

Oshinsky, M.L.; Hoy, R.R. (2002): Physiology of the Auditory Afferents in an Acoustic Parasitoid Fly. – The Journal of Neuroscience 22 (16), 7254-7263. DOI: <https://doi.org/10.1523/JNEUROSCI.22-16-07254.2002>

Robert, D.; Miles, R.N.; Hoy, R.R. (1996): Directional heraring by mechanical coupling in the parasitoid fly *Ormia ochracea*. – Journal of Comparative Physiology A 179, 29-44. doi:10.1007/bf00193432

Rosen, M.J., Levin, E.C.; Hoy, R.R. (2009): The cost of assuming the life history of a host: acoustic startle in the parasitoid fly *Ormia ochracea*. – The Journal of Experimental Biology 212, 4056-4064. doi:10.1242/jeb.033183

Schmid, U. (2004): Geheime Signale. 160 S. Stuttgart (Kosmos).

Schmitz, H.; Bousack, H. (2012): Modelling a Historic Oil-Tank Fire Allows an Estimation of the Sensitivity of the Infrared Receptors in Pyrophilous Melanophila Beetles. – PLoS ONE 7 (5): e37627. doi:10.1371/journal.pone.0037627

Schütz, S.; Weissbecker, B.; Hummel, H.E.; Apel, K.-H.; Schmitz, H.; Bleckmann, H. (1999): Insecta antenna as a smoke detector. – Nature 298, 298-299. doi:10.1038/18585

Srinivasan, M.V.; Zhang, S.; Altwein, M.; Tautz, J. (2000): Honeybee Navigation: Nature and Calibration of the “Odometer”. – Science 287, 851-853.

Wehner, R. (2003): Desert ant navigation: how miniature brains solve complex tasks. – Journal of Comparative Physiology A 189, 579-588. DOI 10.1007/s00359-003-0431-1

Wehner, R. (2008): The Desert Ant’s Navigational Toolkit: Procedural Rather than Positional Knowledge. – Navigation 55 (2), 101-114

Wehner, R. (2009): The architecture of the desert ant's navigational toolkit (Hymenoptera: Formicidae). – Myrmecological News 12, 85-96.

Wittlinger, M.; Wehner, R.; Wolf, H. (2006): The Ant Odometer: Stepping on Stilts and Stumps. – *Science* 312 (5782), 1965-1967. DOI: 10.1126/science.1126912

Kapitel 6

Backmann, P.; Grimm, V.; Jetschke, G.; Lin, Y.; Vos, M.; Baldwin, I.T.; van Dam, N.M. (2019): Delayed Chemical Defense: Timely Expulsion of Herbivores Can Reduce Competition with Neighboring Plants. – *The American Naturalist* 193(1), 125-139. doi: 10.1086/700577

Bar-On, Y.M.; Phillips, R.; Milo, R. (2018): The biomass distribution on Earth. – *PNAS* 115 (25), 6506-6511. <https://doi.org/10.1073/pnas.171184211>

Beani, L. (2006): Crazy wasps: when parasites manipulate the *Polistes* phenotype. – *Annales Zoologici Fennici* 43 (5/6), 564-574.

Brune, A. (2003): Mikrobielle Ökologie des Termitendarms. – *Forschungsbericht 2003 – Max-Planck-Institut für terrestrische Mikrobiologie*. <https://www.mpg.de/860978/forschungSchwerpunkt>

Jandausch, K.; Michels, J.; Kovalev, A.; Gorb, S.; van de Kamp, T.; Beutel, R.G.; Niehuis, O.; Pohl, H. (2022): Have female twisted-wing parasites (*Insecta: Strepsiptera*) evolved tolerance traits as response to traumatic penetration? *PeerJ* 10: e13655. DOI: 10.7717/peerj.13655

Kumar, P.; Pandit, S.S.; Steppuhn, A.; Baldwin, I.T. (2013): Natural history-driven, plant-mediated RNAi-based study reveals CYP6B46's role in a nicotine-mediated antipredator herbivore defense. – *PNAS* 111 (4): 1245–52. doi:10.1073/pnas.1314848111. PMC 3910579. PMID 24379363.

Li, J.; Halitschke, R.; Li, D.; Paetz, C.; Su, H.; Heiling, S; Xu, S.; Baldwin, I.T. (2021): Controlled hydroxylations of diterpenoids allow for plant chemical defense without autotoxicity. – *Science* 371 (6526), 255-260. doi: 10.1126/science.abe4713.

Niedermayer, S.; Pollmann, M.; Steidle, J.L.M. (2016): *Lariophagus distinguendus* (Hymenoptera: Pteromalidae) (Förster)—Past, Present, and Future: The History of a Biological Control Method Using *L. distinguendus* against Different Storage Pests. – *Insects* 7 (3), 39. <https://doi.org/10.3390/insects7030039>

Oberprieler, R.G.; Marvaldi, A.E.; Anderson, R.S. (2007): Weevils, weevils, weevils everywhere. – *Zootaxa* 1668, 498-520. doi:10.1111/j.1749-6632.2009.03875.x

Reisenman, C.E.; Riffell, J.A.; Hildebrand, J.G. (2009): Neuroethology of oviposition behavior in the moth *Manduca sexta*. – *Annals of the New York Academy of Sciences (International Symposium on Olfaction and Taste)* 1170, 462-467. <https://doi.org/10.1111/j.1749-6632.2009.03875.x>

Späthe, A.; Reinecke, A.; Olsson, S.B.; Kesavan, S.; Knaden, M.; Hansson B.S. (2013): Plant species and status-specific odorant blends guide oviposition choice in the moth *Manduca sexta*. – *Chemical Senses* 38 (2), 147-159. <https://doi.org/10.1093/chemse/bjs089>

Sullivan, D. J. (1987): Insect Hyperparasitism. – *Annual Review of Entomology* 32 (1), 49–70. doi:10.1146/annurev.en.32.010187.000405

Wilkinson, B.H.; Ivany, L.C.; Drummond, C.N. (2021): Estimating vertebrate biodiversity using the tempo of taxonomy – a view from Hubbert’s peak. – *Biological Journal of the Linnean Society* 134 (2), 402–422. <https://doi.org/10.1093/biolinnean/blab080>

Zhou, W. et al. (2017): Tissue-Specific Emission of (E)- α -Bergamotene Helps Resolve the Dilemma When Pollinators Are Also Herbivores. – *Current Biology* 27 (9), 1336-1341. doi: 10.1016/j.cub.2017.03.017